Computerised Cutter SAFE WORK METHOD STATEMENT (SWMS)							
TAS	K OR ACTIVITY: Computerised C	Cutter					
Business Name:		ABN:	SWMS#				
Business Address:							
Contact Person:	Phone:	E ail:					
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY						
THIS SAFE WORK METHOD STATEMENT IS APPRO' 'D BY THE PC. 'OF TP' - ROJECT Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or under the group of (PC - I) is required to enjoy that a safe work method statement (SWMS) is prepared before the proposed work starts.							
Full Name:							
Signature:		Title:	Date:				
Details of the person(s) responsible for ensuring implementation, monitoring	poliance the VMS a well as review	s and modifications of the SWMS.					
Full Name:		Title:	Phone:				
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS STMS MANY HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE				
Safety meetings or toolbox talks will be sched and in account with gislative requirements to first identify any site hazards, such a companie those hazards and then to further take steps to either eliminate or contact hazard.							
If an incident or a near miss occurs, all work must stop an attactive Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.							
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.							
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.							



CLIENT OR PRINCIPAL CONTRACTOR DETAILS						
Client:	SCOPE OF WORKS					
Project Name:						
Project Address:						
Project Manager:						
Contact Phone:						
Date SWMS supplied to Project Manager:						
ANY HIGH-RISK CONSTRUC						
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping					
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines					
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services					
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere					
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete					
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor					
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant					
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.					
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.					
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY					



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	

	PERS_VAL > TECTIVE EQUIPMENT (PPE)										
	Select the appropriate PPL above suitably for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements Mandatory Qualifications and Training										



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR													
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK													
			- Regular equipment inspection: Ensure that we computerised cutter and its electrical components are regularly inspected and maintained by a que fied technic or to prevent electric shocks.														
			- Proper grounding: Make sure that the computiencutter is correctly grounded, as per manufacturer guidelines, to avoid the risk of electric shock.														
			- Circuit protection: Install resumption of current devices CDs to circuit breakers to protect against potential electric shocks, in case funct, ted equipment fail our malfunction.														
			- Use of person protective equipment (PPE): Froure that workers wear appropriate PPE, such as non- conductive gives and safe shoes, when be using the computerised cutter to minimise the risk of electric shock.														
		M	- Clean trkspace is the surrounding work area clean and free from clutter to reduce the likelihood of trippin. In ords.														
	Electric shock, Tripping hazards		- Cable nancement, organise and secure cables with cable ties or cable organizers to prevent them from becoming ongled or lying loose on the floor, thus eliminating tripping hazards.														
1 Proportion			- strage and lab rang: Place warning signs and labels around the workspace to remind employees to be cautic a sund the computerised cutter and take necessary precautions to avoid possible hazards.	1L													
1. Preparation	Electric shock, Tripping fiazards		dequate lighting: Provide sufficient lighting in the work area so employees can identify and avoid any punctial hazards while using the computerised cutter.														
																	Proper training: Provide comprehensive training for staff on how to operate the computerised cutter safely, effectively, and according to manufacturer guidelines.
			- Emergency procedures: Establish clear emergency procedures and make sure all employees are familiar with them in case of an accident involving the computerised cutter.														
		-	- Tools and equipment storage: Store all tools and equipment properly and securely when not in use. This helps minimise the risk of accidents and keeps the work area tidy, reducing tripping hazards.														
			- Risk assessments: Conduct regular risk assessments to evaluate and update existing control measures for maximum effectiveness and identify new hazards that may arise during daily operations.														
			- Communication and coordination: Encourage open communication and information-sharing among staff about potential hazards, incident reporting, and control measures to ensure consistent safety awareness and cooperation.														
			- Incident monitoring and analysis: Closely monitor and analyse any accidents or near-misses that occur in the workspace involving the computerised cutter system. Use the findings to improve existing control measures and prevent similar incidents from happening again.														
2. Machine Set Up	Mechanical pinch points, Noise exposure	ЗH	- Ensure all operators have received proper training and are competent in setting up the computerized cutter before use, including knowledge of emergency stop procedures.	2M													



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	
			- Inspect the machine for any visible damage or wear and tear prior to setup. If issues are identified, report them to the supervisor immediately and avoid using the equipment until it is repaired or replaced.		
			- Prioritise lockout/tagout procedures during seture eliminate the risk of unexpected machine start-up, potentially causing mechanical pinch-point injune.		
			- Keep hands and body clear from moving , ts and pinot points during the machine set up process. Use appropriate tools and protective gloves if new part to unimise direct contact with sharp components or blades.		
			- Ensure that all safety guard and barriers are in the decorrect, and securely in place, protecting operators from mechanical has ds and inadverten, and swith moving parts.		
			- Develop a clear communication estem between employees involved in the set up and operation of the computerized ever, to ensure each erson know their role and follows the work procedure safely.		
			- Follow the number of guidelines of chine speed settings, material handling, and feed rates to preven xcess, cutting orce, which chaid lead to mechanical failures and injury.		
			- Utilis a vibrate mounts or damping pads to reduce noise transmission and minimise noise exposure levels rule kers of the cutter and those nearby.		
			- Requit theat of protection equipment, such as earmuffs or earplugs, to be worn during machine stallation and the enever noise levels exceed acceptable limits, as outlined by Australian Standards.		
			- Sch. Yul, regular maintenance and inspections for the computerized cutter to ensure all components are unctional correctly and efficiently, minimising the risk of malfunction and noise generation.		
			- courage workers to take periodic breaks away from the cutter during setup to reduce prolonged exposure to noise and other associated risks.		
	G		- Constantly review and update the Safe Work Method Statement (SWMS) to account for newly identified hazards or changes in operation, ensuring that effective control measures are in place to protect the workers during machine set up.		
			 Prioritise proper training: Ensure that all staff members involved in material handling are trained in correct lifting techniques, safe maneuvering of equipment, and appropriate methods for loading and unloading heavy objects. 		
			- Use mechanical aids when possible: Utilise appropriate lifting devices such as forklifts, pallet jacks, and hoists for handling heavy or oversized loads. This will reduce the potential for manual lifting strains.		
3. Material Handling	Manual lifting strains, Falling objects	2M	- Implement a buddy system: Encourage workers to assist one another while lifting especially heavy or awkward items to minimise strain and ensure proper communication.	1L	
5			- Plan and prepare the work area: Clear pathways and designate appropriate loading zones to allow for smooth material handling without obstructions, decreasing the risk of falling objects or accidents.		
			- Establish weight limits: Set a maximum limit for materials that can be manually lifted by workers, taking into account the object's size, shape, and the worker's physical capabilities. This will help mitigate manual lifting strains.		
			- Keep work zones organised: Reduce clutter and maintain well-organised storage areas, ensuring that all materials are properly secured and stacked to prevent the risk of falling items.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Exercise proper posture: Inform workers of the importance of maintaining good posture while lifting and carrying heavy objects, including using their legs instead of their back for lifting and keeping the load close to the body to avoid strains.	
			- Provide appropriate personal protective equiver ant (PPE): Supply workers with PPE like gloves, hard hats, and steel-toed shoes to protect them that injuries due to falling objects or during the lifting process.	
			- Implement regular breaks and rotation of taxes: Encry age workers to take short breaks between tasks and rotate through different responsibilities to a muscles time to rest and recover from heavy lifting.	
			- Conduct ongoing hazard as sements and inspections: Recearly evaluate the workspace for any hazards related to material having and make any concerned adjustments to minimise risk.	
			- Create an open communication of ture: Encourage workers to report any concerns or suggestions related to matrix, nandling cractic, callowing for continuous improvement in workplace health and safety measures.	
4. Cutting Operations	Flying debris, Mechanical entangler unt	ЗН		2М








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Tool Changing	Sharp tool edges, unch points	ЗН		1 1 1 1



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Machine Maintenance	Electrical hazards upps and falls	ZM		1L
8. Debris Removal	Flying particles, Dust inhalation	2M		1L







Version 2.5

Date of Issue:
















JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE RE	EFERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGIS	SLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health and Safety Acta 24 Occupational Health and Safety Acta 24 Descriptional Health and Safety - gulations 2017 Legis from VIC: https://www.worksafe.vic.gov.au/cocupational-health-and-safety-act-and- safety - safety - safe
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workslate-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workslate-serve-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 Weiding processes First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work Any required documents	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work

- Any required documents.



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the SWMS	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selections	\boxtimes		
Responsible person is assigned and listed on the part the importation control measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE RE	VIEWED	
SIGNATURE	DATE COM	DATE COMPLETED	