Concrete Curb And Gutter Co	nstruction SAFE WORK M	IETHOD STATEMENT (SWM	S)
TASK OR ACT	IVITY: Concrete Curb And Gutte	r Construction	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	sting a business or under the (Pour I) is	required to en that a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:	NK	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	opliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched and in according with a gislative requirements to first identify any site hazards, such a communication those hazards and then to further take steps to either eliminate or contained hazard.			
If an incident or a near miss occurs, all work must stop an alately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL CONTRACTOR DETAILS					
Client:	SCOPE OF WORKS				
Project Name:					
Project Address:					
Project Manager:					
Contact Phone:					
Date SWMS supplied to Project Manager:					
ANY HIGH-RISK CONSTRUC					
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping				
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines				
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services				
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere				
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete				
involves structural alteration or repair that quires terrar by supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor				
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant				
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.				
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.				
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY				



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	000DF			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
Total LOW LOW MODERATE HIGH HIGH LOW k orecords Isolate the flazadi. Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferrement on on the analysis of controlling a hazard. Engineering by isolation is the traction set the second most effective method of controlling a hazard. Engineering by isolation is the traction set the fourth most effective method. Administrative on the least effective Administrative PPE PPE PPE PPE PPE PPE PPE										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements					Mandatory Qualifications and Training					




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Hazardous materials, Tripping hazards	2М	 Conduct a site assessment to identify haz upous materials and ensure they are safely stored away from the work area. Ensure all workers have completed appropriate to using in handling hazardous materials and understand the site-specific safety procedures. Use personal protective equivalent (PPE) such as lovalary perotection, and masks when dealing with hazardous substance. Clearly mark to doundate of the tork area and high-visibility barriers or tape to prevent unauthorised entry and relate tripping incidents. Mainten a clear and countised works noty regularly removing debris and waste materials to minimise trippine zards. Ensula the all powe cords, hoses, and equipment are coiled neatly and placed out of walkways to prevent ips of falls. Implement a communication plan to inform all workers and visitors of associated risks and necessary pictuities within me work zone. Provide sequate lighting in the work area, especially during early moming or late afternoon hours, to prove visibility and hazard recognition. Use clear signage to indicate pathways, risk zones, and emergency exits to guide personnel and prevent confusion on site. Assign a safety supervisor to monitor compliance with safe work practices and immediately address any potential hazards as they arise. Regularly inspect all equipment and tools for defects or damage to ensure they are in safe working condition and do not pose an additional hazard. Establish an emergency response procedure, including first aid kits and trained first responders, to deal promptly with any incident involving hazardous materials or injuries resulting from trips. 	1L
2. Site Inspection	Slippery surfaces, Noise pollution	ЗН	 Conduct a site assessment to identify all potential hazards and implement necessary signage to warn workers and visitors of slippery surfaces. Ensure all personnel wear appropriate footwear with slip-resistant soles to navigate the site safely. Implement noise control measures such as erecting noise barriers or using quieter machinery where possible to minimise disruption. Schedule work during times that are less likely to affect nearby residents or businesses adversely due to noise. Provide personal protective equipment such as earmuffs or earplugs to protect against noise pollution. 	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Maintain clean and dry pathways by regularly sweeping and removing debris, minimising the risk of slips and falls.	
			- Train workers on safe work practices when operating machinery or moving equipment to prevent accidents related to slippery conditions.	
			- Use non-slip mats or coverings on known oppery areas high-traffic zones to improve traction.	
			- Set up designated walkways with clear mark us to juice foot traffic away from potentially hazardous areas.	
			- Regularly monitor weather or ditions and prepare or adverse changes that may exacerbate slipping hazards, such as rain or frost.	
			- Ensure commencation peopoles are in place set vorkers can quickly report any new hazards or unsafe conditions are ey are idented.	
			- Correct regulation because checks on all machinery to ensure they are in proper working condition and study of according to the manufacturer's recommendations.	
			- Insper elemical to and equipment for any frayed cords or exposed wires before use.	
	Machinery malfunction area cal	.:A	Ensure III open tors are fully trained and competent in using specific machinery and have current in using specific machinery and have current	
			Imple, the a lockout/tagout (LOTO) procedure to disconnect machinery from power sources during intenance or repairs.	
2. Environment Check			- One only portable equipment that is rated for the environment, such as water-resistant tools when working near water sources.	214
3. Equipment Check			- Provide Personal Protective Equipment (PPE) such as insulated gloves and boots to workers operating or handling electrical equipment.	2M
			 Install automatic shut-off mechanisms and emergency stop controls on machinery to quickly halt operations in case of malfunctions. 	
			- Conduct toolbox talks with all workers to review the potential machinery and electrical hazards specific to the site and task.	
			- Establish exclusion zones around operational machinery to prevent unauthorised access during machine operation.	
			- Ensure all power sources and machinery connections are safeguarded with Residual Current Devices (RCDs) to protect against electrocution.	
4. Area Marking	Falling objects, Exposure to sun	2M		1L




















SPECIFIC WORK STEPS HAZARDS THAT MAY ARISE Image: Composition of the state	IR CONTROL MEASURES	RR
Dehydration	INITIAL RISK SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
		2M
11. Removal of Crushing injuries, Manual handling 4A Formwork injuries	A 3H	3H








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Clean Up	Tripping over debris, Cuts and scrapes	2М		1L
14. Hazardous Waste Disposal	Exposure to hazardous materials, Improper disposal	4A		2М


Version 2.5

Date of Issue:










Version 2.5

Date of Issue:









Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				-
	C			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES DANY STATE DAT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health au Safety Act 204 Occupational Health and pafety or gulations 2017 Legis non VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulat</u> is or des of mactice VIC <u>autps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-secure-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-secure-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u> <u>codes-of-practice</u> Model Codes of Practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_dces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\square	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE RE	VIEWED
SIGNATURE	DATE CO	MPLETED