



Conveyors (Overhead C	hain) SAFE WORK METH	OD STATEMENT (SWMS)	
TASK OI	R ACTIVITY: Conveyors (Overhe	ad Chain)	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E fil:	
THE SAFE WORK METHOD	OTATEMENT IS A DODGO OD DV	THE DO LOS THE GOLDON	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	STATEMENT IS APPRO: '0 BY cting a business or undo a (Pc 1) is	required to en that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:	MY	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	poliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAY HAVE THE FOLLOWING COMMUNICATED	NA. 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND C THIS SWMS	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched and in account with a gislative requirements to first identify any site hazards, and then to further take steps to either eliminate or continuous each hazard.			
If an incident or a near miss occurs, all work must sto, an ataly. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH BIOK CONSTRUCTOR	NAME OF THE POLIT
ANY HIGH-RISK CONSTRUCTOR	N WC & BEIN C ARIED OUT
☐ involves a risk of a person falling more than 2 meters	is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	\square is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical integral of a functure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
☐ involves structural alteration or repair that —quires term — v sup —rt to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
☐ is carried out in/near a shaft or trench deeper that. tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
\square is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	Y OR EQUIPMENT NEARBY

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEI	RARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Isolate	e People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and		Engineering Isolate the hazard.	
is the second m	rchy of Controls: ost effective metho nging the work is th	d of controlling a	hazard. Enginee	ering by isolati	on is the in ost e	en 'ive, while	rd. Substitution Administrative effective		Administrative Change the work. PPE	

				PERS		TIVE EQUIPM					
		Select the app	ropriate PPŁ	abo v uitab	cor the equi	pment used or	the job task	being perforr	ned (if applica	ıble).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING ETION	P ECTION	PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	equired:										
	Pe	ermit or Licen	ses Requirem	ents		Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Inspect the work area for any loose cables words, or materials that may create tripping hazards and ensure proper housekeeping is maintained oughout the operation.	
			- Make certain that workers are provided with the personal protective equipment (PPE) including, but not limited to, safety boots with slip-resistant sone safety glass and gloves in order to minimise injury risks.	
			- Train workers on her theorem use all equipment and to overhead chain conveyors, as well as the appropriate processes to slow it ase of electrical malfunctions or other emergencies.	
			- Keep adeq. e first-aid kin available at the arksite and establish regular emergency drills to prepare workers in the cent of are ccident.	
			- Esta a man case schedule to regularly inspect and service the chain conveyors and associated control in lectrical vistems to prevent wear-induced hazards or malfunctions.	
1. Preparation	Electric shock, Tripping hazards	2M	- Use a properte walking signs, labels, or barriers as needed to make workers aware of potential hazards associated with overhead chain conveyors and electrically powered components.	1L
			- well gound-fact circuit interrupters (GFCIs) to prevent electric shock hazards by quickly shutting off the polytoply in case of an electrical fault.	
			learly mark walkways and designated paths for workers around the work area to direct movement and receive the risk of becoming entangled with or tripped by the moving parts of the conveyor system.	
			Implement proper lockout/tagout procedures when performing maintenance or repair work on the overhead chain conveyors, to avoid accidental energising of equipment and subsequent electric shocks.	
			- Store all tools and equipment properly when they are not in use and keep them free from dirt, dust, or debris that could contribute to electrical hazards or unwanted accidents.	
			- Develop a safety protocol for workers to report hazards or unsafe working conditions encountered during their work, so these issues can be promptly addressed and resolved to maintain a safe working environment.	
			- Regular inspection and maintenance: Ensure that the overhead chain conveyors are inspected and maintained regularly by qualified personnel to identify any potential risks of pinch points or falling objects.	
Conveyor inspection	Pinch points, Falling objects	3H	- Proper training: Train all workers who operate, maintain, or work near the overhead chain conveyors on the safe usage and potential hazards associated with these systems, including awareness of pinch points and falling objects.	2M
, ,	. , , ,		- Personal protective equipment (PPE): Provide appropriate PPE such as safety gloves, helmets, and goggles for workers who are working with or around conveyors to safeguard against injuries from pinch points or falling objects.	
			- Guards and barriers: Install and maintain adequate guards or barriers around pinch point areas and other hazardous locations to prevent access by workers and eliminate the risk of injury.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Task-specific tools: Utilise specific tools designed for conveyor maintenance and inspection tasks to minimise the risk of accidental contact with pinch points and falling objects.	
			- Safe work procedures: Develop and implement sawork procedures for inspecting and maintaining conveyors that address the potential hazards a sciated with pinch points and falling objects.	
			- Lockout/tagout: Establish a lockout/tagout, ocedure to sure that conveyors are de-energised and locked in place during inspection and maintenance are uses, eliminating the risk of movement-related injuries.	
			- Clear signage and communation: Clearly label such point seas and potential falling object risks with hazard signs and use visual or ditory warnings to serve serve serves of moving conveyors when necessary.	
			- Organise work of the Scheme maintenance and inspection work in a manner that minimises worker exposure to hazard these areas during work activities.	
			- Emergency poonse plan Develop of antain an emergency response plan that addresses potential incident related piper points and falling objects on conveyors, including procedures for first aid assist and account shutdown.	
			- Incide the pring a Univestigation: Encourage the reporting of all incidents and close calls related to pinch points of falling bjects, and conduct thorough investigations to identify contributing factors and implement contributions to prevent future occurrences.	
			Regularity uipment inspections: Conduct routine inspections and maintenance checks on the overhead ain conseyors to ensure they are in good working condition, especially before beginning any work that it lives them.	
			Lockout/tagout procedures: Implement lockout/tagout procedures when performing maintenance or servicing to prevent accidental activation of the conveyor system, reducing the risk of workers getting caught in machinery.	
			- Guarding: Install appropriate guarding around moving parts of the conveyors to prevent workers from coming into contact with them, minimising the risk of caught-in hazards.	
3. Equipment	Caught in machinery, Falling wols	4A	- Securing tools and equipment: Ensure all tools and equipment used during maintenance are securely fastened and stored when not in use to prevent them from falling and causing injury.	2M
maintenance	Caught in machinery, I aming tools	40	- Fall protection equipment: Provide fall protection equipment such as harnesses and lanyards for workers who may be at risk of falling due to elevated work areas.	ZIVI
			- Proper training: Ensure all employees are adequately trained in equipment maintenance, safe operation, and hazard recognition to minimise the risk of accidents.	
			- Clear workspace: Maintain a clean and organised workspace free of clutter, which can help reduce the likelihood of trips, falls, and other incidents related to tools being left in dangerous positions.	
			- Personal protective equipment (PPE): Ensure workers wear the proper PPE, including gloves, safety glasses or goggles and helmets, while performing maintenance tasks to reduce the risk of injuries.	
			- Emergency shutoff devices: Confirm all emergency stops and shutoff devices are functional and easily accessible in case they are needed during maintenance work.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Safe lifting techniques: Train workers on proper lifting techniques to reduce strains and sprains while handling heavy loads during maintenance tasks.	
			- Equipment isolation: Isolate the conveyor system and other processes and systems during maintenance to avoid any unexpected interaction with other processes and systems during maintenance to avoid any unexpected interaction with other processes.	
			- Supervisor oversight: Assign a competent opervisor to be a server the maintenance work, ensuring compliance with safety procedures and being vailable address any concerns or questions from workers.	
			- Incident reporting: Encourage employees to report any unsucconditions or incidents during the maintenance work to help identifications areas where improvements can be made in workplace safety.	
4. Lockout/Tagout	Unexpected energy ng, Fe ²⁸	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Operating conveyor	Fingers/hands caught, Caught clothin	2M		1L
6. Loading material	Overloading, Moving materials hazard	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Unloading material	Struck by falling objects, Unstable loads	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
8. Housekeeping	Slip and fall, Obstructed walkways	2M		1L
o. Housekeeping	Olip and fail, Obstitucted walkways	ZIVI		IL.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Emergency stop activation	Accidental activation, Failure o activate	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Restarting operation	Improper alignme. Operat	2M		11



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Conveyor decommissioning	Inadequate lockout, Figure Pazards			2M



SPECIFIC WORK STEPS HAZARDS THAT MAY ARISE INITIAL RISK SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS RESIDURRISK RESIDURRISK	SPECIFIC WORK STEPS HAZARDS THAT MAY ARISE NITHAL RISK SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS RESIDUAL RISK 12. Incident reporting Late reporting, Inadequacy of information 14.	JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
	12. Incident reporting Late reporting, Inadequacy of information 14.	SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Incident reporting Late reporting, Inadequacy of information 11.		12. Incident reporting	Late reporting, Inadequacy of information	2M.		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK





EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/leg

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-oi racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and affety gulations 2017

Legis on VIC: https://www.csafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains a fective of must be reviewed (and revised if necessary) if relevant control measures are revised. The view process should be carried out in consultation with workers (including contractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU mast ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

Version 2.5 Authorised by Review # Date of Issue: Review Date: 16





SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS		
The company details have been entered, including the project name and address.				
All relevant personnel consulted during the development of the SWMS.				
Name, signature, position and date signed of the person approving the SWMS.				
Specific personnel and qualifications, experience is noted in the SWMS.	7			
Provides a step-by-step process of tasks required to carry out the activity or task.				
Adequate risk assessment of any identified hazards has been completed.				
Foreseeable hazards are identified and documented for each step.				
Any hazards listed in any site risk assessments have been added to the SWMS				
SWMS initial risk (IR) column as well as residual risk (RR) column ppleted.				
Check control measures added to the SWMS are the most effective selectives				
Responsible person is assigned and listed on the property the improvement of measures.				
Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc.				
SWMS identifies plant and equipment to be us				
Details of inspection checks required for any equipment listed noted on the SWMS.				
Describes any mandatory qualifications, experience, and or skills required to perform the work.				
Applicable personal protective equipment is selected on the SWMS.				
Reflects and documents any legislative references and/or Australian Standards.				
dentifies any hazardous substances used with specific control measures in line with any SDS.				
REVIEWED BY	DATE REVIEWED			
SIGNATURE	DATE COMPLETED			