



Delivery Of Supply Mate	rials SAFE WORK METHO	OD STATEMENT (SWMS)	
TASK O	R ACTIVITY: Delivery Of Supply	Materials	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E 111:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PCL OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or under the (PC 1) is	required to en that a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:	NY	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	opliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS S /MS M HAVE THE FOLLOWING COMMUNICATED	NA, ¿ OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in accomply with gislative requirements to first identify any site hazards, hazards and then to further take steps to either eliminate or continuate hazard.			
If an incident or a near miss occurs, all work must sto, an alately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH BIOK CONSTRUCTOR	NAME OF THE POLIT
ANY HIGH-RISK CONSTRUCTOR	N WC & BEIN C ARIED OUT
☐ involves a risk of a person falling more than 2 meters	is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	\square is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical integral of a functure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
☐ involves structural alteration or repair that —quires term — v sup —rt to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
☐ is carried out in/near a shaft or trench deeper that. tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
\square is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	Y OR EQUIPMENT NEARBY

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS		
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION	Elimination Remove the hazard.		
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE	Substitution		
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.	Replace the hazard.		
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Isolate People from the hazard		
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and	Engineering Isolate the hazard.		
is the second m	rchy of Controls: ost effective metho nging the work is th	d of controlling a	hazard. Enginee	ering by isolati	on is the in ost e	en 'ive, while	rd. Substitution Administrative effective	Administrative Change the work. PPE		

				PERS		TIVE EQUIPM					
		Select the app	propriate PPL	abo√ ≃uitab	ic or the equi	pment used or	the job task	being perforr	ned (if applica	ıble).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING ETION	P ECTION	R PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Required:										
	Pe	ermit or Licen	ses Requirem	ents			Ma	andatory Qual	ifications and	Training	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Manual handling, Slippery surfaces	2M	 Conduct a thorough risk assessment prior commencing the task to identify potential hazards related to manual handling and slippery surfaces. Use mechanised equipment like trolleys, doll a corklifts to transport heavy or bulky materials to minimize manual handling. Implement safe work procedures that include teals of time conniques when handling heavy items is unavoidable. Ensure all works are traced in proper manual andling techniques to prevent strain or injury. Wear appropriate non-slip ootwear who equate tread to reduce the risk of slipping on wet or uneven surface. Regular inspect of maintain all walkways and work areas to ensure they are free from water, oil, or other sides of scenarios signs to carricades around any identified slippery areas to alert workers to potential negards. Utility at orbent mats or anti-slip covers in areas prone to becoming wet or slippery. Establish a communication plan for workers to report any spills or slippery conditions immediately for propt clean-up. Assign a designated safety officer to monitor the site during material delivery to address any arising risks or hazards quickly. 	1L
2. Loading Materials	Falling objects, Heavy lifting	ЗН	 Ensure all personnel are wearing appropriate personal protective equipment, including hard hats and steel-toed boots. Use well-maintained lifting equipment such as forklifts or hoists to handle heavy materials instead of manual lifting where possible. Secure all loads properly with straps or ropes before moving them to prevent shifting and falling objects. Clearly mark loading zones and restrict access to authorised personnel only to minimise the risk of accidents. Conduct a pre-task safety briefing to outline the specific responsibilities and precautionary measures associated with the task. Implement spotters during loading operations to assist drivers by providing guidance on load placement and movement. Inspect all lifting equipment before use to ensure it is in good working condition and safe to operate. Position workers away from the direct path of any load being moved to avoid injury from falling or swinging materials. 	2M



	JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
strain during manual handling. - Establish clear communication methods between a min members, such as hand signals, to coordinate movements safely. - Ensure that weather conditions are suitate or loading, divities and cease operations during severe weather, such as high winds or rain. - Train all personnel involved in manual handling, chiniques to light injury risks from improper lifting postures. - Regularly review and undate in tring procedures to prorate new health and safety standards or address identified or ear. - Conduct a protect of the provided in manual handling chiniques to light injury risks from improper lifting postures. - Regularly review and undate in tring procedures to prorate new health and safety standards or address identified or ear. - Conduct a protect of the provided in th	SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE		SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
movements safely. - Ensure that weather conditions are suitable for loading divities and cease operations during severe weather, such as high winds or rain. - Train all personnel involved in manual handling, chiniques to likelit injury risks from improper lifting postures. - Regularly review and undate it alling procedures to un porate new health and safety standards or address identified a sexu. - Conduct a protate chest on all vehicles and agreement plan including regular breaks during long travel distances Inside the sexual limits and road rules at all times to reduce the risk of vehicle accidents Inside the sexual limits and road rules at all times to reduce the risk of vehicle accidents Inside the sexual limits and road rules at all times to reduce the risk of vehicle accidents Inside the sexual limits and road rules at all times to reduce the risk of vehicle accidents Inside the sexual limits and road rules at all times to reduce the risk of vehicle accidents Inside the sexual limits are asset of a sexist with manoeuvring in tight areas and prevent collisions Use high, publicly obting and equipment to increase visibility of personnel around vehicles, especially ling loading and unloading Plan routes ahead and use GPS systems to avoid hazardous or congested areas and ensure timely deliveries Engage a spotter when reversing or operating in confined spaces to guide the driver safely Maintain a crash avoidance space by keeping a safe distance between vehicles Implement a drug and alcohol policy to ensure operators are not impaired while driving Limit exposure to excessive noise by providing hearing protection and maintaining mufflers and exhaust systems Schedule deliveries during off-peak hours where possible to minimise congestion and associated risks Train workers on emergency procedures to be followed in case of an accident or vehicle malfunction Regularly service and maintain delivery vehicles to ensure compiliance with safety standards and					
weather, such as high winds or rain. - Train all personnel involved in manual handling exhibitions to litigit injury risks from improper lifting postures. - Regularly review and undate in hing procedures to un porate new health and safety standards or address identified as with a standard so an address identified as with a standard so and a standard so an address identified as with a standard so and a standard so an accident or vehicle malfunction. - Regularly service and maintain delivery vehicles to ensure compliance with safety standards and					
postures. - Regularly review and undate in iting procedures to unporate new health and safety standards or address identified a sea. - Conduct a postart cheaps in all vehicles of day to ensure they are in safe working order. - Ensign all drives his owner elevant and current licenses required to operate delivery vehicles and equip by. - Adher to soled limited and road rules at all times to reduce the risk of vehicle accidents. Implement at other fatigue management plan, including regular breaks during long travel distances. - If the string sameras and sensors to assist with manoeuvring in tight areas and prevent collisions. It is high, visibility clothing and equipment to increase visibility of personnel around vehicles, especially to rigo loading and unloading. - Prain routes ahead and use GPS systems to avoid hazardous or congested areas and ensure timely deliveries. - Engage a spotter when reversing or operating in confined spaces to guide the driver safely. - Maintain a crash avoidance space by keeping a safe distance between vehicles. - Implement a drug and alcohol policy to ensure operators are not impaired while driving. - Limit exposure to excessive noise by providing hearing protection and maintaining mufflers and exhaust systems. - Schedule deliveries during off-peak hours where possible to minimise congestion and associated risks. - Train workers on emergency procedures to be followed in case of an accident or vehicle malfunction. - Regularly service and maintain delivery vehicles to ensure compliance with safety standards and					
Conduct a purstant cheer an all vehicus and day to ensure they are in safe working order. Ensured II drive by an energe event and current licenses required to operate delivery vehicles and equiples. Adherentors and immediately and road rules at all times to reduce the risk of vehicle accidents. Implement a seer fatigue management plan, including regular breaks during long travel distances. Including and equipment to increase visibility of personnel around vehicles, especially by long loading and unloading. Prain routes ahead and use GPS systems to avoid hazardous or congested areas and ensure timely deliveries. Engage a spotter when reversing or operating in confined spaces to guide the driver safely. Maintain a crash avoidance space by keeping a safe distance between vehicles. Implement a drug and alcohol policy to ensure operators are not impaired while driving. Limit exposure to excessive noise by providing hearing protection and maintaining mufflers and exhaust systems. Schedule deliveries during off-peak hours where possible to minimise congestion and associated risks. Train workers on emergency procedures to be followed in case of an accident or vehicle malfunction. Regularly service and maintain delivery vehicles to ensure compliance with safety standards and					
- Ens on It drive the other relevant and current licenses required to operate delivery vehicles and equip is and the equip is					
equip 3. Adhel to sped limit and road rules at all times to reduce the risk of vehicle accidents. Implement a sper fatigue management plan, including regular breaks during long travel distances. Implement a sper fatigue management plan, including regular breaks during long travel distances. Implement a sper fatigue management plan, including regular breaks during long travel distances. Implement a desperation of the properties of the p				- Conduct a purstart check on all vehicles chiday to ensure they are in safe working order.	
- Adhe to sped lime and road rules at all times to reduce the risk of vehicle accidents. Implement a oper fatigue management plan, including regular breaks during long travel distances. Implement a oper fatigue management plan, including regular breaks during long travel distances. Implement a oper fatigue management plan, including regular breaks during long travel distances. Implement a oper fatigue management plan, including regular breaks during long travel distances. Implement a dequipment to increase visibility of personnel around vehicles, especially delivering loading and unloading. - Pian routes ahead and use GPS systems to avoid hazardous or congested areas and ensure timely deliveries. - Engage a spotter when reversing or operating in confined spaces to guide the driver safely. - Maintain a crash avoidance space by keeping a safe distance between vehicles. - Implement a drug and alcohol policy to ensure operators are not impaired while driving. - Limit exposure to excessive noise by providing hearing protection and maintaining mufflers and exhaust systems. - Schedule deliveries during off-peak hours where possible to minimise congestion and associated risks. - Train workers on emergency procedures to be followed in case of an accident or vehicle malfunction. - Regularly service and maintain delivery vehicles to ensure compliance with safety standards and					
- Inc. It re ersing cameras and sensors to assist with manoeuvring in tight areas and prevent collisions. Use high sibility clothing and equipment to increase visibility of personnel around vehicles, especially ing loading and unloading. Pran routes ahead and use GPS systems to avoid hazardous or congested areas and ensure timely deliveries. Engage a spotter when reversing or operating in confined spaces to guide the driver safely. Maintain a crash avoidance space by keeping a safe distance between vehicles. Implement a drug and alcohol policy to ensure operators are not impaired while driving. Limit exposure to excessive noise by providing hearing protection and maintaining mufflers and exhaust systems. Schedule deliveries during off-peak hours where possible to minimise congestion and associated risks. Train workers on emergency procedures to be followed in case of an accident or vehicle malfunction. Regularly service and maintain delivery vehicles to ensure compliance with safety standards and					
Use high sibility clothing and equipment to increase visibility of personnel around vehicles, especially using loading and unloading. Plan routes ahead and use GPS systems to avoid hazardous or congested areas and ensure timely deliveries. Engage a spotter when reversing or operating in confined spaces to guide the driver safely. Maintain a crash avoidance space by keeping a safe distance between vehicles. Implement a drug and alcohol policy to ensure operators are not impaired while driving. Limit exposure to excessive noise by providing hearing protection and maintaining mufflers and exhaust systems. Schedule deliveries during off-peak hours where possible to minimise congestion and associated risks. Train workers on emergency procedures to be followed in case of an accident or vehicle malfunction. Regularly service and maintain delivery vehicles to ensure compliance with safety standards and				Implement a cover fatigue management plan, including regular breaks during long travel distances.	
Vehicle accident, New pollution Vehicle accident, New pollution Vehicle accident, New pollution Vehicle accident, New pollution Plan routes ahead and use GPS systems to avoid hazardous or congested areas and ensure timely deliveries. - Engage a spotter when reversing or operating in confined spaces to guide the driver safely. - Maintain a crash avoidance space by keeping a safe distance between vehicles. - Implement a drug and alcohol policy to ensure operators are not impaired while driving. - Limit exposure to excessive noise by providing hearing protection and maintaining mufflers and exhaust systems. - Schedule deliveries during off-peak hours where possible to minimise congestion and associated risks. - Train workers on emergency procedures to be followed in case of an accident or vehicle malfunction. - Regularly service and maintain delivery vehicles to ensure compliance with safety standards and				- In. The ersing cameras and sensors to assist with manoeuvring in tight areas and prevent collisions.	
 Vehicle accident, No polluton deliveries. Engage a spotter when reversing or operating in confined spaces to guide the driver safely. Maintain a crash avoidance space by keeping a safe distance between vehicles. Implement a drug and alcohol policy to ensure operators are not impaired while driving. Limit exposure to excessive noise by providing hearing protection and maintaining mufflers and exhaust systems. Schedule deliveries during off-peak hours where possible to minimise congestion and associated risks. Train workers on emergency procedures to be followed in case of an accident or vehicle malfunction. Regularly service and maintain delivery vehicles to ensure compliance with safety standards and 					
 Maintain a crash avoidance space by keeping a safe distance between vehicles. Implement a drug and alcohol policy to ensure operators are not impaired while driving. Limit exposure to excessive noise by providing hearing protection and maintaining mufflers and exhaust systems. Schedule deliveries during off-peak hours where possible to minimise congestion and associated risks. Train workers on emergency procedures to be followed in case of an accident or vehicle malfunction. Regularly service and maintain delivery vehicles to ensure compliance with safety standards and 	3. Vehicle Operation	Vehicle accident, No pollucin			2M
 Implement a drug and alcohol policy to ensure operators are not impaired while driving. Limit exposure to excessive noise by providing hearing protection and maintaining mufflers and exhaust systems. Schedule deliveries during off-peak hours where possible to minimise congestion and associated risks. Train workers on emergency procedures to be followed in case of an accident or vehicle malfunction. Regularly service and maintain delivery vehicles to ensure compliance with safety standards and 				- Engage a spotter when reversing or operating in confined spaces to guide the driver safely.	
 Limit exposure to excessive noise by providing hearing protection and maintaining mufflers and exhaust systems. Schedule deliveries during off-peak hours where possible to minimise congestion and associated risks. Train workers on emergency procedures to be followed in case of an accident or vehicle malfunction. Regularly service and maintain delivery vehicles to ensure compliance with safety standards and 				- Maintain a crash avoidance space by keeping a safe distance between vehicles.	
systems. - Schedule deliveries during off-peak hours where possible to minimise congestion and associated risks. - Train workers on emergency procedures to be followed in case of an accident or vehicle malfunction. - Regularly service and maintain delivery vehicles to ensure compliance with safety standards and				- Implement a drug and alcohol policy to ensure operators are not impaired while driving.	
- Train workers on emergency procedures to be followed in case of an accident or vehicle malfunction. - Regularly service and maintain delivery vehicles to ensure compliance with safety standards and					
- Regularly service and maintain delivery vehicles to ensure compliance with safety standards and				- Schedule deliveries during off-peak hours where possible to minimise congestion and associated risks.	
				- Train workers on emergency procedures to be followed in case of an accident or vehicle malfunction.	
4. Transporting	4. Transporting		211		
Materials Road accidents, Fatigue 3H		Road accidents, Fatigue	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Offloading Goods	Struck by moving vehicle, Fall from height	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Traffic Control	Accident with past risby, Lack of visibility	2M		l 1L
7. Material Inspection	Use of sharp tools, Exposure to harmful chemicals	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Returning Empty Vehicle	Fatigue, Road accidents	ЗН		1 2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Unloading Empty Containers	Heavy lifting, Fall from height	3H		2M
Containers	ricavy mang, rail nom noight	OTT		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Warehouse Re- entry	Collision with structures, Struck by moving object	ЗН		2M
11. Documentation Update	Improper posture, Visual stress	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Coordination Meeting	Psychological stres. We semunical or	n I≩M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS 13. Refreshment Breaks	Mishandling hot drinks, Food poisoning	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Clean Up	Rubble-related injury, Contact with hazardous substances	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Debrief and Dismissal	Inadequate rest, Traffic dum y departure	2M		1



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
		ŀ		
16. Compliance Reporting	Misinterpretation of dot submission			1L
17. Routine Maintenance	Tool-related injuries, Electrical shocks	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
18. Stocktaking	Overstretching, Crush injuries with heavy objects	3Н		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19. Recycle and Waste Management	Contamination exposure, disposal negligence	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
SI ESII IC WORK STELLS	TRACTOR THAT WAT ANDE	RISK	SI EGII IC MILAGONES TO BE TO TINT EACE TO ELIMINATE ON CONTROL THE RIGHT	RISK
20. Hazardous Material Handling	Exposure to hazardous materials, Fire hazard	4A		3H



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-oi racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health at Safety Act 34

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.wsafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

tes of actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains a fective of must be reviewed (and revised if necessary) if relevant control measures are revised. The view process should be carried out in consultation with workers (including contractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU mast ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

Version 2.5 Authorised by Review # Date of Issue: Review Date: 19





SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.		
Any hazards listed in any site risk assessments have been added to the SWMS		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.		
Check control measures added to the SWMS are the most effective selective.		
Responsible person is assigned and listed on the person is as a person is a per		
Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc.		
SWMS identifies plant and equipment to be us		
Details of inspection checks required for any equipment listed a noted on the SWMS.		
Describes any mandatory qualifications, experience, and or skills required to perform the work.		
Applicable personal protective equipment is selected on the SWMS.		
Reflects and documents any legislative references and/or Australian Standards.		
Identifies any hazardous substances used with specific control measures in line with any SDS.		
REVIEWED BY	DATE REVIE	WED
SIGNATURE	DATE COMPL	ETED