

Drilling Pilot Holes Core Drilling Ar	nchors To Floor SAFE WC	ORK METHOD STATEMENT (SWMS)
TASK OR ACTIVITY	I: Drilling Pilot Holes Core Drillir	ng Anchors To Floor	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	sting a business or under the (Pour I) is	required to en that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	opliance the VMS a vell as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN PHAVE THE FOLLOWING COMMUNICATED	NAME OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with egislative requirements to first identify any site hazards, such to come hical those hazards and then to further take steps to either eliminate or contral each hazard.			
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terrar by supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
NACE LOW LOW MODERATE HIGH HIGH LOW Revreaced Isolate the flazati. Index on Hierarchy of Controls: Elimination methods are the most effective and preferrence on the yea hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the inclusion is the inclusion term of the least effective. Administrative Change the work. Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective. Effective PPE										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements						Ма	andatory Qual	ifications and	Training	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Tripping hazards, Chemical exposure	2М	 Keep the work area clean and clear of deban equipment cables, and other tripping hazards to minimise the risk of falls and trips. Conduct regular inspections of walkways and incluent the work area to identify and eliminate any potential tripping hazards. Provide adequate lighting tools our clear visibility of the conspace, which will help reduce the likelihood of accidents due to promisibility. Ensure that where's wear oproprise personal totective equipment (PPE), such as chemical-resistant gloves and story goggles or preven them exposure during drilling tasks. Utilitate econder controlment method nike drip trays, to collect any leaks, spills or drips of chemicals, helpin minimate nick of chemical exposure. Store as door no riside and chemicals in designated storage areas with appropriate labeling and secure lis to never tocidental spills or exposures. Train exployer on safe handling, storage, and disposal techniques for hazardous substances as usiate with ording pilot holes, reducing the risk of chemical exposure. Une proper drilling tools and equipment that are specifically designed for drilling pilot holes, to minimise itsk associated with using inappropriate or makeshift tools. Prioritise good communication within the team so that workers can report any issues or concerns regarding their work environment and facilitate early identification and resolution of risks. Amend Standard Operating Procedures (SOP), if necessary, based on continuous evaluation and feedback of workers to further refine and enhance control measures to minimise hazards during the preparation stage. 	1L
2. Equipment inspection	Electric shock, Falling equipment	2M	 Conduct daily visual inspections of all electrical equipment, including power cords and outlets, to ensure that there are no visible damages or exposed wires that may increase the risk of electric shock. Regularly test and tag electrical equipment by a certified professional to ensure that it complies with Australian standards for electrical safety and minimise the chances of an electric shock. Provide appropriate training to workers handling electrical equipment, ensuring they understand the safe use and potential risks associated with the equipment to prevent accidents due to mishandling. Wear appropriate Personal Protective Equipment (PPE) such as insulated gloves, safety glasses, and steel-toed boots, to safeguard against the risk of electric shock and falling equipment. Use only tools and drilling equipment that have been specifically designed and certified for core drilling into concrete floors. 	1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Ensure proper anchoring of drilling equipment to prevent accidental detachment or slippage, thereby reducing the risk of falling equipment.	
			- Do not overload electrical circuits or extension core, as this can elevate the risk of electric shocks and fire hazards.	
			- Implement a lockout/tagout procedure to that ate electric and other sources of energy from the area where the drilling work is being conducted.	
			- Maintain a clean and clutter-free workspace by ganising tools and equipment to minimise trip hazards and ensure sufficient space to ponduct work safe,	
			- Establish a proper procedure to regularly inspective and maintaining drilling equipment and any support systems used, reducing to risk to bilure and falling equipment.	
			- Utilise group hault circuit perrupt. (GFC) on all power outlets and tools to help prevent electric shock in wet colump conclusions.	
			- Kee evell-stoppenest aid kit nearby and train employees in basic first aid procedures to respond efficiently case of n accident or injury.	
			- Ensure process composition on site between workers and supervisors, allowing for immediate reporting of all faulty a sipment, near-miss incidents, or other concerns related to workplace safety.	
	1		- **Phenetry safety briefing**: Conduct a thorough pre-work safety briefing with all team members to nsure the pare aware of the potential hazards, proper manual handling techniques, and the importance communication while working in close proximity to machinery.	
			- * oite inspection**: Ensure a thorough site inspection is carried out before work commences to assess any potential risks and obstructions that may cause manual handling injuries or collision with machinery.	
	5		- **Establish exclusion zones**: Set up exclusion zones around drilling equipment and machinery to prevent workers from inadvertently entering hazardous areas and limit the risk of collisions with machinery.	
	Manual handling injuries.		- **Use mechanical aids**: Utilise mechanical lifting aids, like trolleys or forklifts, to move heavy objects or equipment to reduce manual handling injuries.	
3. Site layout	machinery	2M	- **Ergonomic design and set up**: Make sure that the workstations and drilling equipment are designed and set up ergonomically to minimise physical strain and mitigate the risk of manual handling injuries.	1L
			- **Safety signage**: Use clear and informative safety signage within the worksite to indicate hazardous areas and provide guidance on the safe handling of tools and equipment.	
			- **Regular breaks**: Encourage workers to take regular breaks to rest and recover from physically demanding tasks to help prevent fatigue-related injuries.	
			- **PPE**: Ensure all workers are equipped with appropriate personal protective equipment (PPE), including gloves, safety shoes, and high visibility vests, as necessary to protect against potential hazards.	
			 Team communication: Establish and maintain clear lines of communication among all workers, particularly when operating near machinery, to reduce the risk of collision between personnel and machinery. 	




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			 Machinery maintenance: Regularly inspect and maintain drilling and other related equipment to ensure they are functioning safely and efficiently, minimising the risk of injury due to malfunction. 	
			- **Spotter assistance**: Assign a designated spotter to watch out for potential hazards and coordinate worker movements around machinery, providing varning when needed to avoid collisions and injuries.	
			- **Training and supervision**: Ensure all verters are addentately trained in the safe operation of equipment, manual handling techniques, and te-specific safety procedures. Provide ongoing supervision to reinforce safe practices and address any have or issues that may arise.	
4. Drilling location setup	Poor visibility, Incource positioning	2M		1L

Version 2.5











JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Installing anchors	Ergonomic strain, Protetitive motion injuries	2М		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Securing core drilling machine	Inadequate fastening, Unexpected movement	2M		1L
9. Concrete core drilling	Dust inhalation, Slips and trips	3H		2M

Version 2.5






Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Cleanup and waste removal	Sharp object injuries, Hazardous waste	2M		1L







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
		-		



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLA	ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health an Safety Act word Occupational Health and a fetve egulations 2017 Legis from VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulatures</u> Codes of mactice VIC <u>entrps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/wc_oplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/ferreaction_d-resourcestor_secon_sector</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u> Tasmania	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes First aid in the workplace
Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	 Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the SWMS	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selections	\boxtimes		
Responsible person is assigned and listed on the part the importation control measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE RE	DATE REVIEWED	
SIGNATURE	DATE COMPLETED		