



| Driving On Rough Terr | ain SAFE WORK METHO | D STATEMENT (SWMS) | |
|--|--|--|-------------------------------------|
| TASK | OR ACTIVITY: Driving On Rough | Terrain | |
| Business Name: | | ABN: | SWMS# |
| Business Address: | | | |
| Contact Person: | Phone: | E fil: | |
| | | | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROTO BY | THE PCL OF THE ROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | cting a business or under the (PC 1) is | required to en that a safe work method s | statement (SWMS) is prepared before |
| Full Name: | | | |
| Signature: | | Title: | Date: |
| Details of the person(s) responsible for ensuring implementation, monitoring a | opliance the VMS a well as review | s and modifications of the SWMS. | |
| Full Name: | | Title: | Phone: |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS S VMS MY HAVE THE FOLLOWING COMMUNICATED | NA, ¿ OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND CO | OMMUNICATED TO IN THE |
| Safety meetings or toolbox talks will be sched ed in accomply with gislative requirements to first identify any site hazards, hazards and then to further take steps to either eliminate or continuate hazard. | | | |
| If an incident or a near miss occurs, all work must sto, adately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





| CLIENT OR PRINCIPAL | CONTRACTOR DETAILS |
|--|---|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date SWMS supplied to Project Manager: | |
| ANY HIGH BIOK CONSTRUCTOR | NAME OF THE POLIT |
| ANY HIGH-RISK CONSTRUCTOR | N WC & BEIN C ARIED OUT |
| ☐ involves a risk of a person falling more than 2 meters | is carried out on or near pressurised gas mains or piping |
| ☐ is carried out on a telecommunication tower | carried out on or near chemical, fuel or refrigerant lines |
| ☐ involves demolition of an element of a structure that is load-bearing | \square is carried out on or near energised electrical installations or services |
| ☐ involves demolition of an element related to the physical integral of a functure | ☐ is carried out in an area that may have a contaminated or flammable atmosphere |
| ☐ involves, or is likely to involve, disturbing asb | ☐ involves tilt-up or precast concrete |
| ☐ involves structural alteration or repair that —quires term — v sup —rt to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| ☐ is carried out in or near a confined space | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant |
| ☐ is carried out in/near a shaft or trench deeper that. tunnel involving use of explosives | ☐ is carried out in areas with artificial extremes of temperature. |
| \square is carried out in or near water or other liquid that involves a risk of drowning. | ☐ involves diving work. |
| ANY HIGH-RISK MACHINER | Y OR EQUIPMENT NEARBY |
| | |
| | |
| | |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



| RISK MATRIX | | | | | | | | | |
|-------------------|--|--------------------|-----------------|------------------|--------------------|----------------|---|--------------------------------------|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | ACTION | HEIRARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | SCORE | ACTION | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCE | Substitution | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review before work starts. | Replace the hazard. | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | Isolate People from the hazard | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | nitor and | Engineering Isolate the hazard. | |
| is the second m | rchy of Controls: ost effective metho nging the work is th | d of controlling a | hazard. Enginee | ering by isolati | on is the in ost e | en 'ive, while | rd. Substitution Administrative effective | Administrative Change the work. PPE | |

| | | | | PERS | | TIVE EQUIPM | | | | | |
|--------------------|--------------------|--------------------|------------------|-------------|-----------------------|---------------------------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | Select the app | propriate PPL | abo√ ≃uitab | ic or the equi | pment used or | the job task | being perforr | ned (if applica | ıble). | |
| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | HEARING ETION | P ECTION | R PIRATORY PROTECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Other PPE R | Required: | | | | | | | | | | |
| | Pe | ermit or Licen | ses Requirem | ents | | Mandatory Qualifications and Training | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Vehicle malfunction, Inadequate training | 3H | Conduct a thorough vehicle inspection before departure, checking tyre pressure, brakes, lights, and fluid levels to minimise the risk of malfunction. Ensure only trained and experienced person, and assigned to drive on rough terrain, verifying that they have completed relevant off-road driving course. Install GPS tracking devices a vehicles to monitor cation and ensure timely assistance if a malfunction occurs. Provide driver buth a decred roughlan, high bling any known hazards or difficult passages along the journey. Equit rehicles with encrygency repairs a including spare tyres, tools, and essential parts to handle minor or a life only. Schemite gular in antenance checks for all vehicles used on rough terrain to prevent unforeseen failures. Organite refrement training sessions for drivers to update them on the best practices for handling rough terminal of dealing with emergencies. Ensure annunication devices such as satellite phones or radios are available and fully charged to initial contact with base. In plement a buddy system where two vehicles travel together to provide mutual support and assistance if a breakdown occurs. Limit travel during extreme weather conditions to reduce the probability of vehicle stresses leading to malfunctions. | 2M |
| 2. Pre-Start Inspection | Unseen hazards, Faulty equipment | 2M | Conduct a thorough visual inspection of the vehicle to identify any obvious faults or damage. Check tire pressure and condition to ensure they are suitable for rough terrain driving. Ensure all vehicle fluids, including oil, coolant, and brake fluid, are at optimal levels. Examine the undercarriage and suspension for any signs of wear or damage. Verify that lights, indicators, and hazard lights are functional before departure. Test brakes and steering for responsiveness before starting the journey. Review satellite images or maps of the area to identify potential unseen hazards like sharp inclines or water crossings. Inspect and secure all load restraints to prevent movement of cargo on uneven ground. Ensure communication devices, such as satellite phones or two-way radios, are available and operational. | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------|---|-----------------|--|------------------|
| 3. Loading Equipment | Manual handling injuries, Slips and falls | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS - Confirm that tools and equipment for emergency repairs are present, including a spare tire, jack, and basic toolkit. - Use a spotter to assist in identifying obstacles or a prigating difficult sections when visibility is limited. - Assess weather conditions to determine if they may exacerbate certain hazards and adjust plans accordingly. - Document the inspection and findings, repoir to a serious issues to management before proceeding. - Conduct a pre-task briefing to unsure all team measures to erstand the lifting techniques and procedures. - Use mechanic ands such as troices or forklifted therever possible to minimise manual handling. - Train emplores in properuiting techniques or reduce the risk of sprains and strains. - Ensurable that the had a vable and secure before attempting to lift or move it. - Assist to a spass on the individual's capability to prevent overexertion injuries. - Mainton a company personal protective equipment (PPE) such as gloves and steel-toe boots. - Respirant inspect equipment and tools for defects or damage that could cause injury. Nee appropriate footwear with good grip to reduce slipping hazards. - In element a buddy system for lifting heavy or awkward items to distribute weight evenly. - Clearly mark uneven surfaces or obstacles that could pose tripping hazards. - Provide access to adjustable lifting devices like hoists to accommodate different types of loads. - Limit the amount of time spent on unstable or slippery surfaces by planning an efficient loading process. - Encourage regular breaks and rotations among team members to avoid fatigue-related mistakes. | RESIDUAL RISK |
| 4. Driver Manoeuvring | Collision, Rollover | 4A | | ЗН |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 5. Travelling to Site | Traffic accidents, Poor wear conditions | ЗН | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------|--|-----------------|--|------------------|
| 6. Arriving at Site | Poor visibility, Terrain instability | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 7. Unloading Equipment | Manual handling injuries, Equipment damage | 2M | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | 1 |
| | 5 | | | |
| 8. Site Traverse | Vehicle rollover, Striking fixed objects | 4A | | 3H |
| | | | | |
| | | | | |
| | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 9. Work Commencement | Fatigue, Poor ergonomics | 2M | | 1L |
| 10. Operating on Rough Terrain | Vehicle overturning, Ground instability | 4A | | ЗН |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--|-------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 11. Break Periods | Fatigue, Dehydration | ЗН | | 2M |
| 12. Reboarding and Resuming Operations | Falls from height, Slips, and trips | 3H | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------|------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 13. End of Shift Shutdown | Poor procedures, Equipment failure | 2M | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 14. Reporting Incidents or Changes | Lack of communication, Not reporting issues timely | 2M | | 1L |
| 15. Departure from Site | Traffic, Poor weather conditions | ЗН | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | I |
| | | | | |
| | | | | 1 |
| | | | | |
| | 1 | | | |
| | | | | • |
| 16. Post-Operation nspection | Unnoticed damages, Improper maintenance | 2M | | 1L |
| | | | | |
| | | | | |
| | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 17. Maintenance and Repair | Injury due to machinery, Electrical hazards | 4A | | 1 2M |
| 18. Documentation and Reporting | Non-compliance, Improper recording | 2M | | 1 L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 19. Training and Competency Verification | Untrained personn vincorrect operation | ЗН | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 20. Emergency Response Planning | Lack of planning, Inadequate emergency response | 4A | | 3Н |
| | | | | |



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatide

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.cksafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
| | | |
| | | |
| | | |
| | | |
| | | |

SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains a fective of must be reviewed (and revised if necessary) if relevant control measures are revised. The view process should be carried out in consultation with workers (including contractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU mast ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 18





SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | COMMENTS |
|---|------------|----------|
| | | |
| The company details have been entered, including the project name and address. | | |
| All relevant personnel consulted during the development of the SWMS. | | |
| Name, signature, position and date signed of the person approving the SWMS. | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | 7 | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | |
| Adequate risk assessment of any identified hazards has been completed. | | |
| Foreseeable hazards are identified and documented for each step. | | |
| Any hazards listed in any site risk assessments have been added to the SWMS | | |
| SWMS initial risk (IR) column as well as residual risk (RR) column mpleted. | | |
| Check control measures added to the SWMS are the most effective selective. | | |
| Responsible person is assigned and listed on the person is as a person is as a person is a | | |
| Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc. | | |
| SWMS identifies plant and equipment to be us | | |
| Details of inspection checks required for any equipment listed a noted on the SWMS. | | |
| Describes any mandatory qualifications, experience, and or skills required to perform the work. | | |
| Applicable personal protective equipment is selected on the SWMS. | | |
| Reflects and documents any legislative references and/or Australian Standards. | | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | | |
| | | |
| REVIEWED BY | DATE REVIE | WED |
| SIGNATURE | DATE COMPL | ETED |