



| Exposing To Unhealthy Amounts (| Of Dust Or Mold SAFE WC | ORK METHOD STATEMENT (| SWMS) |
|--|---|---|-------------------------------------|
| TASK OR ACTIVITY | Y: Exposing To Unhealthy Amou | nts Of Dust Or Mold | |
| Business Name: | | ABN: | SWMS# |
| Business Address: | | | |
| Contact Person: | Phone: | E fil: | |
| | | | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROV TO BY | THE PC. OF THE ROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | cting a business or undo | required to en that a safe work method | statement (SWMS) is prepared before |
| Full Name: | | | |
| Signature: | NY | Title: | Date: |
| Details of the person(s) responsible for ensuring implementation, monitoring a | apliance the VMS a well as review | s and modifications of the SWMS. | |
| Full Name: | | Title: | Phone: |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS & MS MY HAVE THE FOLLOWING COMMUNICATED | NA. 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND C THIS SWMS | OMMUNICATED TO IN THE |
| Safety meetings or toolbox talks will be sched ed in account with gislative requirements to first identify any site hazards, communication those hazards and then to further take steps to either eliminate or continuous each hazard. | | | |
| If an incident or a near miss occurs, all work must sto, quately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





| CLIENT OR PRINCIPAL | CONTRACTOR DETAILS |
|--|---|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date SWMS supplied to Project Manager: | |
| ANY HIGH BIOK CONSTRUCTOR | NAME OF THE POLIT |
| ANY HIGH-RISK CONSTRUCTOR | N WC & BEIN C ARIED OUT |
| ☐ involves a risk of a person falling more than 2 meters | is carried out on or near pressurised gas mains or piping |
| ☐ is carried out on a telecommunication tower | carried out on or near chemical, fuel or refrigerant lines |
| ☐ involves demolition of an element of a structure that is load-bearing | \square is carried out on or near energised electrical installations or services |
| ☐ involves demolition of an element related to the physical integral of a functure | ☐ is carried out in an area that may have a contaminated or flammable atmosphere |
| ☐ involves, or is likely to involve, disturbing asb | ☐ involves tilt-up or precast concrete |
| ☐ involves structural alteration or repair that —quires term — v sup —rt to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| ☐ is carried out in or near a confined space | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant |
| ☐ is carried out in/near a shaft or trench deeper that. tunnel involving use of explosives | ☐ is carried out in areas with artificial extremes of temperature. |
| \square is carried out in or near water or other liquid that involves a risk of drowning. | ☐ involves diving work. |
| ANY HIGH-RISK MACHINER | Y OR EQUIPMENT NEARBY |
| | |
| | |
| | |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



| RISK MATRIX | | | | | | | | | | |
|-------------------|--|--------------------|-----------------|------------------|--------------------|----------------|---|--------------------------------------|--|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | ACTION | HEIRARCHY OF CONTROLS | | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | SCORE | ACTION | Elimination Remove the hazard. | | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCE | Substitution | | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review before work starts. | Replace the hazard. | | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | Isolate People from the hazard | | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | nitor and | Engineering Isolate the hazard. | | |
| is the second m | rchy of Controls: ost effective metho nging the work is th | d of controlling a | hazard. Enginee | ering by isolati | on is the in ost e | en 'ive, while | rd. Substitution Administrative effective | Administrative Change the work. PPE | | |

| | | | | PERS | | TIVE EQUIPM | | | | | |
|--------------------|--------------------|--------------------|------------------|-------------|-----------------------|---------------------------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | Select the app | propriate PPL | abo√ ≃uitab | ic or the equi | pment used or | the job task | being perforr | ned (if applica | ıble). | |
| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | HEARING ETION | P ECTION | R PIRATORY PROTECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Other PPE R | Required: | | | | | | | | | | |
| | Pe | ermit or Licen | ses Requirem | ents | | Mandatory Qualifications and Training | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Inhalation of dust, Physical contact with mold | 3H | Provide proper personal protective equipment, including P2 respirators for dust and mold protection. Ensure all workers are trained in the use on PE and to risks associated with dust and mold exposure. Conduct air monitoring to assess dust levels a consure they remain within safe exposure limits. Implement engineering controls such as ventilation system to reduce dust and mold concentrations in work areas. Use dust suppression monods has water spray or dust extraction units during activities likely to generate dust. Establish descripted class areas where porkers can remove contaminated PPE safely and avoid crosscontaination. Limit has ne work as spend in dusty or moldy environments by rotating shifts or scheduling breaks in clean a cas. Regulary inspirat and maintain tools and equipment to prevent dust generation or spread. Schoff ork areas from non-essential personnel to limit exposure risk and minimize disturbance to dust or monor or res. See wet cleaning methods instead of dry sweeping to prevent airborne dust movement. Display warning signs in affected areas to alert workers and visitors about potential dust and mold exposure. | 2M |
| 2. Initial Cleanup | Physical strain due to heavy lifting, Accidental inhalation of dust and mold spores | 4A | Use appropriate personal protective equipment (PPE) such as gloves, safety glasses, and filtered masks to minimize inhalation risks. Provide training for workers on the correct lifting techniques to reduce physical strain and potential injuries. Implement a buddy system to assist with heavy lifting and ensure safer handling of bulky items. Ensure all workers participate in an induction session to understand site-specific hazards and control measures for dust and mould exposure. Utilize mechanical aids such as dollies or hand trucks to reduce manual handling during the cleanup process. Limit the time workers are exposed to dusty or mouldy environments by implementing job rotation to distribute workload evenly. Set up and use HEPA-filtered air scrubbers in affected areas to capture airborne dust and mould spores. Establish designated waste disposal locations clearly marked for dust and mould-contaminated materials, ensuring prompt and safe removal. Regularly inspect all PPE and respiratory protection to ensure it is in good condition and fit for purpose. | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Wet down any surfaces before cleanup to help settle dust and reduce airborne particles. | |
| | | | - Erect temporary barriers or negative pressure enclosures to contain potentially hazardous areas from other parts of the workplace. | |
| | | | - Employ signage and area markings to indication contains a second | |
| | | | - Conduct regular reviews of work processes identify w or persistent risks related to dust or mould exposure and update control measures according | |
| | | | - Conduct training for all person el on the proper handling au setup of equipment to prevent injury. | |
| | | | - Use personal protestion suipment (PPE) such as gues, masks, and eye protection when handling tools and material. | |
| | | | - Implement and uddy system where water asist each other in lifting and positioning heavy equipment. | |
| | | | - Instantial equation and to use for any signs of wear or damage that could pose safety risks. | |
| | | | - Ensurant all poor tools are fitted with appropriate dust extraction systems or vacuum attachments. | |
| 3. Equipment Setup | Injury from improper handling of equipment, Exposure to dust and mould | ЗН | - Set up they all baring or exclusion zones to segregate the work area from non-authorised personnel. | 2M |
| o. Equipmont ootap | during installation | SII | Itilise at meands or dust suppression techniques during setup to minimise airborne particles. - Presset equate ventilation in the work area to disperse dust and ensure fresh air supply. | 2111 |
| | | | Arrange or regular maintenance and cleaning of dust extraction systems and tools. | |
| | | | - arly label all containers and equipment used for potential hazardous materials to avoid misuse or | |
| | | | mishandling. | |
| | | | - Designate a storage area away from high-traffic zones to temporarily keep equipment and materials during setup process. | |
| | | | - Continuously monitor the work environment with portable air quality meters to assess dust and mould levels, ensuring they remain below occupational exposure limits. | |
| | | | | |
| | | | | |
| | | | | |
| 4. Ventilation Setup installation | Exposure to dust and mold during installation, Inhalation of airborne dust | 2M | | 1L |
| | and mold | | | |
| | | | | |
| | | | | |
| | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 5. Removal of Dust and Mold | Personal exposure to dust and mold risk of spreading mold spaces into | 4A | | 2M |
| | nearby areas | | | • |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 6. Disposal | Risk of contaminating other areas, physical injury carrying contaminated items | ЗН | | 1L |
| 7. Decontamination | Risk of personal exposure to dust and mold, risk of contaminating other areas during process | 4A | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | • |
| 8. Air Quality Testing | Potential false neglives leadineffective remedial posure to residual dust and mold | ВН | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 9. Final Cleanup | Physical strain due to extensive cleanup, accidental inhalation of dust and mold spores | 2M | | I |
| 10. Debriefing and Reporting | Data error leading to inaccurate reporting, missing potential hazards for future remediation | 1L | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 11. Follow Up Inspections | Further exposure a residual dust and mold, potential unit variationally undiscovered hazards. | 2M | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |





EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\textbf{Legislation QLD:} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}$

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of ractions of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of-ractions-of-racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/legislation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health at Safety Act 34

Occupational Health and affety gulations 2017

Legis on VIC: https://www.ssafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
| | | |
| | | |
| | | |
| | | |
| | | |

SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains a fective of must be reviewed (and revised if necessary) if relevant control measures are revised. The view process should be carried out in consultation with workers (including contractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU mast ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 13





SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | COMMENTS | |
|---|----------------|---------------|--|
| | | • | |
| The company details have been entered, including the project name and address. | | | |
| All relevant personnel consulted during the development of the SWMS. | | | |
| Name, signature, position and date signed of the person approving the SWMS. | | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | 7 | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | | |
| Adequate risk assessment of any identified hazards has been completed. | | | |
| Foreseeable hazards are identified and documented for each step. | | | |
| Any hazards listed in any site risk assessments have been added to the SWMS | | | |
| SWMS initial risk (IR) column as well as residual risk (RR) column pleted. | | | |
| Check control measures added to the SWMS are the most effective selective. | | | |
| Responsible person is assigned and listed on the part the improvention control measures. | | | |
| Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc. | | | |
| SWMS identifies plant and equipment to be us | | | |
| Details of inspection checks required for any equipment listed a noted on the SWMS. | | | |
| Describes any mandatory qualifications, experience, or skills required to perform the work. | | | |
| Applicable personal protective equipment is selected on the SWMS. | | | |
| Reflects and documents any legislative references and/or Australian Standards. | | | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | | | |
| | | | |
| REVIEWED BY | DATE REVIEWE | DATE REVIEWED | |
| SIGNATURE | DATE COMPLETED | | |