



Fire Protection System Installation (Alarms and Sprinklers) | SAFE WORK METHOD STATEMENT (SWMS) TASK OR ACTIVITY: Fire Protection System Installation (Alarms and Sprinklers) **Business Name:** ABN: SWMS# Business Address: Contact Person: Phone: L ગાં: THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PC. OF THE ROJECT g (PC 1) is required to en that a safe work method statement (SWMS) is prepared before Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or under the proposed work starts. Full Name: Title: Date: Signature: poliance the VMS a well as reviews and modifications of the SWMS. Details of the person(s) responsible for ensuring implementation, monitoring Full Name: Title: Phone: NA 2 OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS S VMS M HAVE THE FOLLOWING COMMUNICATED EVELOPMENT AND APPROVAL OF THIS SWMS Safety meetings or toolbox talks will be sched ed in accord requirements to first identify any site hazards, comp nica those hazards and then to further take steps to either eliminate or confee each hazard. If an incident or a near miss occurs, all work must sto ulately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





| CLIENT OR PRINCIPAL | CONTRACTOR DETAILS |
|---|---|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date SWMS supplied to Project Manager: | |
| ANY HIGH-RISK CONSTRUCTO | ON WO K BEIN O KRIED OUT |
| ☐ involves a risk of a person falling more than 2 meters | ☐ is carried out on or near pressurised gas mains or piping |
| ☐ is carried out on a telecommunication tower | carried out on or near chemical, fuel or refrigerant lines |
| ☐ involves demolition of an element of a structure that is load-bearing | ☐ is carried out on or near energised electrical installations or services |
| ☐ involves demolition of an element related to the physical integration of a ructure | ☐ is carried out in an area that may have a contaminated or flammable atmosphere |
| ☐ involves, or is likely to involve, disturbing asb | ☐ involves tilt-up or precast concrete |
| ☐ involves structural alteration or repair that — quires term — ov sup — rt to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| is carried out in or near a confined space | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant |
| ☐ is carried out in/near a shaft or trench deeper tha tunnel involving use of explosives | ☐ is carried out in areas with artificial extremes of temperature. |
| ☐ is carried out in or near water or other liquid that involves a risk of drowning. | ☐ involves diving work. |
| ANY HIGH-RISK MACHINER | RY OR EQUIPMENT NEARBY |
| | |
| | |
| | |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



| | RISK MATRIX | | | | | | | | | |
|-------------------|---|---------------|---------------|------------|--------------|----------------|-----------------------------------|--|---------------------------------|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | ACTION | | HEIRARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | SCORE | ACTION | | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCE | | Substitution | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review befor work starts. | | Replace the hazard. | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | | Isolate People from the hazard | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | nitor and | | Engineering Isolate the hazard. | |
| is the second m | Administrative Change the second most effective method of controlling a hazard. Engineering by isolation is the virce ost eight on the least effective method. PPE (Personal Protective Equation). The least effective method of controlling a hazard. Protective Equation is the virce ost eight of the least effective. | | | | | | | | | |

| | | | | PERS | | TIVE EQUIPM | | | | | |
|--------------------|--------------------|--------------------|--------------|-------------|------------------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | Select the app | ropriate PPL | abo. ~uitab | ic or the equip | oment used or | the job task | being perform | ned (if applica | able). | |
| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | ARING STION | F' CTIO | RL PIRATORY PROTECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Other PPE R | equired: | | | | | | | | | | |
| | Pe | ermit or Licen | ses Requirem | ents | | | Ma | indatory Qual | ifications and | Training | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--|---|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| Pre-start planning and approvals | Unclear emergency procedures Missing permits and approvals Conflicting work activities Unidentified underground services Inadequate contractor competence | 3H | Review project WHS management plan ar unsure scope includes all fire protection works including alarms, sprinklers, fireproofing and in-groun fire mains Obtain and review up-to-date architectural, so of our, hydraulic and electrical drawings before commencing any installation Dial 1100 and obtain written on Before You Dig RYD sovice plans for all in-ground fire main works Conduct a pre-strong special to identify access, buttes, exclusion zones, emergency exits and assembly point Hold a toolby talk to extroin tasks, or accept night risk construction work, and required controls to all worker and supported as a construction induction cards and high-risk work licences where applicable for all worker Confine all required points are in place, including hot work permit, working at heights permit and reavation permits as relevant Essiblish communication protocols between fire protection installers, principal contractor, other trades and build management NOT commence work until discrepancies in drawings or permits are resolved in writing by the designer or principal contractor Develop a staged work plan to avoid simultaneous incompatible activities (e.g., welding near combustible fireproofing materials) | 2M |
| Site establishment and material handling | Uncontrolled public access Manual handling strain Falling materials Plant and vehicle movement Slips trips and falls Stored energy in cylinders | 3Н | Set up physical barriers, bollards and lockable gates to separate work zone from public and non-essential personnel Install clear signage indicating fire protection works zone, PPE requirements and exclusion areas in accordance with AS 1319 Use mechanical aids such as trolleys, pallet jacks, pipe jacks and scissor lifts to move pipes, valves, detection panels and cylinders Team-lift heavy components such as sprinkler control valves and fire pump parts using correct lifting techniques Store gas cylinders for detection test gases upright, secured with chains and capped when not in use away from heat sources Stack pipes and fittings on level ground with chocks and racking designed and rated for the load (check WLL markings) Maintain clear, well-lit walkways free from loose offcuts, packaging and debris; promptly clean up spills | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------------|--|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | Establish and mark vehicle loading and unloading zone; use a trained spotter when reversing Utes or trucks in congested areas | |
| | | | • DO NOT exceed vehicle GVM or roof rack SWL . In transporting sprinkler pipe, ladders or cable trays | |
| | | | Provide task-specific PPE including safety swith toe protection, cut-resistant gloves for handling metal pipe, and high-visibility vests | |
| | | | • Inspect lifting slings, chains and shackles be service | |
| | | | Use elevated work pletforms ('Ps) or mobile sca ' with full edge protection for installing high-level sprinklers, pipewo and ection abling wherever reasonably practicable | |
| | | | • Ensure all proids are exted, an ad and smantled by a competent person and have current handover cerulates | |
| | | | Selve dders short-duration, light-duty tasks and position on firm, level ground with three points of core caintain at all times | |
| | Falls from Loddon | | • DO N To reach m ladders or stand on the top two rungs; reposition the ladder instead | |
| | Falls from ladders Falls from EWP | | Inspec ;WPs aily, checking emergency descent, harness anchor points, guardrails, tyres and controls by the use | |
| Working at heights for installation | Falling tools and materials Overhead service contact | 4A | Wear body harness with lanyard attached to designated anchor points when working from boom- e EWP in accordance with AS/NZS 1891 | 2M |
| | Inadequate edge pro* | | • It call drop mats or debris nets beneath work areas and use tethered tools when working above persons or live plant | |
| | | | Establish exclusion zones with barricades and signage under overhead work and prevent unauthorised access | |
| | | | Verify overhead services such as live electrical cables and sprinkler mains are identified and isolated or adequately separated before using EWP | |
| | | | Follow EWP load charts and DO NOT exceed SWL or allow unrestrained materials in the basket | |
| | | | Conduct task-specific working at heights training and emergency rescue drills for workers using EWPs or harnesses | |
| | | | | |
| | Electric shock | | | |
| Fire alarm panel | • Arc flash | 011 | | 41 |
| installation | Exposure to live terminals Incorrect circuit isolation | 3H | | 1L |
| | Incorrect circuit isolation Panel manual handling | | | |
| | and manual nanuling | | | |
| | | | | |



6

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| Fire alarm and detector installation | Contact with live unductors Working in ceiling pace Inhalation of ceiling dust Trip hazards from cabling Incorrect detector placement | ЗН | | 2M |
| Fire sprinkler system pipework installation | Impact from moving pipe | 4A | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | Crush injury during lifting Falling pipework Incorrect support spacing Hot work on pipe | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| Installing in-ground fire mains | Excavation collapse Striking underground services Mobile plant collision Water ingress in trench Manual handling of pipe | 4A | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| Moving and modifying existing sprinklers | Uncontrolled water discharge Unexpected system activation Exposure to stagnant water Damage to existing Working in occur d areas | 3h | | 1L |
| Fireproofing and penetration sealing | Chemical fume exposure Skin and eye irritation Incompatible materials Fire spread through gaps Working in confined spaces | 3Н | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| Upgrading existing fire alarm systems | Interruption to life safety systems False alarms and evacuations Compatibility issues Exposure to asbestos Working around occupants | ЗН | | 1 L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| System pressure testing and commissioning | Pipe or fitting failure High pressure water release Noise exposure from alarms Inadvertent system discharge Working near live plant | 3H | | 2M |
| Electrical connections and interfaces | Electric shock from mains Backfeed from generators Incorrect earthing Short circuits Uncontrolled plant start-up | ЗН | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| Housekeeping, handover and documentation | Residual trip hazards Unclear system status Missing safety information Untrained occupants Uncontrolled waste | 2М | | 1 L |
| | | | | |



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2025

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-s____v-laws_

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor/ aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Or pational Health a. Safety Act J4

Occational Health and afety gulations 2017

Legis on VIC: https://www.sksafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

tes of actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature |
|-------------|-----------|
| | |
| | |
| | |
| | |
| | |

SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains fective of must be reviewed (and revised if necessary) if relevant control measures are rovised. The view respectively should be carried out in consultation with workers (including contractors as a sub-intractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties and the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 13





SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | COMMENTS |
|---|-------------|----------|
| | | |
| The company details have been entered, including the project name and address. | | |
| All relevant personnel consulted during the development of the SWMS. | | |
| Name, signature, position and date signed of the person approving the SWMS. | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | 7 | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | k | |
| Adequate risk assessment of any identified hazards has been completed. | \boxtimes | |
| Foreseeable hazards are identified and documented for each step. | \boxtimes | |
| Any hazards listed in any site risk assessments have been added to the SWMS | | |
| SWMS initial risk (IR) column as well as residual risk (RR) colum mpleted. | \boxtimes | |
| Check control measures added to the SWMS are the most effective selections. | | |
| Responsible person is assigned and listed on the part of the important of | \boxtimes | |
| Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc. | \boxtimes | |
| SWMS identifies plant and equipment to be use | \boxtimes | |
| Details of inspection checks required for any equipment listed an onthe SWMS. | \boxtimes | |
| Describes any mandatory qualifications, experience, use or skills required to perform the work. | \boxtimes | |
| Applicable personal protective equipment is selected on the SWMS. | | |
| Reflects and documents any legislative references and/or Australian Standards. | \boxtimes | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | \boxtimes | |
| | | |
| REVIEWED BY | DATE REV | /IEWED |
| SIGNATURE | DATE COM | PLETED |