Fire Suppression On Cranes SAFE WORK METHOD STATEMENT (SWMS)						
TASK O	R ACTIVITY: Fire Suppression O	n Cranes				
Business Name:		ABN:	SWMS#			
Business Address:						
Contact Person:	Phone:	E fil:				
THIS SAFE WORK METHOD	STATEMENT IS APPRO					
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	sting a business or under the (Pourt) is	required to en the that a safe work method s	tatement (SWMS) is prepared before			
Full Name:						
Signature:	NK	Title:	Date:			
Details of the person(s) responsible for ensuring implementation, monitoring	opliance the VMS a well as review	s and modifications of the SWMS.				
Full Name:		Title:	Phone:			
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN PHAVE THE FOLLOWING COMMUNICATED	NAME OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE			
Safety meetings or toolbox talks will be sched ed in according with a gislative requirements to first identify any site hazards, such to compare hicas those hazards and then to further take steps to either eliminate or contact each hazard.						
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.						
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.						
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.						



CLIENT OR PRINCIPAL CONTRACTOR DETAILS					
Client:	SCOPE OF WORKS				
Project Name:					
Project Address:					
Project Manager:					
Contact Phone:					
Date SWMS supplied to Project Manager:					
ANY HIGH-RISK CONSTRUC					
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping				
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines				
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services				
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere				
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete				
involves structural alteration or repair that quires terrar by supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor				
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant				
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.				
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.				
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY				



					RISK	MATRIX			
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION	Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE	Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.	Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records	Engineering Isolate the hazard.	
Torket LOW LOW MODERATE HIGH HIGH LOW References Isolate the flazaid. Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferre or en concursor a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the true tost en tive, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) whe least effective Administrative Change the work. PPE PPE PPE PPE PPE PPE									

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements				Mandatory Qualifications and Training						



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Inadequate training, Insufficient communication	ЗН	 Conduct comprehensive training sessions under to fire suppression procedures specifically designed for crane operations. Develop and implement a communication plant brancludes regular briefings and updates for all personnel involved in the fire suppression proce. Ensure that only certified and gined personnel acrossified tasks related to fire suppression on cranes. Clearly define role on a spontalities in writing, endring everyone understands their duties in an emergency. Utilise visual ids and clear signage user to reinforce procedures and provide guidance during fire-related mergencies. Implement a bud a system where less experienced workers are paired with seasoned professionals for on-the role oport a clearning. Establin a uncet line communication (such as radios or mobile communications) between crane perator group crew, and emergency services. Resident review and drill emergency response plans to ensure everyone can effectively communicate and cool state actions under pressure. Schedule periodic refresher courses and simulations to ensure ongoing competence and understanding among all team members. 	2М
2. Site Survey	Failure to identify hazards, Incorrect hazard assessment	ЗН	 Conduct a comprehensive site inspection before commencing work, led by experienced personnel familiar with the crane's operating environment. Develop and follow a standard checklist tailored for fire suppression tasks on cranes to ensure all potential hazards are identified. Engage in clear communication with all team members involved in the project to share findings from the site survey and discuss hazard mitigation strategies. Utilize up-to-date site plans, diagrams, or maps to observe possible hazardous areas and align them with on-site conditions. Implement a robust training program for employees to recognize potential fire risks specific to crane environments and report them effectively. Consult with local fire safety experts or authorities to ensure compliance with relevant safety regulations and gain insights into site-specific dangers. Employ technology where feasible, such as drones or remote sensors, to access hard-to-reach areas without exposing personnel to unnecessary risk. 	2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Use hazard identification tools, like checklists and risk matrices, to systematically assess and record potential threats during the survey.	
			- Ensure regular calibration and functionality check or measurement instruments used to detect hazards such as fuel leaks or electrical faults.	
			- Establish a clear hierarchy and document on process descalating unidentified or unresolved hazards encountered during the site survey.	
			- Conduct a comprehensive to assessment to identify the securic requirements for the fire suppression plan tailored to the crane and a conditions.	
			- Consult with fire the set of cialise and engineers during the development of the plan to ensure all elements meeting all and so ity requirements.	
			- Incorporate want Australian stand of bouch as AS 5062 for fire protection for mobile and transmuble exponent into the fire suppression plan.	
			- Incluse letailed yout of the crane highlighting the location of critical components and potential fire hazard	
			- Ensure he per incluse procedures for the regular maintenance and inspection of fire suppression vipme a detail of frequency and responsible parties.	
			- Spectice e roles and responsibilities of all personnel involved in executing the fire suppression plan, cluding, uning requirements.	
 Fire Suppression Plan 	Plan does not meet requirements, Missing important safety processes	4A	- plement a robust documentation process for any changes or updates to the fire suppression plan, ensuring all stakeholders are informed.	2M
	S		- Use clear and concise emergency procedures within the plan, outlining steps for detection, alerting, suppression, and evacuation in case of fire.	
			- Establish protocols for testing and commissioning new or modified fire suppression systems before they become operational.	
			 Integrate communication plans into the fire suppression strategy to ensure effective coordination between crane operators, ground crew, and emergency responders. 	
			- Prioritise redundancy by considering multiple layers of protection, such as automatic fire alarms and manual intervention methods.	
			 Regularly audit the fire suppression plan to verify compliance with all regulatory and operational standards, making amendments as necessary. 	
			- Arrange periodic fire drills simulating realistic scenarios to evaluate the effectiveness of the fire suppression plan and readiness of personnel.	
	Faulty equipment, Inadequate			
4. Equipment Check	maintenance of tools	ЗH		1L

Version 2.5

















JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Residue and Smoke Removal	Smoke inhalation, Contact with hazardous materials	ЗН		2 M






Version 2.5

Date of Issue:











JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Equipment Clean- Up	Inadequate clean-up procedure, Exposure to hazardous residues	ЗН		2M
15. Debriefing Session	Inadequate feedback, Miscommunication among team members	2M		1L







EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health au Safety Act and 4 Occupational Health and a fety or gulations 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations</u> of thes on mactice VIC <u>extps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes rodes-or ract. Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes-or ract.	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-serv-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formed-resourcestorestorestorestorestorestorestorestor</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u> <u>codes-of-practice</u> Model Codes of Practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation concertion and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the part the importation ontrol measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE RE	VIEWED
SIGNATURE	DATE CO	MPLETED