



Fireworks Pyrotechnics and Sp	ecial Effects   SAFE WORK	METHOD STATEMENT (SW	MS)
TASK OR ACTIV	/ITY: Fireworks Pyrotechnics an	d Special Effects	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PCL OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undo	required to er. sthat a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	poliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS 5 MS M HAVE THE FOLLOWING COMMUNICATED	NAL 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be scheded in accordance with gislative requirements to first identify any site hazards, and then to further take steps to either eliminate or continuous each hazard.			
If an incident or a near miss occurs, all work must sto, quately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUCTO	ON WO K BEIN O KRIED OUT
☐ involves a risk of a person falling more than 2 meters	☐ is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	☐ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical integration of a ructure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
☐ involves structural alteration or repair that — quires term — ov sup — rt to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
☐ is carried out in/near a shaft or trench deeper tha tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCOBE	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE ACTION	SCORE		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and		Engineering Isolate the hazard.	
is the second m	rchy of Controls: ost effective metho nging the work is th	d of controlling a	hazard. Enginee	ring by isolati		et. 'ive, while	rd. Substitution Administrative effective		Administrative Change the work.  PPE	

				PERS		TIVE EQUIPM					
		Select the app	ropriate PPL	abo. ~uitab	le or the equip	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	ARING STION	F' CTIO	RL PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	equired:										
	Pe	ermit or Licen	ses Requirem	ents		Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Pre-planning and approvals	Unapproved fireworks use     Inadequate site information     Neighbourhood disturbance     Regulatory non-compliance	3H	<ul> <li>Obtain relevant pyrotechnician licence and plosives authorisations from the state or territory regulator before accepting the booking</li> <li>Confirm insurance cover for fireworks and space activities and verify currency of certificates of currency with the client</li> <li>Liaise with the venue, event chaniser and local concil for wentify event type, audience profile, expected crowd numbers and conciled concertaints (e.g. school arama classes, indoor theatres)</li> <li>Apply for all rounded fire this people, so and approvals in writing, including police, fire authority, avoid authority indicoun notifications, within regulatory timeframes</li> <li>Develop a site necific reworks dispreplan and special effects plan that details firing locations, excluding rones, who zones, emergency access routes and failsafe arrangements</li> <li>Concilet recommendations are disk assessment covering fireworks operation and handling for shows, theatre and drainance of the second stage displays</li> <li>Confirm that a clanned pyrotechnic devices, special effects and fireworks are legal for use in the junification and accompatible with the venue (indoor vs outdoor, stage vs open field)</li> <li>Notify by residents, businesses and facilities (including hospitals, aged care and animal facilities) of event uming and nature of fireworks in accordance with approval conditions</li> <li>Decument arrangements for cancellation or postponement due to weather, security risks or regulatory direction and communicate criteria to the client</li> <li>Ensure all planning documentation, permits and risk assessments are stored and accessible on site for inspection by regulators and emergency services</li> </ul>	2M
Site inspection and layout	Combustible material accumulation     Restricted egress routes     Overhead obstruction contact     Underground services damage     Inadequate exclusion distance	4A	<ul> <li>Inspect the site in daylight where possible prior to the event to identify combustible materials, overhead structures, powerlines, trees, stage rigging and audience seating</li> <li>Locate and mark underground services using current site plans, dial-before-you-dig information or venue manager advice before driving stakes or installing racks</li> <li>Measure and mark minimum safety distances and fallout zones consistent with shell size, device type, manufacturer instructions and state or territory codes of practice</li> <li>Remove or isolate flammable materials (e.g. dry grass, rubbish, stage drapes, scenery, props) from firing areas and fallout zones, or increase separation distances where removal is not possible</li> <li>Confirm that emergency vehicle access routes and assembly areas remain clear of firing zones and fallout areas at all times</li> <li>Verify that firing sites are located upwind of audience and sensitive areas where practicable, using site-specific wind direction data or historical patterns</li> <li>Identify and document safe refuge points and exit paths for crew and performers, ensuring they are not blocked by pyrotechnic hardware or stage sets</li> </ul>	2M



POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
		Assess indoor theatres and drama classrooms for adequate ceiling height, ventilation, automatic fire detection systems and potential for smoke head activation before approving pyrotechnic use	
		Mark no-go areas with high-visibility barrier mesh unting or rigid barriers with signage stating 'No unauthorised entry – Fireworks/pyrotechnics a	
		• Photograph and sketch the agreed layout d obtain sign off from the venue or event manager before installing equipment	
		Transport fireworks and pyrochnics in accordate with Degreeous Goods and Explosives legislation, using approved packaging, planting and document in	
		Secure fireworks the licle using rated swaps or cargo nets to prevent movement, crushing or impact during wansit	
		• DO NOT can ignition so ces such liners, matches, grinders or exposed batteries in the same component as liew?	
Unauthorised access to explosives		Store in orks in oked, ventilated, dry containers that are specifically designated for explosives, away from full, google or and oxidising agents	
Vehicle collision during transport     Improper segregation of fireworks     Heat exposure to fireworks     Manual handling strain	3H	Park v nicle, arrying, eworks in secure, shaded areas away from public access and ignition sources,     DO DT leave vehicles unattended in public places	2M
		• Loa nunload cartons using correct manual handling techniques; team-lift heavy or awkward	2.111
		eck vehicle payload against GVM and DO NOT exceed manufacturer-specified limits for the Ute, truek or trailer	
		Carry current Safety Data Sheets (SDS) for all pyrotechnic compositions and special effects products in the vehicle and storage area	
		Keep a vehicle fire extinguisher (minimum 2A:20B:E dry chemical) accessible from outside the vehicle cab and inspect it before each trip	
		Maintain an up-to-date inventory of fireworks in storage and in transit, and record all receipts, issues and disposals in a logbook	
Use of defective fireworks			
Incompatible device mixing	0.1		
Mislabelled effects	ЗН		2M
Uncontrolled access to fireworks			
	Unauthorised access to explosives     Vehicle collision during transport     Improper segregation of fireworks     Heat exposure to fireworks     Manual handling strain      Use of defective fireworks     Incompatible device mixing     Mislabelled effects	Unauthorised access to explosives     Vehicle collision during transport     Improper segregation of fireworks     Heat exposure to fireworks     Manual handling strain       Use of defective fireworks     Incompatible device mixing     Mislabelled effects	HAZAROS THAT MAY ARISE  INITIAL RISK  - Assess indoor theatres and drama classrooms for adequate ceiling height, ventilation, automatic fire detection systems and potential for smoke head advation before approving pyrotechnic use  - Mark no-qo areas with high-visibility barrier mest—anting or rigid barriers with signage stating 'No unauthorised entry – Fireworks/pyrotechnics a*  - Photograph and sketch the agreed layour of obtain sir off from the venue or event manager before installing equipment  - Transport fireworks and py, nchnics in accorda a with P gerous Goods and Explosives legislation, using approved packaging, pla, riding and docume itis  - Secure fireworks and py, nchnics in accorda a with P gerous Goods and Explosives legislation, using approved packaging, pla, riding and docume itis  - Secure fireworks and py, nchnics in accorda a with P gerous Goods and Explosives legislation, using approved packaging, pla, riding and docume itis  - Secure fireworks and py, nchnics in accorda a with P gerous Goods and Explosives legislation, using approved packaging, pla, riding and docume itis  - Secure fireworks and py, nchnics in accorda a with P gerous Goods and Explosives legislation, using approved packaging, pla, riding and docume itis  - Secure fireworks and py, nchnics in accorda a with P gerous Goods and Explosives legislation, using approved packaging, pla, riding and docume itis  - DO NOT car ignition si ces such it were, matches, grinders or exposed batteries in the same companies and surple and activities against the plant of the plant in the same companies and



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Design of theatre and classroom effects	Excessive flame wight     Smoke inhalation exposure     Audience overexposure to flash     Ignition of stage props     Startle response injury	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Installation of mortars and hardware	Mortar tip-over     Rack structural failure     Flying debris from burst     Trip hazards from cabling     Hand injury from tools	4A		2M
Loading fireworks and pyrotechnics	Premature ignition during loading Incorrect shell orientation Overloading of mortars Electrostatic discharge Damaged fuse ignition	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Control of ignition sources and exclusion zones	Unauthorised per on entry Ignition from smoking Vehicle spark near fireworks Audience encroachment Performer proximity to effects	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Firing system setup and testing	Unintended discharge of devices     Electrical short circuit     Trip hazards from leads     Battery overheating     Control system failure	4A		2M
Show briefing and communication	Misunderstood safety instructions     Delayed emergency response     Conflicting cues and calls     Uncoordinated evacuation	3Н		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Conducting the fireworks display	Misfire or hangfil     Fallout onto audience     Wind-driven sparks     Operator distraction     Structural fire ignition	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Handling misfires and defective items	Delayed ignition blast     Close-range explosion     Fragment impact     Fire from smouldering debris	4A		2M
Post-show clearance and disposal	Handling hot debris     Unexploded firework remnants     Lacerations from casings     Unauthorised souvenir collection	зн		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				_
Decommissioning equipment and review	Residual electrical ene  Damage during providown  Unreported defe  Repeat of unsafe precise	2M		1L
				I

### hluesafe



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2025

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo

Codes of Practice NT: https://worksafe.nt.gov.au/f -resourd

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor/ aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Or pational Health a. Safety Act J4

Occ ational Health and afety gulations 2017

Legis on VIC: https://www ksafe.vic.gov.au/occupational-health-and-safety-act-and-

tes of actice V/ attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/modelcodes-of-practice

#### Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Saf Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature

### SAFE WORK N. THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains fective of must be reviewed (and revised if necessary) if relevant control measures are rovised. The view respectively should be carried out in consultation with workers (including contractors as a sub-intractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

Version 2.5 Authorised by Review # Date of Issue: Review Date: 14





### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.	k	
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$	
Foreseeable hazards are identified and documented for each step.	$\boxtimes$	
Any hazards listed in any site risk assessments have been added to the SWMS		
SWMS initial risk (IR) column as well as residual risk (RR) colum mpleted.	$\boxtimes$	
Check control measures added to the SWMS are the most effective selections.	$\boxtimes$	
Responsible person is assigned and listed on the part of the important of	$\boxtimes$	
Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be use	$\boxtimes$	
Details of inspection checks required for any equipment listed an onthe SWMS.	$\boxtimes$	
Describes any mandatory qualifications, experience, use or skills required to perform the work.	$\boxtimes$	
Applicable personal protective equipment is selected on the SWMS.		
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$	
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE REV	/IEWED
SIGNATURE	DATE COM	PLETED