Fuel Tanks Handling And	Repair SAFE WORK MET	HOD STATEMENT (SWMS)	
TASK OR /	ACTIVITY: Fuel Tanks Handling	And Repair	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E Jil:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	ting a business or under the (PC - I) is	required to en that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:	NX	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	poliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS STMS MAKE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with gislative requirements to first identify any site hazards, so the company of the state those hazards and then to further take steps to either eliminate or continue ach hazard.			
If an incident or a near miss occurs, all work must stop an attactive Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
Torket LOW LOW MODERATE HIGH HIGH LOW Revectors Isolate the flazald. Intersection Low Moderate HIGH HIGH LOW Revectors Revectors Isolate the flazald. Intersection Moderate HIGH HIGH LOW Revectors Revectors Revectors Administrative Intersection Ontrols: Elimination methods are the most effective and preferrements on minute a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the increase the tive, while Administrative Change the work. PPE Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), whe least effective PPE PPE Performance PPE PPE PPE PPE PPE										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements					Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Slips, trips, and falls, exposure to hazardous substances	ЗН	 Ensure the work area is clean, clear, and variat to minimise the potential for slips, trips, and falls. Identify any potential hazards in the work area and non-ess them accordingly (e.g., loose cords, uneven ground) prior to starting work. Mark out designated walking breas and install to borary barries around the workspace to prevent accidental access by unautholorid personnel. Provide proper process of the equipment (PPE) such as non-slip safety shoes or boots, gloves, eye protection, and the propriate othing a minimise mosure to hazardous substances. Confirm all babloyees are contracted by received training and are competent in the safe handling of fuel trans and a node states. Estatistical cleanestem for labeling hazardous substances and ensure that all workers are familiar with this late line watern. Store by the reduces therials following established guidelines, ensuring appropriate ventilation, natainin int, an eggregation requirements are met. Imported and enforce a spill response plan for dealing with any unintentional releases or spills of azardous ubstances. Regularly monitor and maintain equipment such as ladders, scaffolding, and tools to ensure they are in good working condition and can be safely used. Encourage employees to take regular breaks, especially when working at heights or in confined spaces, to reduce fatigue and the likelihood of accidents. Develop and implement emergency and evacuation procedures specific to the fuel tank handling and repair work, ensuring staff are familiar with these procedures and know the location of emergency exits and meeting points. Conduct regular inspections and audits, ensuring compliance with company policies and relevant legislation, and making necessary adjustments to improve the overall safety of the workplace. 	2М
2. Emptying the tank	Spills, fume inhalation	ЗН	 Always wear proper personal protective equipment (PPE) like safety gloves, long-sleeve shirts, goggles, and respiratory masks to minimise the risk of fume inhalation or direct contact with harmful substances. Display appropriate warning signs and isolation barriers around the work area to alert and protect bystanders from potential hazards such as spills. Conduct regular toolbox talks and training on safe tank handling practices to ensure employees understand and follow the correct procedures related to this work step. Properly isolate the fuel tank from ignition sources by disconnecting power sources, turning off devices, and implementing a lockout/tagout system. 	2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Ensure an adequate ventilation system is in place to reduce the buildup of toxic fumes, especially in confined spaces.	
			- Utilise suitable pumping equipment and properly contained hoses for transferring fuels to minimise leaks and spills during the emptying process.	
			- Set up spill containment kits, absorbent in prials, and represency response processes nearby to enable quick response in case of accidental spills on the set.	
			- Place drip trays strategically beneath connected noses, or fittings to catch any residual fuel that may leak during disconnection or unsfer.	
			- Only permit trained personnel to are familiar with the pecific fuel being handled and the associated risks, to carry out the task femp, by the tank.	
			- Conduct remar inspectic and mentenance anecks on all equipment used in the emptying process, such as pump and hoses of ensure and on optimal condition and minimise the potential for failure.	
			- Esta clear empirication protocols between employees during the emptying process to promote aware a of pote of hazards and enable prompt responses in case of incidents.	
			- Keep SD (Maten Safety Data Sheet) readily accessible onsite detailing the composition and hazards if the recific I being handled, and emergency response actions in case of exposure or illage.	
	1		- Impune strict adherence to work breaks and rotation systems to minimise exposure time and prevent ntigue, who could lead to accidents.	
			- the case of observed leaks or potential hazards, immediately halt the emptying process and escalate the ssue to a supervisor so that appropriate corrective actions can be taken in a timely manner.	
	5		 Implement a comprehensive lockout/tagout procedure that ensures all energy sources, including mechanical, electrical, hydraulic, and pneumatic, are de-energised before beginning work on the fuel tank. 	
			- Provide training to all personnel involved in the handling and repair of fuel tanks on the proper lockout/tagout procedures and the hazards associated with inadequate isolation.	
			- Establish clear protocols for confined space entry, requiring workers to undergo specific training before engaging in such tasks and ensuring they understand potential residual hazards.	
3. Tank isolation	Inadequate lockout/tagout, residual	3H	- Develop and enforce standard operating procedures for accessing and working on fuel tanks, emphasising the importance of following all safety guidelines and protocols.	1L
	hazards in confined space entry		- Conduct regular inspections and audits of the work site to ensure that all safeguards are in place, including lockout/tagout devices and appropriate confined space entry equipment.	
			- Use engineering controls, such as ventilation systems or exhaust fans, to minimise the buildup of hazardous fumes or gases within the fuel tanks during handling and repair processes.	
			- Ensure all workers utilise appropriate personal protective equipment (PPE) while engaging in fuel tank handling and repair tasks, including safety goggles, gloves, and appropriate footwear.	
			- Establish routine maintenance schedules for all equipment and machinery involved in fuel tank handling and repair work to minimise the risk of malfunctions or failures that could lead to hazardous situations.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Require a designated safety monitor, who is knowledgeable about both the task itself and applicable safety precautions, to watch over each worker engaged in confined space entry and fuel tank repairs.	
			- Erect barriers or warning signs around the works to alert other personnel of the ongoing fuel tank handling and repair activities, minimising the richar unauthorised or untrained individuals accessing hazardous areas.	
			- Have an emergency response plan in place sutlining the steps to take in case of accidents or incidents related to fuel tank handling and repair work, in the greated evacuation routes and procedures for addressing chemical or gas exposure.	
			- Encourage a safety-conscious vork culture throug sector safety meetings, where workers can share experiences and beet tices, untify potential haz us, and discuss possible solutions.	
			- Perform once or risk assessment, and hazar the entification processes, reviewing and updating safety protocols as used to ensure they a tinue provide the highest level of protection for workers involved in fuel tink having and updating tasks.	
4. Cleaning the tank	Exposure to cleaning agents/chemicus, manual handling injuries	2M		1L







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Pressure testing	Pressurised equipment frame injury from high-pressure an es/fluxes			2M
7. Repair works	Confined space hazards, use of cutting/welding equipment	ЗН		2M
reion 2.5	Authorized by		Poviow # Data of Icous: Poviow Data:	

8




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Refilling the tank	Overfilled tanks, spills	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Reconnecting lines	hazards when lifting/re-positioning heavy items, pinch points	2M		1L







Version 2.5

Date of Issue:









Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLA	ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health as Safety Act and 4 Occupational Health and pfety regulations 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulatures</u> Codes of mactice VIC <u>extps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: https://www.safework.sa.gov.au/resources/legislation Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs Tasmania	 Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes First aid in the workplace
Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	 Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the SWMS	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selections	\boxtimes		
Responsible person is assigned and listed on the part the importation control measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE RE	DATE REVIEWED	
SIGNATURE	DATE COMPLETED		