Fume Hood SA	AFE WORK METHOD STAT	EMENT (SWMS)	
	TASK OR ACTIVITY: Fume Hood	1	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:	NK	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring .	ppliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with egislative requirements to first identify any site hazards, such a comparing hicas those hazards and then to further take steps to either eliminate or contrast each hazard.			
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



					RISK	MATRIX			
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION	Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE	Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.	Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records	Engineering Isolate the hazard.	
NACE LOW LOW MODERATE HIGH HIGH LOW Kenecords Isolate the flazzit. Notes on Hierarchy of Controls: Elimination methods are the most effective and preferre or en concerning a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the transport entry of the least effective Administrative Change the work. Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equation) to be least effective PPE PPE									

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements					Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Inhalation of harmful gases, Fire hazard	2М	 Conduct a thorough risk assessment of the workspace to identify potential hazards, including sources of toxic fumes or flammable materials. Properly train all personnel on the usage and reach nance of fume hoods, ensuring they understand how they function and why they are important for aftery. Ensure that the fume hood is including correctly of deficiently by following the manufacturers' guidelines for installation inspection, and testing. Store hazardon chemican and nuerials in cloubly labelled, approved containers away from ignition sources, ensuing they are initity set of who not in use. Utility appropriate pertural protective quipment (PPE), such as gloves, goggles, and well-fitting respires to minimum clear set of exposure to harmful gases and chemicals. Estat situations to a protective quipment (PPE), such as gloves, goggles, and well-fitting respires to minimum clear set of exposure to harmful gases and chemicals. Stations to a pression protective quipment (PPE), such as gloves, goggles, and well-fitting respires to minimum clear set of exposure to harmful gases and chemicals. Stations to a pression protective quipment (PPE), such as gloves goggles, and well-fitting respires to minimum clear set of exposure to harmful gases and chemicals. Stations to a pression protective quipment (PPE), such as gloves, goggles, and well-fitting respires to minimum clear set of exposure to harmful gases and chemicals. Stations to a pression protective quipment (PPE), such as gloves, goggles, and well-fitting respires to minimum clear set involving harmful fumes or fires quickly and safely. Mainta bropp rentilation and airflow in the work area to reduce the concentration of potentially harmful cominents. Minimum specific to the substances involved. Numplementappropriate waste management practices to dispose of hazardous materials safely, following avant regulations specific to the substances involved.	1L
2. Inspection & Maintenance	Chemical spills, Electrocution	3H	 Conduct regular inspections of fume hoods, checking for any signs of wear, damage or malfunction. Implement a maintenance schedule for fume hoods, ensuring all parts and components are functioning properly and cleaned regularly. Provide proper training for workers on the safe handling and storage of chemicals, including spill response procedures and personal protective equipment (PPE) requirements. Ensure that electrical connections and wiring for fume hoods are routinely inspected and maintained by qualified personnel, while wearing appropriate PPE such as insulated gloves. 	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			 Establish procedures for any necessary repairs or replacements for faulty components, including quick response times to address potential risks associated with chemical exposure or electrocution hazards. 	
			- Require workers to promptly report any issues or pricerns related to fume hood performance, so that maintenance personnel can quickly diagnose receives problems.	
			- Keep spill containment kits readily available near fume to ds to effectively manage any chemical spills that may occur during inspection or maintenable.	
			- Utilise clear signage indicating the location of the regency stop buttons and relevant safety equipment, such as fire extinguishers and yewash stations, the lose preventy to fume hoods.	
			- Encourage open communication between manage, the unspection teams, and maintenance personnel to discuss any observed uses as contribute towards continuously improving safety practices.	
			- Promote a set sty-first culture within the works use, reinforcing the importance of adhering to the established in section and value and set set of minimise the risks associated with chemical spills and the rocutio shazer.	
			- Ensure all porkers or teive thorough training on the correct procedures for setting up a fume hood, includin pro, those of nections.	
			Sonduc pre-was inspections to check for any damaged equipment or hoses that need to be repaired or replaced.	
			Provide parly written instructions and guidelines near the fume hood area to remind workers about per setup processes.	
			- Install quick-connect couplings and fittings to minimise the risk of improper hose connections during equipment setup.	
			- Implement clear signage indicating the location of ventilation systems and their corresponding controls.	
	Improper hose connection, Improper		- Utilise tools such as manometers or anemometers to verify that adequate airflow is being achieved within the fume hood.	
3. Equipment Setup	ventilation	2M	- Perform regular maintenance checks of all fume hood components, including exhaust fans, ductwork and filters, to ensure proper functioning.	1L
			- Develop a standardised checklist for workers to follow when setting up the fume hood, ensuring all necessary steps are covered.	
			- Establish and enforce strict protocols for reporting and addressing any identified hazards or issues related to equipment setup.	
			- Reinforce the importance of regular communication between team members throughout the work process, especially during the setup of critical equipment such as fume hoods.	
			- Encourage workers to use the 'buddy system' when setting up complex equipment like fume hoods, having one person verify the work of another to reduce the risk of mistakes.	
			- Provide personal protective equipment (PPE) such as safety goggles and gloves for workers during the setup process, offering additional protection against any potential hazards.	




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Regularly review and update Safe Work Method Statements (SWMS) and protocols to ensure they remain relevant and effective in reducing risks associated with equipment setup and hazards in the workplace.	
4. Chemical Handling	Exposure to toxic chemicals, Chemical reactions	ЗН		11.
5. Fume Hood Operation	Airborne contaminants, Malfunctioning exhaust fan	2M		1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Emergency Procedures	Lack of emergency training, Inaccessible safety equipment	ЗН		1L












JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Chemical Storage	Labeling errors, Spill containment failure	2М		1L








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Employee Training	Untrained personnet unadequate PPE usage	зH		1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Periodic Assessments	Non-compliance with regulations, Unaddressed issues	2М		
13. Ventilation System Monitoring	Blocked air ducts, Insufficient airflow	2M		1L

Version 2.5
















EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLA	ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Octopational Health as Safety Act and 4 Octopational Health and affety regulations 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-oulates</u> oulates
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation, 2011 Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/worplace-serve-laws Codes of Practice NT: https://worksafe.nt.gov.au/from of the server se	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: https://www.safework.sa.gov.au/resources/legislation Codes of Practice for SA: https://www.safework.sa.gov.au/work_laces/codes-of-practice#COPs Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012	 Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction
Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date		

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

d must reviewed (and viewn should be carried out in hav be sted by the operation

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMS	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selections	\boxtimes	
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed reproduction on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMPLETED	