

General Carpentry Work | SAFE WORK METHOD STATEMENT (SWMS)

TASK OR ACTIVITY: General Carpentry Work

Business Name:	ABN:	SWMS#
Business Address:		
Contact Person:	Phone:	Email:

THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:		
Signature:	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring compliance of the SWMS as well as reviews and modifications of the SWMS.		
Full Name:	Title:	Phone:

ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED

Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, then to communicate those hazards and then to further take steps to either eliminate or control each hazard.

If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.

Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.

The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.

NAME OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS

CLIENT OR PRINCIPAL CONTRACTOR DETAILS

Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	

ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT

- | | |
|--|--|
| <input type="checkbox"/> involves a risk of a person falling more than 2 meters | <input type="checkbox"/> is carried out on or near pressurised gas mains or piping |
| <input type="checkbox"/> is carried out on a telecommunication tower | <input type="checkbox"/> is carried out on or near chemical, fuel or refrigerant lines |
| <input type="checkbox"/> involves demolition of an element of a structure that is load-bearing | <input type="checkbox"/> is carried out on or near energised electrical installations or services |
| <input type="checkbox"/> involves demolition of an element related to the physical integrity of a structure | <input type="checkbox"/> is carried out in an area that may have a contaminated or flammable atmosphere |
| <input type="checkbox"/> involves, or is likely to involve, disturbing asbestos | <input type="checkbox"/> involves tilt-up or precast concrete |
| <input type="checkbox"/> involves structural alteration or repair that requires temporary support to prevent collapse | <input type="checkbox"/> is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| <input type="checkbox"/> is carried out in or near a confined space | <input type="checkbox"/> is carried out in an area of a workplace where there is any movement of powered mobile plant |
| <input type="checkbox"/> is carried out in/near a shaft or trench deeper than 1.5m or tunnel involving use of explosives | <input type="checkbox"/> is carried out in areas with artificial extremes of temperature. |
| <input type="checkbox"/> is carried out in or near water or other liquid that involves a risk of drowning. | <input type="checkbox"/> involves diving work. |

ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY

RISK MATRIX

LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE			Elimination Remove the hazard.
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEED	Substitution Replace the hazard.
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.	Isolation Isolate People from the hazard
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Engineering Isolate the hazard.
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	Monitor and keep records	Administrative Change the work.
Notes on Hierarchy of Controls: Elimination methods are the most effective and preferred when controlling a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the third most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) is the least effective method.								PPE

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PROTECTION	EYE PROTECTION	RESPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
											
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Other PPE Required:

Permit or Licenses Requirements

Mandatory Qualifications and Training

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Site assessment and setup	<ul style="list-style-type: none"> • Unstable ground conditions • Overhead electrical services • Underground services • Vehicle and mobile plant movement • Unauthorized site access • Poor housekeeping • Manual handling of materials 	3H	<ul style="list-style-type: none"> • Review project documentation, Dial Before You Dig plans and service plans before bringing materials or equipment onto site • Walk the work area and mark uneven ground, holes and trip hazards with high visibility paint or barriers • Identify and mark exclusion zones beneath overhead power lines and maintain minimum approach distances as per local electricity distributor requirements • Confirm underground services location using service maps, non-destructive digging or cable locators before driving stakes or excavation • Set up physical barriers, bollards or bolling to separate pedestrian areas from vehicle and plant movement paths • Install clear site signage indicating entry points, PPE requirements and restricted zones • Store timber, sheet goods and hardware on level ground or racking to prevent rolling or collapse • Stack materials below shoulder height where practicable to reduce bending, twisting and overhead reaching • Use mechanical aids such as trolleys, panel lifters or forklifts for heavy or awkward loads over 20 kg • Brief workers on site-specific hazards and emergency procedures before commencing carpentry tasks • Keep access ways clear of offcuts, packaging and cords; remove rubbish to designated skips regularly • DO NOT block fire exits, electrical switchboards or emergency equipment with stored materials 	2M
Tools inspection and setup	<ul style="list-style-type: none"> • Defective electrical tools • Damaged cords and plugs • Incorrect tool for the task • Unsecured workpieces • Flying debris and projectiles • Unexpected tool activation 	3H	<ul style="list-style-type: none"> • Inspect all power tools, multi-use woodworking tools and extension leads for cuts, exposed wires, missing guards and damaged plugs before each use • Tag out and remove from service any tool with missing guards, faulty switches or signs of overheating until repaired by a licensed electrician or competent technician • Verify that all multi-use woodworking tools have guards, riving knives, fences and dust extraction fittings installed and correctly adjusted as per the manufacturer's instructions • Select tools that are specifically designed for the intended task, such as chisels for wood or cold chisels for metal, and DO NOT substitute inappropriate tools • Secure workpieces on stable benches using clamps, vices or jigs before cutting, chiselling or routing • Fit correct blades, bits and cutters rated to the tool speed and material; DO NOT use cracked, bent or excessively worn cutting tools • Check that tools with rotating parts have fully tightened collets, arbors and chucks before powering on • Use portable Residual Current Devices (RCDs) or ensure site power outlets are RCD-protected in accordance with AS/NZS 3012 	2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<ul style="list-style-type: none"> Route power leads away from walkways, cutting paths and sharp edges; elevate leads where practicable to avoid damage Carry out a short no-load test run of tools after adjustments to ensure smooth operation and correct rotation direction Disconnect tools from power before changing blades, bits or performing maintenance DO NOT bypass safety interlocks, trigger lock or emergency stop devices on any tooling or machinery 	
Material handling and storage	<ul style="list-style-type: none"> Muscular strain from lifting Crushed fingers between materials Falling stacked timber Sharp edges and splinters Protruding nails and screws 	3H	<ul style="list-style-type: none"> Plan delivery and storage locations to minimise double handling and long carrying distances Assess the weight and dimensions of timber, sheets and doors before lifting; use team lifts for heavy or awkward items Bend at the knees, keep the load close to the body and avoid twisting while lifting or lowering materials Store timber and sheet products on level dunnage or racking with chocks to prevent rolling or sliding Limit stack height so that materials can be safely retrieved without climbing on stacks or overreaching Position stored materials away from edges, penetrations and vehicle routes to prevent impact and falls Remove or hammer flat any protruding nails from recycled timber before stacking Wear cut-resistant gloves when handling rough-sawn timber, metal sections or sharp-edged hardware Use mechanical lifting devices such as plasterboard hoists, panel lifters or pallet jacks for large sheet goods DO NOT manually carry loads that exceed the worker's capability or require sustained overhead holding 	2M
Measuring, marking and layout	<ul style="list-style-type: none"> Trips from scattered tools Eye injury from snapping tapes Cuts from knives and scribes Incorrect layout causing rework 	2M	<p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p>	1L

Rotating blades
Number or sheets
Holes
Exhalation
Chips
From power tools

4A

SAMPLE

rs de...mping
solvent vapours
wood dust.

3H

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Making cope-and-stick joints	<ul style="list-style-type: none"> • Contact with router cutters • Kickback of narrow profiles • Tear-out and flying splinters • Noise from routers • Dust from detailed profiling 	4A	<ul style="list-style-type: none"> • Use of personal protective equipment (PPE) including safety glasses, hearing protection, and dust mask. • Use of proper tooling and techniques to minimize kickback and tear-out. • Use of dust extraction systems to reduce dust levels. • Use of safety barriers to prevent contact with moving parts. • Use of proper work posture and body positioning to avoid contact with moving parts. • Use of proper work area setup to minimize distractions and ensure clear access to the work area. • Use of proper work area lighting to ensure adequate visibility. • Use of proper work area ventilation to reduce dust levels. • Use of proper work area cleanup to prevent tripping hazards. • Use of proper work area maintenance to ensure all equipment is in good working order. • Use of proper work area security to prevent unauthorized access. • Use of proper work area signage to warn of potential hazards. • Use of proper work area training to ensure all workers are properly trained and supervised. • Use of proper work area communication to ensure all workers are aware of potential hazards and safety procedures. • Use of proper work area documentation to ensure all safety procedures are properly recorded and maintained. • Use of proper work area inspection to ensure all safety measures are properly implemented and maintained. • Use of proper work area evaluation to ensure all safety measures are effective and efficient. 	2M
Operating multi-use woodworking tools	<ul style="list-style-type: none"> • Entanglement with moving parts • Unexpected tool function changes • Blade or bit failure • Excessive vibration • Noise and airborne dust 	4A	<ul style="list-style-type: none"> • Use of personal protective equipment (PPE) including safety glasses, hearing protection, and dust mask. • Use of proper tooling and techniques to minimize kickback and tear-out. • Use of dust extraction systems to reduce dust levels. • Use of safety barriers to prevent contact with moving parts. • Use of proper work posture and body positioning to avoid contact with moving parts. • Use of proper work area setup to minimize distractions and ensure clear access to the work area. • Use of proper work area lighting to ensure adequate visibility. • Use of proper work area ventilation to reduce dust levels. • Use of proper work area cleanup to prevent tripping hazards. • Use of proper work area maintenance to ensure all equipment is in good working order. • Use of proper work area security to prevent unauthorized access. • Use of proper work area signage to warn of potential hazards. • Use of proper work area training to ensure all workers are properly trained and supervised. • Use of proper work area communication to ensure all workers are aware of potential hazards and safety procedures. • Use of proper work area documentation to ensure all safety procedures are properly recorded and maintained. • Use of proper work area inspection to ensure all safety measures are properly implemented and maintained. • Use of proper work area evaluation to ensure all safety measures are effective and efficient. 	2M

er punctures
nail gun

[illegible]

[illegible]

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK

SAMPLE

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE IS NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2025

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/facts-and-resources/codes-of-practice>

Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are revised. The review must be carried out in consultation with workers (including contractors and sub-contractors) who may be affected by the operation of the SWMS and their health and safety representatives who represent that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.	<input checked="" type="checkbox"/>	
All relevant personnel consulted during the development of the SWMS.	<input checked="" type="checkbox"/>	
Name, signature, position and date signed of the person approving the SWMS.	<input type="checkbox"/>	
Specific personnel and qualifications, experience is noted in the SWMS.	<input checked="" type="checkbox"/>	
Provides a step-by-step process of tasks required to carry out the activity or task.	<input checked="" type="checkbox"/>	
Adequate risk assessment of any identified hazards has been completed.	<input checked="" type="checkbox"/>	
Foreseeable hazards are identified and documented for each step.	<input checked="" type="checkbox"/>	
Any hazards listed in any site risk assessments have been added to the SWMS.	<input checked="" type="checkbox"/>	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	<input checked="" type="checkbox"/>	
Check control measures added to the SWMS are the most effective selected.	<input checked="" type="checkbox"/>	
Responsible person is assigned and listed on the SWMS for the implementation of control measures.	<input checked="" type="checkbox"/>	
Permit or licenses requirements specified, such as Hot Work, Electrical Work, Work at Heights etc.	<input checked="" type="checkbox"/>	
SWMS identifies plant and equipment to be used.	<input checked="" type="checkbox"/>	
Details of inspection checks required for any equipment listed are noted on the SWMS.	<input checked="" type="checkbox"/>	
Describes any mandatory qualifications, experience, training or skills required to perform the work.	<input checked="" type="checkbox"/>	
Applicable personal protective equipment is selected on the SWMS.	<input checked="" type="checkbox"/>	
Reflects and documents any legislative references and/or Australian Standards.	<input checked="" type="checkbox"/>	
Identifies any hazardous substances used with specific control measures in line with any SDS.	<input checked="" type="checkbox"/>	
REVIEWED BY		
SIGNATURE		
DATE REVIEWED		
DATE COMPLETED		