



| General Manufacturing Cleaning a   | nd Maintenance   SAFE WC                                    | ORK METHOD STATEMENT (                         | SWMS)                               |
|--|---|--|-------------------------------------|
| TASK OR ACTIVITY   | Y: General Manufacturing Cleanii                            | ng and Maintenance                             |                                     |
| Business Name:   |   | ABN:   | SWMS#                               |
| Business Address:  |   |  |                                     |
| Contact Person:  | Phone:  | E vil:   |                                     |
|  | •   |  |                                     |
| THIS SAFE WORK METHOD  | STATEMENT IS APPROVED BY                                    | THE PC. OF THE ROJECT                          |                                     |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.   | cting a business or undo                                    | required to er. sthat a safe work method s     | statement (SWMS) is prepared before |
| Full Name:   |   |  |                                     |
| Signature:   |   | Title:   | Date:                               |
| Details of the person(s) responsible for ensuring implementation, monitoring   | roliance the VMS a vell as review                           | s and modifications of the SWMS.               |                                     |
| Full Name:   |   | Title:   | Phone:                              |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS 5 MS M HAVE THE FOLLOWING COMMUNICATED   | NALE OF ALL RELEVANT PERSONNI<br>EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND CO<br>THIS SWMS | OMMUNICATED TO IN THE               |
| Safety meetings or toolbox talks will be sched and in account with gislative requirements to first identify any site hazards, and then to further take steps to either eliminate or continuous each hazard.  |   |  |                                     |
| If an incident or a near miss occurs, all work must sto, quately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.  |   |  |                                     |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.  |   |  |                                     |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. |   |  |                                     |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





| CLIENT OR PRINCIPAL   | CONTRACTOR DETAILS  |
|---|---|
| Client:   | SCOPE OF WORKS  |
| Project Name:   |   |
| Project Address:  |   |
| Project Manager:  |   |
| Contact Phone:  |   |
| Date SWMS supplied to Project Manager:  |   |
| ANY HIGH-RISK CONSTRUCTO  | ON WO K BEIN O KRIED OUT  |
| ☐ involves a risk of a person falling more than 2 meters  | ☐ is carried out on or near pressurised gas mains or piping                                     |
| ☐ is carried out on a telecommunication tower   | carried out on or near chemical, fuel or refrigerant lines                                      |
| ☐ involves demolition of an element of a structure that is load-bearing   | ☐ is carried out on or near energised electrical installations or services                      |
| ☐ involves demolition of an element related to the physical integrated integrated in integrated integrated in the physical integrated integrated in integrated in the physical integrated integrated in the physical integrated in the physi | ☐ is carried out in an area that may have a contaminated or flammable atmosphere                |
| ☐ involves, or is likely to involve, disturbing asb   | ☐ involves tilt-up or precast concrete  |
| ☐ involves structural alteration or repair that — quires term — ov sup — rt to prevent collapse   | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| is carried out in or near a confined space  | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant  |
| ☐ is carried out in/near a shaft or trench deeper tha tunnel involving use of explosives  | ☐ is carried out in areas with artificial extremes of temperature.                              |
| ☐ is carried out in or near water or other liquid that involves a risk of drowning.   | ☐ involves diving work.   |
| ANY HIGH-RISK MACHINER  | RY OR EQUIPMENT NEARBY  |
|   |   |
|   |   |
|   |   |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



|                   | RISK MATRIX  |                    |                 |                 |              |                 |   |  |                                      |  |  |
|-------------------|--|--------------------|-----------------|-----------------|--------------|-----------------|---|--|--------------------------------------|--|--|
| LIKELIHOOD        | INSIGNIFICANT  | MINOR              | MODERATE        | MAJOR           | CATASTROPHIC | SCOBE           | ACTION  |  | HEIRARCHY OF CONTROLS                |  |  |
| ALMOST<br>CERTAIN | 3<br>HIGH  | 3<br>HIGH          | 4<br>ACUTE      | 4<br>ACUTE      | 4<br>ACUTE   | SCORE           | PRE ACTION -                                    |  | Elimination Remove the hazard.       |  |  |
| LIKELY            | 2<br>MODERATE  | 3<br>HIGH          | 3<br>HIGH       | 4<br>ACUTE      | 4<br>ACUTE   | 4A<br>ACUTE     | DO NOT<br>PROCE                                 |  | Substitution                         |  |  |
| POSSIBLE          | 1<br>LOW   | 2<br>MODERATE      | 3<br>HIGH       | 4<br>ACUTE      | 4<br>ACUTE   | 3H<br>HIGH      | Review befor work starts.                       |  | Replace the hazard.                  |  |  |
| UNLIKELY          | 1<br>LOW   | 1<br>LOW           | 2<br>MODERATE   | 3<br>HIGH       | 4<br>ACUTE   | 2M<br>MODERATE  | Ensure control measures in place.               |  | Isolate People from the hazard       |  |  |
| RARE              | 1<br>LOW   | 1<br>LOW           | 2<br>MODERATE   | 3<br>HIGH       | 3<br>HIGH    | 1L<br>LOW       | nitor and                                       |  | Engineering Isolate the hazard.      |  |  |
| is the second m   | rchy of Controls:<br>ost effective metho<br>nging the work is th | d of controlling a | hazard. Enginee | ring by isolati |              | et. 'ive, while | rd. Substitution<br>Administrative<br>effective |  | Administrative Change the work.  PPE |  |  |

|                    |                    |                    |              | PERS        |                        | TIVE EQUIPM                           |                      |                        |                    |                   |                           |
|--------------------|--------------------|--------------------|--------------|-------------|------------------------|---------------------------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
|                    |                    | Select the app     | ropriate PPL | abo. ~uitab | ic or the equip        | oment used or                         | the job task         | being perform          | ned (if applica    | able).            |                           |
| FOOT<br>PROTECTION | HAND<br>PROTECTION | HEAD<br>PROTECTION | ARING STION  | F' CTIO     | RL PIRATORY PROTECTION | FACE<br>PROTECTION                    | HIGH-VIS<br>CLOTHING | PROTECTIVE<br>CLOTHING | FALL<br>PROTECTION | SUN<br>PROTECTION | HAIR/JEWELLERY<br>SECURED |
|                    |                    |                    |              |             |                        |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |              |             |                        |                                       |                      |                        |                    |                   |                           |
| Other PPE R        | equired:           |                    |              |             |                        |                                       |                      |                        |                    |                   |                           |
|                    | Pe                 | ermit or Licen     | ses Requirem | ents        |                        | Mandatory Qualifications and Training |                      |                        |                    |                   |                           |
|                    |                    |                    |              |             |                        |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |              |             |                        |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |              |             |                        |                                       |                      |                        |                    |                   |                           |



| JOB STEP                         | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|----------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS              | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK |
| Prestart planning and induction  | Unifamiliar emergency procedures     Unidentified plant hazards     Inadequate supervision     Incorrect permits or isolations     Language or literacy barriers                                   | ЗН              | <ul> <li>Review site WHS management plan and committed some scope of cleaning and maintenance activities before work starts</li> <li>Identify all plant, automated lines, dip tanks, the paths, dust collection systems and mixing areas on the work front and mark no-go zones with barrice as or signage.</li> <li>Conduct a prestart toolbox to covering specific tools, he ands, controls, emergency contacts and first aid arrangements.</li> <li>Verify all work and only recedify a ces, inductors and competencies for operating plant, elevated work platforms, for its, and che call han ang.</li> <li>Correct require persons work are reped and current for confined spaces, hot work, working at height a ergy to man and line breaking.</li> <li>Proving toolspeck and seed operating Procedures (SOPs) and Safe Work Method Statements (SWMS) and envire to kers consexplain back key steps.</li> <li>Assign compensate supervisor to monitor activities, manage interfaces with production and coordinate isons and religious and religious methods (e.g. UHF radios, hand signals) between operators, spotters at cleaners working around automated lines.</li> <li>Display emergency evacuation diagrams and spill response procedures in work areas and confirm everyone knows muster points.</li> <li>Confirm first aid kits, eyewash and emergency showers are present, accessible and within required test dates.</li> </ul> | 2M               |
| Isolate plant and lockout tagout | Unexpected plant energisation     Stored mechanical energy     Residual hydraulic pressure     Residual pneumatic pressure     Uncontrolled chemical release     Inadequate isolation verification | 4A              | <ul> <li>Identify all energy sources for automated lines, conveyors, mixers, dip tanks, coating baths, dust collection systems and fabrication equipment, including electrical, mechanical, hydraulic, pneumatic, thermal and chemical</li> <li>Shut down plant using manufacturer's shutdown procedure before applying isolations</li> <li>Apply personal lockout devices and danger tags to all isolation points using a group lockbox system where multiple workers are involved</li> <li>Relieve stored energy by bleeding pressure lines, securing suspended loads, draining product lines and locking mechanical brakes as per SOP</li> <li>Test for dead by attempting start-up from local and remote controls after isolation, ensuring no movement or energisation occurs</li> <li>Isolate and blank pipework before opening any sections of automated lines, dip tanks, coating baths or material mixing systems</li> <li>Install physical barriers or interlocks to prevent access to hazardous zones of automated lines while guards are removed</li> </ul>  | 2M               |



| JOB STEP                           | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES  | RR               |
|------------------------------------|--|-----------------|---|------------------|
| SPECIFIC WORK STEPS                | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS      Maintain an isolation register that records each isolation point, responsible person, time applied and time removed      Prohibit any person from removing another work personal lock or tag without following the documented lock removal procedure      DO NOT commence cleaning or maintenance on any right until verification of isolation has been confirmed by a competent person   | RESIDUAL<br>RISK |
| General area and stock preparation | Unstable stacked materials     Slip and trip hazards     Manual handling strain     Uncontrolled forklift movement     Poor housekeeping                       | 3H              | <ul> <li>Clear unnecessary material waste and offcuts in the woll area before starting cleaning or maintenance tasks</li> <li>Stack raw material, rate ated to the and stock on rated racking or pallets and keep within manufacturer of all working oad (s. "L) limits</li> <li>Use mechanical aids sure as pallet just colleys or forklifts to move heavy items instead of manual lifting care practable.</li> <li>Weaks of y footcom with slip-resistant soles compliant with AS 2210 when working in wethor greasy areas.</li> <li>Mark pudest of walk to ye and exclusion zones around forklifts and stock movement areas using floor or kings and boards.</li> <li>Institute thiff operators to travel at walking speed, use warning beepers and lights, and avoid entering esignate pleaning zones.</li> <li>Institute thiff operators to travel at walking speed, use warning beepers and lights, and avoid entering esignate pleaning zones.</li> <li>Institution of y, level access routes by promptly cleaning spills and removing offcuts, hoses and leads from walkways.</li> <li>Train workers in correct manual handling techniques including team lifting, neutral spine posture and load-sharing.</li> <li>DO NOT store materials beyond the edge of racking or at heights that exceed racking design specifications.</li> <li>Inspect storage racking for damage or distortion and tag out any damaged racking until repaired or replaced.</li> </ul> | 1L               |
| Automated line management          | Entanglement in moving parts     Contact with pinch points     Unexpected conveyor start-up     Sensor or interlock failure     Falling product from conveyors | 4A              |   | 2M               |



| JOB STEP                                 | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|--|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS                      | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| Cleaning manufacturing equipment         | Contact with sharp edges Exposure to hot surface Chemical contact our skin High pressure flor injection Aerosolised contant                        | эН              |  | 2M               |
| Cleaning industrial equipment and guards | Falling from height     Falling tools or components     Crushing between components     Inadequate access equipment     Inhalation of settled dust | 3Н              |  | 1L               |



| JOB STEP                        | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|---------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS             | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| Cleaning dust collection system | Combustible dust explosion     Dust inhalation exposu.     Confined space entry     Contact with rotating fans     Falling from ducting or platforms | 4A              |  | 2M               |



| JOB STEP                      | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|-------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS           | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| Material mixing operations    | Chemical reaction runaway Exposure to hazardous vapours Contact with rotating agitators Incorrect mixing ratios Container failure or rupture                   | 4A              |  | 2M               |
| Dip tank and coating bath use | Chemical immersion exposure     Inhalation of solvent vapours     Thermal burns from heated baths     Drowning in deep tanks     Ignition of flammable vapours | 4A              |  | 2M               |



| JOB STEP                           | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|------------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS                | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| Fabrication and fabrication tasks  | Contact with rotating tools     Hot metal and sparks     Flying metal fragments     Noise-induced hearing loss     Welding fume inhalation      | 4A              |  | <b>2</b> M       |
| Lean manufacturing execution tasks | Uncontrolled process changes Increased line speed risk Ergonomic strain from 5S changes Confusion from new layouts Data entry errors in systems | ЗН              |  | 1L               |



| JOB STEP                            | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|-------------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS                 | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| Manual and powered cleaning methods | Electric shock from equipment     Trip hazards from hoses     Compressed air injec     Noise from vacur as and blowers     Flying debris from Now-ct      | 2"              |  | 1L               |
| Waste handling and housekeeping     | Exposure to hazardous waste     Cross-contamination of materials     Overfilled waste containers     Uncontrolled spill or leak     Pest and odour issues | 3H              |  | ■<br>1L          |



| JOB STEP                        | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|---------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS             | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| Recommissioning and<br>handover | Plant start-up with personnel inside Missing or incorre Univerified safety systems Residual tools or material in the Inaccurate documentation | ЗН              |  | 1L               |
|                                 |   |                 |  |                  |







### hluesafe



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2025

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo

Codes of Practice NT: https://worksafe.nt.gov.au/f -resourd

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor/ aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Or pational Health a. Safety Act J4

Occ ational Health and afety gulations 2017

Legis on VIC: https://www ksafe.vic.gov.au/occupational-health-and-safety-act-and-

tes of actice V/ attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/modelcodes-of-practice

#### Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Saf Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature |
|-------------|-----------|
|             |           |
|             |           |
|             |           |
|             |           |
|             |           |

### SAFE WORK N. THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains fective of must be reviewed (and revised if necessary) if relevant control measures are rovised. The view respectively should be carried out in consultation with workers (including contractors as a sub-intractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME          |   |   |   |   |   |   |   |
| INITIALS      |   |   |   |   |   |   |   |
| DATE          |   |   |   |   |   |   |   |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 14





### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS  | COMPLETED      | COMMENTS |
|---|----------------|----------|
|   |                |          |
| The company details have been entered, including the project name and address.  |                |          |
| All relevant personnel consulted during the development of the SWMS.  |                |          |
| Name, signature, position and date signed of the person approving the SWMS.   |                |          |
| Specific personnel and qualifications, experience is noted in the SWMS.   | 7              |          |
| Provides a step-by-step process of tasks required to carry out the activity or task.  | k              |          |
| Adequate risk assessment of any identified hazards has been completed.  | $\boxtimes$    |          |
| Foreseeable hazards are identified and documented for each step.  | $\boxtimes$    |          |
| Any hazards listed in any site risk assessments have been added to the SWMS   |                |          |
| SWMS initial risk (IR) column as well as residual risk (RR) colum mpleted.  | $\boxtimes$    |          |
| Check control measures added to the SWMS are the most effective selections.   |                |          |
| Responsible person is assigned and listed on the part of the important of | $\boxtimes$    |          |
| Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc.   | $\boxtimes$    |          |
| SWMS identifies plant and equipment to be use   | $\boxtimes$    |          |
| Details of inspection checks required for any equipment listed an onthe SWMS.   | $\boxtimes$    |          |
| Describes any mandatory qualifications, experience, use or skills required to perform the work.   | $\boxtimes$    |          |
| Applicable personal protective equipment is selected on the SWMS.   |                |          |
| Reflects and documents any legislative references and/or Australian Standards.  | $\boxtimes$    |          |
| Identifies any hazardous substances used with specific control measures in line with any SDS.   | $\boxtimes$    |          |
|   |                |          |
| REVIEWED BY   | DATE REVIEWED  |          |
| SIGNATURE   | DATE COMPLETED |          |