Glass Grinder S	SAFE WORK METHOD STA	TEMENT (SWMS)							
١	TASK OR ACTIVITY: Glass Grinde	er							
Business Name:		ABN:	SWMS#						
Business Address:									
Contact Person:	Phone:	E fil:							
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY								
THIS SAFE WORK METHOD STATEMENT IS APPRO' 'D BY THE PC. 'OF TP', ROJECT Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or under the grade of the proposed work starts. PC 'D' is required to ensue that a safe work method statement (SWMS) is prepared before the proposed work starts. Full Name: PC 'D' I'									
Signature:		Title:	Date:						
Details of the person(s) responsible for ensuring implementation, monitoring	opliance i the VMS a well as review	s and modifications of the SWMS.							
Full Name:		Title:	Phone:						
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAS PHAVE THE FOLLOWING COMMUNICATED	NATE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	OMMUNICATED TO IN THE						
Safety meetings or toolbox talks will be sched red in according with a gislative requirements to first identify any site hazards, the sched compared compared those hazards and then to further take steps to either eliminate or control each hazard.									
If an incident or a near miss occurs, all work must stop unately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.									
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.									
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.									



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terrar by supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
is the second me	RARE 1 1 2 3 3 1L Number of the second most effective method of controlling a hazard. Engineering by isolation is the virtual of the second most effective method of controlling a hazard. Engineering by isolation is the virtual of the second most effective method. PPE (Personal Protective Equipment) the least effective Engineering Isolate the hazard. Engineering Isolate the hazard.									

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Pe	ermit or Lice	nses Requirem	ients			Mandatory Qualifications and Training				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Incorrect equipment setup, Slips and falls	2М	 Provide training: Ensure that all workers wherein be handling glass grinding equipment have been trained in the correct procedures and are fact liar with the handlacturer's guidelines. Inspect equipment: Regularly inspect the glace one of an related tools for any signs of wear, damage or maifunction. Anti-slip flooring: Install anti-to matting around the worker a to prevent slips and falls caused by water, lubricants or ground of the partit. Proper lighting ansure the work was is well-littly clear visibility of the workspace, helping to reduce the risk of accident sidue to pool (ghting) and the propert lighting and the propert lighting and the propert lighting and the propert properties and the properties and properties. Keenfork at clear due and party sued liquids promptly and remove any debris on the floor that could use work crise and warning signs: Set up barricades and warning signs around designated glass glacing a sas to cert other workers to potential hazards and restricted access zones. Equipment maintenance: Regularly service and maintain the glass grinder and associated equipment to ensure they are set up correctly and functioning optimally. Follow manufacturer's guidelines: Always follow the manufacturer's setup and operational instructions for the specific glass grinder being used, preventing accidents resulting from incorrect equipment setup. Emergency stop mechanisms: Ensure that the glass grinder is equipped with an accessible and functional emergency. No loose clothing: Workers should avoid wearing loose clothing, jewellery, or hair that can catch on moving parts of the glass grinder, causing injury. Proper regnomics: Adjust the height of the workspace to accommodate workers' levels, promoting better posture and reducing the risk of slips and falls. Implement a buddy system: Assign workers to work in pairs or groups, ensuring that at least one person is always available to monitor the glass grindi	1L
2. Handling materials	Manual handling injuries, Dropping heavy objects	ЗН	 Provide comprehensive manual handling training to all workers involved in the glass grinding process, including correct lifting techniques and how to use mechanical lifting aids. Ensure that all staff wear appropriate personal protective equipment (PPE) such as gloves, safety shoes, and high-visibility clothing to protect themselves from potential injuries during material handling. Use mechanical lifting aids like forklifts, pallet jacks, and hoists to minimise the amount of manual labour required, particularly when handling heavy or awkward items. 	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Implement a clear communication system among workers, such as hand signals or verbal cues, to ensure everyone is aware when materials are being moved or placed.	
			- Establish designated walkways for transporting provide relation of the stabilish of the workspace.	
			- Store glass sheets off the floor and security per property sing sturdy racks or A-frame trolleys to reduce the risk of breakage and ensure easy. Cess	
			- Conduct regular checks on equipment and too sed for material handling, ensuring they are well- maintained and safe for use.	
			- Encourage workers to practice and housekeeping, and maintain a clean working environment, reducing the likelihood of structure and the while handling materials.	
			- Whenever exible, avoid acking cass shows onto unstable surfaces or piling them too high, as this could lead to bing hazar and an here of risk of injury.	
			- Utiling pecialis of the shandling equipment, such as suction cups or vacuum lifters, to help prevent falling provide the moving glass panels.	
			- Ensure we expected use adequate lighting, promoting better visibility when handling materials and minimis g potential accents.	
			- course teals ork among workers, particularly when it comes to lifting and moving large or heavy object to listribute weight and reduce the strain on individuals.	
			mplement regular breaks for those engaged in continuous heavy lifting tasks, helping to reduce fatigue at the chance of injuries arising from repetitive strain.	
			- Personal Protective Equipment (PPE): Ensure that all workers are wearing appropriate PPE, such as safety glasses, gloves, respiratory masks or dust masks, and hearing protection.	
			 Pre-shift briefing: Conduct a pre-shift briefing with all workers to inform them about the hazards associated with glass shard injuries and dust inhalation, and discuss the relevant control measures in place. 	
			- Regular equipment inspection: Schedule routine inspections of the glass grinder to ensure it's functioning properly and safely, and to identify and address any potential issues before they escalate.	
3. Inspection	Glass shard injury, Dust inhalation	2M	- Housekeeping: Maintain a clean and clutter-free work area to minimise the risk of glass shard injuries, and promptly remove accumulated dust to reduce dust inhalation hazards.	1L
•			- Ventilation systems: Install an effective ventilation system in the workplace to extract and filter airborne dust particles, thereby improving air quality and reducing the risk of dust inhalation.	
			- Clear signage: Display clear signage around the glass grinding area to warn workers of the potential hazards, and to remind them to follow the necessary precautions and control measures.	
			- Proper handling techniques: Train workers in proper handling techniques when dealing with glass shards, such as using tools instead of hands, and ensuring hands are always away from the sharp edges.	
			- First-aid kits and emergency response: Keep a well-stocked first-aid kit on hand, and establish an emergency response plan for addressing glass shard injuries and respiratory issues resulting from dust inhalation.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Dust exposure monitoring: Implement regular monitoring of dust levels in the workplace to ensure that exposure remains below the recommended limits set by local regulations or industry standards.	
			- Training and supervision: Provide ongoing training or employees on workplace health and safety procedures, specifically in relation to glass grin by operations. Ensure that workers are adequately supervised to reinforce compliance with the procedures	
			- Review and update SWMS: Regularly review and update the Safe Work Method Statement (SWMS) for glass grinding tasks, incorporating any new have or control measures identified through ongoing risk assessments and feedback from workers.	
. Grinding glass	Flying debris, Exclusive point and unreader the second sec	e 3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Glass edge polishing	Abrasive wheel injury, Repetitive motil strain			1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Quality check	Eye strain, Sharp edge injuries	21		1L
7. Packaging	Crushing hazards, Ergonomic strain	2M		1L

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Transporting finished products	Collisions, Tripping hazards	2M		1L


Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				RISK

Version 2.5
















JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES						
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE AT ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Or opational Health an Safety Act and Occupational Health and onfety or gulations 2017 Legis from VIC: https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulations of the solution of the state of the state of the state of the solution of the state					
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>					
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-servelaws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formations/second-se</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>					
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_saces/codes-of-practice#COPs</u> Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes - First aid in the workplace - Managing the risk of falls at workplaces - Hazardous manual tasks - Managing the risk of falls in housing construction					
Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u> Details of permits, licenses or access required by regulatory bodies (add or delete as required):	 Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks 					
 Permits from local council Authorisation to commence work Any required documents. 	- Managing risks of plant in the workplace - Construction work					



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selection	\boxtimes		
Responsible person is assigned and listed on the part the importation ontrol measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE REVIEWED		
SIGNATURE	DATE COMPLETED		