



| Glass Storage and Hand   | dling   SAFE WORK METHO                                      | DD STATEMENT (SWMS)                      |                                     |
|--|--|--|-------------------------------------|
| TASK O   | R ACTIVITY: Glass Storage and                                | Handling                                 |                                     |
| Business Name:   |  | ABN:                                     | SWMS#                               |
| Business Address:  |  |  |                                     |
| Contact Person:  | Phone:   | E 111:                                   |                                     |
|  |  |  |                                     |
| THIS SAFE WORK METHOD  | STATEMENT IS APPRO' D BY                                     | THE PCL OF THE ROJECT                    |                                     |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.   | cting a business or under o (PC 1) is                        | required to en that a safe work method s | statement (SWMS) is prepared before |
| Full Name:   |  |  |                                     |
| Signature:   | NY   | Title:                                   | Date:                               |
| Details of the person(s) responsible for ensuring implementation, monitoring   | opliance the VMS a well as review                            | s and modifications of the SWMS.         |                                     |
| Full Name:   |  | Title:                                   | Phone:                              |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MIS MIS MIS MIS MIS MIS MIS MIS MIS M  | NA, ¿ OF ALL RELEVANT PERSONNI<br>EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND CO        | OMMUNICATED TO IN THE               |
| Safety meetings or toolbox talks will be sched ed in accomply with gislative requirements to first identify any site hazards, hazards and then to further take steps to either eliminate or continuate hazard.   |  |  |                                     |
| If an incident or a near miss occurs, all work must sto, an alately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.   |  |  |                                     |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.  |  |  |                                     |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. |  |  |                                     |





| CLIENT OR PRINCIPAL  | CONTRACTOR DETAILS  |
|--|---|
| Client:  | SCOPE OF WORKS  |
| Project Name:  |   |
| Project Address:   |   |
| Project Manager:   |   |
| Contact Phone:   |   |
| Date SWMS supplied to Project Manager:   |   |
| ANY HIGH BIOK CONSTRUCTOR  | NAME OF THE POLIT   |
| ANY HIGH-RISK CONSTRUCTOR  | N WC & BEIN C ARIED OUT   |
| ☐ involves a risk of a person falling more than 2 meters                                     | is carried out on or near pressurised gas mains or piping                                       |
| ☐ is carried out on a telecommunication tower  | carried out on or near chemical, fuel or refrigerant lines                                      |
| ☐ involves demolition of an element of a structure that is load-bearing                      | $\square$ is carried out on or near energised electrical installations or services              |
| ☐ involves demolition of an element related to the physical integral of a functure           | ☐ is carried out in an area that may have a contaminated or flammable atmosphere                |
| ☐ involves, or is likely to involve, disturbing asb  | ☐ involves tilt-up or precast concrete  |
| ☐ involves structural alteration or repair that —quires term — v sup —rt to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| ☐ is carried out in or near a confined space   | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant  |
| ☐ is carried out in/near a shaft or trench deeper that. tunnel involving use of explosives   | ☐ is carried out in areas with artificial extremes of temperature.                              |
| $\square$ is carried out in or near water or other liquid that involves a risk of drowning.  | ☐ involves diving work.   |
| ANY HIGH-RISK MACHINER   | Y OR EQUIPMENT NEARBY   |
|  |   |
|  |   |
|  |   |



| RISK MATRIX       |  |                    |                 |                  |                    |                |   |         |                                      |  |
|-------------------|--|--------------------|-----------------|------------------|--------------------|----------------|---|---------|--------------------------------------|--|
| LIKELIHOOD        | INSIGNIFICANT  | MINOR              | MODERATE        | MAJOR            | CATASTROPHIC       | SCORE          | ACTION  | HEI     | RARCHY OF CONTROLS                   |  |
| ALMOST<br>CERTAIN | 3<br>HIGH  | 3<br>HIGH          | 4<br>ACUTE      | 4<br>ACUTE       | 4<br>ACUTE         | SCORE          | ACTION  |         | Elimination Remove the hazard.       |  |
| LIKELY            | 2<br>MODERATE  | 3<br>HIGH          | 3<br>HIGH       | 4<br>ACUTE       | 4<br>ACUTE         | 4A<br>ACUTE    | DO NOT<br>PROCE                                 |         | Substitution                         |  |
| POSSIBLE          | 1<br>LOW   | 2<br>MODERATE      | 3<br>HIGH       | 4<br>ACUTE       | 4<br>ACUTE         | 3H<br>HIGH     | Review before work starts.                      |         | Replace the hazard.                  |  |
| UNLIKELY          | 1<br>LOW   | 1<br>LOW           | 2<br>MODERATE   | 3<br>HIGH        | 4<br>ACUTE         | 2M<br>MODERATE | Ensure control measures in place.               | Isolate | e People from the hazard             |  |
| RARE              | 1<br>LOW   | 1<br>LOW           | 2<br>MODERATE   | 3<br>HIGH        | 3<br>HIGH          | 1L<br>LOW      | nitor and                                       |         | Engineering Isolate the hazard.      |  |
| is the second m   | rchy of Controls:<br>ost effective metho<br>nging the work is th | d of controlling a | hazard. Enginee | ering by isolati | on is the in ost e | en 'ive, while | rd. Substitution<br>Administrative<br>effective |         | Administrative Change the work.  PPE |  |

|                    |                    |                    |                  | PERS        |              | TIVE EQUIPM                           |                      |                        |                    |                   |                           |
|--------------------|--------------------|--------------------|------------------|-------------|--------------|---------------------------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
|                    |                    | Select the app     | ropriate PPŁ     | abo v uitab | cor the equi | pment used or                         | the job task         | being perforr          | ned (if applica    | ıble).            |                           |
| FOOT<br>PROTECTION | HAND<br>PROTECTION | HEAD<br>PROTECTION | HEARING<br>ETION | P ECTION    | PROTECTION   | FACE<br>PROTECTION                    | HIGH-VIS<br>CLOTHING | PROTECTIVE<br>CLOTHING | FALL<br>PROTECTION | SUN<br>PROTECTION | HAIR/JEWELLERY<br>SECURED |
|                    |                    |                    |                  |             |              |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |                  |             |              |                                       |                      |                        |                    |                   |                           |
| Other PPE R        | equired:           |                    |                  |             |              |                                       |                      |                        |                    |                   |                           |
|                    | Pe                 | ermit or Licen     | ses Requirem     | ents        |              | Mandatory Qualifications and Training |                      |                        |                    |                   |                           |
|                    |                    |                    |                  |             |              |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |                  |             |              |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |                  |             |              |                                       |                      |                        |                    |                   |                           |



| JOB STEP            | POTENTIAL HAZARDS                    | IR              | CONTROL MEASURES  | RR               |
|---------------------|--------------------------------------|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE               | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK |
| 1. Preparation      | Improper storage, Slips and trips    | 2M              | <ul> <li>Store glass sheets vertically on appropriate arrame racks, ensuring the weight distribution is even, and securing them with straps if required.</li> <li>Ensure that glass sheets are placed and securate works. A-frames only by trained and authorised personnel.</li> <li>Allocate a designated area it relass storage away, on the traffic areas and mark the boundaries using visible signs, barriers in tope to revent unauthorise usess.</li> <li>Inspect glass creets upon reliver and avoid broadling damaged or cracked sheets - inform the supplier immediately out such issess.</li> <li>Programmediately out such issess.<td>1L</td></li></ul> | 1L               |
| 2. Glass selection  | Incorrect glass type, Glass breakage | 2M              | <ul> <li>Ensure proper training and qualification for all team members involved in glass selection and handling processes to avoid incorrect glass type being used or incorrect handling leading to injury.</li> <li>Conduct a thorough risk assessment before commencing work to identify hazards like sharp edges, pinch points, and fragile glass surfaces.</li> <li>Provide clear instructions and guidelines for workers to follow when selecting and handling various types of glass, including safety data sheets (SDS) documentation that outline the correct procedures and safety measures.</li> <li>Implement stringent quality control checks at each stage of the glass selection process to ensure only Approved materials are used with adherence to Australian Standards.</li> </ul>  | 1L               |



| JOB STEP                 | POTENTIAL HAZARDS                                  | IR              | CONTROL MEASURES  | RR               |
|--------------------------|--|-----------------|---|------------------|
| SPECIFIC WORK STEPS      | HAZARDS THAT MAY ARISE                             | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK |
|                          |  |                 | - Use appropriate Personal Protective Equipment (PPE), such as safety glasses, gloves, and proper footwear to minimise the risk of injury from broken glass or other hazards.   |                  |
|                          |  |                 | - Establish designated areas for glass storage with soper racking systems designed to support the weight and dimensions of the glass sheets, protecting can from potential damage during handling.  |                  |
|                          |  |                 | - Utilise specialised equipment for moving the or heavy the eet glass materials, such as trolleys or vacuum lifting devices, to prevent manual handing in the sand reduce the likelihood of glass breakage.   |                  |
|                          |  |                 | - Develop an emergency plan for dealing with good preakages of accidents, ensuring easy access to first aid supplies and having staff a fined in first-aid reconse at the workplace.  |                  |
|                          |  |                 | - Limit the number of people worning within the glass range area to maintain safe distancing and reduce cross-traffic, decreasing likeling dof accidental damage.   |                  |
|                          |  |                 | - Perform recour inspection and my tenange of all tools and equipment used within the glass selection and handling cess, replacing dama are an and ensuring they are fit for purpose.   |                  |
|                          |  |                 | - Fos strong for culture throughout the organisation by encouraging open communication about poten to rards, intaining vigilance, and continually improving health and safety standards within the workplace.   |                  |
|                          |  |                 | Regular has and maintenance of lifting equipment: Ensure all lifting equipment, such as forklifts, how are cranes, are routinely inspected and maintained by a qualified technician to minimise the risk of equipment ailure during use.  |                  |
|                          |  |                 | se appropriate lifting aids: Select the appropriate equipment for safely handling and transporting glass, su as vacuum lifters, glass slings or trolleys, in order to reduce manual handling risks.   |                  |
|                          |  |                 | Training for staff on safe lifting techniques: Provide training to employees on proper lifting techniques to prevent injury from improper manual handling methods. This includes bending at the knees, maintaining a straight back, and using leg muscles when lifting heavy objects. |                  |
|                          |  |                 | - Establish weight limits for manual lifting: Set maximum weight limits for employees to handle manually to minimise the risk of overexertion and potential injury.   |                  |
| 3. Lifting and transport | Inadequate lifting equipment all handling injuries | 3H              | - Using team lifts for heavier loads: Arrange for two or more employees trained in coordinated lifting to handle particularly heavy or awkward loads, reducing the risk of injury.  | 2M               |
|                          |  |                 | - Implement safe stacking procedures: Establish standard operating procedures for safe stacking of glass, including height limits, even distribution of weight, and the use of suitable supports like spacer bars and blocks.   |                  |
|                          |  |                 | - Clear marking of glass panels and edges: Clearly mark glass panels and edges to increase visibility and reduce the likelihood of cuts or other injuries to workers.   |                  |
|                          |  |                 | - Encourage regular rest breaks and stretching: Encourage employees to take short breaks and stretch properly to reduce fatigue and lower the risks of musculoskeletal disorders, especially when working consistently in lifting or transporting tasks.                              |                  |
|                          |  |                 | <ul> <li>Keep pathways clear and free from obstructions: Maintain clear and unobstructed pathways for<br/>transporting glass materials, reducing the chances of accidents that could lead to glass or equipment<br/>damage or personal injury.</li> </ul>                             |                  |



| JOB STEP               | POTENTIAL HAZARDS           | IR              | CONTROL MEASURES   | RR               |
|------------------------|-----------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS    | HAZARDS THAT MAY ARISE      | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK |
|                        |                             |                 | <ul> <li>Keep work area well-lit and dry: Good lighting and dry working conditions reduce the risk of slips, trips or<br/>misjudgments while handling glass.</li> </ul>  |                  |
|                        |                             |                 | - Implement a safety management system: Development enforce a workplace safety management system that emphasizes hazard identification, risk assument, and implementation of appropriate control measures for key tasks like lifting and transmung glass materials. This will ensure that employees are equipped to deal with potential hazards in a life and efficiency manner. |                  |
| 4. Cutting and shaping | Sharp edges, Sharring glass | ЗН              |  | 2M               |



| JOB STEP            | POTENTIAL HAZARDS                        | IR              | CONTROL MEASURES   | RR               |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 5. Cleaning         | Chemical exposure, Cuts from sharp edges | M               |  | 1L               |
| 6. Installation     | Falling from heights, Falling objects    | 3H              |  | 2M               |



| JOB STEP            | POTENTIAL HAZARDS                       | IR              | CONTROL MEASURES   | RR               |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |   |                 |  |                  |
| 7. Glazing          | Thermal stress cracks, Stress fractures | 2M              |  | 1L               |



| JOB STEP            | POTENTIAL HAZARDS                               | IR              | CONTROL MEASURES   | RR               |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                          | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |   |                 |  |                  |
| 8. Sealing          | Adhesive fumes, Ineffective sealant application | 2M              |  | 1L               |



| JOB STEP            | POTENTIAL HAZARDS                     | IR              | CONTROL MEASURES   | RR               |
|---------------------|---------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |                                       |                 |  |                  |
| 9. Inspection       | Cuts from sharp edges, Glass breakage | 3Н              |  | 2M               |



| JOB STEP            | POTENTIAL HAZARDS                                  | IR              | CONTROL MEASURES   | RR               |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                             | IR INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 10. Maintenance     | Manual handling injuries, Exposure to broken glass | 2M              |  | 1L               |



| JOB STEP            | POTENTIAL HAZARDS                       | IR              | CONTROL MEASURES   | RR               |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |   |                 |  |                  |
| 11. Dismantling     | Glass breakage, Excessive force applied | 2M              |  | 1L               |



| JOB STEP            | POTENTIAL HAZARDS                      | IR              | CONTROL MEASURES   | RR               |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |  |                 |  |                  |
| 12. Waste disposal  | Sharp edges, Improper disposal methods | 3Н              |  | 2M               |



| SPECIFIC WORK STEPS  HAZARDS THAT MAY ARISE  INITIAL RISK  SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  RESIDLARISE  RESI | JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR               |
|--|---------------------|------------------------|-----------------|--|------------------|
|  | SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|  |                     |                        |                 |  |                  |



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

 $\underline{\textbf{Legislation QLD:}} \ \underline{\textbf{https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws}}$ 

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatide

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-oi racti

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compl

Codes of Practice NT: https://worksafe.nt.gov.au/f

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le\_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work\_aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health at Safety Act 34

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.csafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a> Codes of Practice WA: <a href="https://www.commerce.wa.gov.au/worksafe/codes-practice">https://www.commerce.wa.gov.au/worksafe/codes-practice</a>

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |

#### SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains a fective of must be reviewed (and revised if necessary) if relevant control measures are revised. The view process should be carried out in consultation with workers (including contractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU mast ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME          |   |   |   |   |   |   |   |
| INITIALS      |   |   |   |   |   |   |   |
| DATE          |   |   |   |   |   |   |   |





### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS  | COMPLETED     | COMMENTS |
|---|---------------|----------|
|   |               | •        |
| The company details have been entered, including the project name and address.                  |               |          |
| All relevant personnel consulted during the development of the SWMS.                            |               |          |
| Name, signature, position and date signed of the person approving the SWMS.                     |               |          |
| Specific personnel and qualifications, experience is noted in the SWMS.                         | 7             |          |
| Provides a step-by-step process of tasks required to carry out the activity or task.            |               |          |
| Adequate risk assessment of any identified hazards has been completed.                          |               |          |
| Foreseeable hazards are identified and documented for each step.                                |               |          |
| Any hazards listed in any site risk assessments have been added to the SWMS                     |               |          |
| SWMS initial risk (IR) column as well as residual risk (RR) column pleted.                      |               |          |
| Check control measures added to the SWMS are the most effective selective.                      |               |          |
| Responsible person is assigned and listed on the part of the important of measures.             |               |          |
| Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc. |               |          |
| SWMS identifies plant and equipment to be us  |               |          |
| Details of inspection checks required for any equipment listed a noted on the SWMS.             |               |          |
| Describes any mandatory qualifications, experience, or skills required to perform the work.     |               |          |
| Applicable personal protective equipment is selected on the SWMS.                               |               |          |
| Reflects and documents any legislative references and/or Australian Standards.                  |               |          |
| Identifies any hazardous substances used with specific control measures in line with any SDS.   |               |          |
|   |               |          |
| REVIEWED BY   | DATE REVIEWE  | D        |
| SIGNATURE   | DATE COMPLETE | ED ED    |