Hyperbaric Treatmer	t SAFE WORK METHOD	STATEMENT (SWMS)	
TAS	COR ACTIVITY: Hyperbaric Treat	tment	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
	STATEMENT IS APPROVED BY		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en the that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:	NX	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	ppliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ad in according with gislative requirements to first identify any site hazards, so the company hicas those hazards and then to further take steps to either eliminate or continue ach hazard.			
If an incident or a near miss occurs, all work must stop an alately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terrar by supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
TOTAL LOW LOW MODERATE HIGH HIGH LOW Research Isolate the flazald. Index on Hierarchy of Controls: Elimination methods are the most effective and preferre usen continue a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the increase the five, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective PPE PPE										

	PERS_NAL TECTIVE EQUIPMENT (PPE) Select the appropriate PPL about suitable or the equipment used or the job task being performed (if applicable).										
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements					Mandatory Qualifications and Training					




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			 Provide comprehensive training sessions for all staff involved in hyperbaric treatment to ensure they are fully informed about material handling procences and solvy protocols. Develop and enforce strict standard operating for dures (SOPs) for the safe handling and movement of materials used during hyperbaric treatment. 	
			- Require regular refresher courses and assessme. to provain high levels of staff competence and knowledge regarding of ty meanings and emergence sponses.	
			- Implement a budy system or supervision by en orienced personnel for new or less-experienced workers deal with poten by haza sus promals.	
1. Preparation	Material mishandling, Insufficient training	ЗН	- Use oper linear technicaes and equivalent, such as trolleys or hoists, to reduce the risk of injury from manual and ing and preparation.	2M
			- Cond standard provide a condition of all materials and equipment prior to use to identify any possible defects or safety issues.	
			Establic a cle communication protocol among team members during the preparation stage to facilitate in diat report, g and response to any identified risks.	
			Ensure propriate personal protective equipment (PPE) is available and used correctly by all personnel polling materials.	
			- Muntain an up-to-date emergency response plan, including contacts and procedures, should an incident arise during the preparation process.	
			- Limit access to preparation areas only to authorised and properly trained individuals to minimise the risk of mishandling and accidents.	
			- Conduct regular and scheduled maintenance checks by a qualified technician to ensure all equipment is in proper working order.	
			- Implement a documented pre-inspection checklist that covers all critical components of the hyperbaric chamber.	
			- Train staff in identifying signs of potential equipment failure and appropriate reporting procedures.	
2. Pre-inspection of chamber	Defective equipment, Inappropriate maintenance	2M	- Ensure all maintenance records are up-to-date and available for review before each use.	1L
GIGHIDEI	maintenance		- Use only manufacturer-recommended parts and components during repairs or replacements to maintain equipment integrity.	
			- Install a monitoring system to alert operators of any equipment malfunctions or anomalies in real-time.	
			- Develop a protocol for immediate isolation and inspection of the chamber if defects are suspected.	
			- Conduct routine audits of maintenance practices to ensure adherence to standards and safety regulations.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			 Schedule periodic training sessions for staff on new updates and changes in equipment operation or maintenance policies. Establish a robust communication channel between operators, maintenance personnel, and management for quick resolution of defects and an antenance issues. 	
3. Cleaning hydrobaric chamber	Chemical exposure, Slippery surfaces	2М	 Ensure all personnel are trained in the correct handlage and usage of cleaning chemicals before commencing the task. Use appropriate personal prective equipment in ED including gloves, masks, and safety goggles to prevent skin contact and inhality of harmful vapo. Provide adequate unused on with the hyperbaric chamber during and after cleaning to reduce the concentration of memical index. Use non-slip traits or foot sar with a strangerip to minimise the risk of slipping on wet surfaces inside the hyperbaric chamber during the cleaning process to identify any pre-existing slip by area or potential spill zones. Impliming a thole of hyperbaric chamber during cleaning to cause the average around the area indicating that cleaning is in progress and surfaces may slipper. Liming the sist to the hyperbaric chamber during cleaning operations to authorised personnel only. Store chemicals in clearly labelled containers and ensure Material Safety Data Sheets (MSDS) are aversible for reference in case of accidental exposure. Regularly maintain and assess cleaning tools and equipment to prevent leaks or malfunctions that could increase chemical spills. Schedule routine breaks for cleaning staff to prevent fatigue, which can lead to accidents or lapses in following safety protocols. Conduct regular safety drills and reviews to reinforce proper emergency response in the event of chemical exposure. Review and update the Safe Work Method Statement (SWMS) periodically based on incident reporting and feedback from personnel to continuously improve safety measures. 	1L
4. Equipment setup	Electrocution, Incorrect setup, Tripping over wires	ЗН		2M








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Patient introduction to chamber	Patient discomfort/panic, Unattended patient	ЗН		2M
7. Chamber operation	Explosion risk, Decompression sickness	4A		2M











JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Monitor patient's vitals	Medical equipment failure, Misjudged patient response	2М		 1L
11. Decompress the chamber	Fast decompression, Barotraumas	4A		2M

Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
12. Post-treatment care	Inadequate monitoring, Improper care instructions	ЗН		
13. Report writing	Poor documentation, Loss of critical information	2M		1L












JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Emergency handling	Inadequate training, Panic under pressure	3Н		2M
17. Equipment storing	Physical injury due to improper handling, Damage or loss of equipment	2M		1L


Version 2.5





Version 2.5







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES DANY STATE DAT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health au Safety Act 204 Occupational Health and pafety or gulations 2017 Legis non VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulat</u> is unles of mactice VIC <u>autps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-secure-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-secure-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_dces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMPLETED	