



Ladders and Step Platfo	orms   SAFE WORK METHO	OD STATEMENT (SWMS)	
TASK O	R ACTIVITY: Ladders and Step F	Platforms	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E qil:	
	07.17FNFNFNFN		
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PCL OF TP' ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undo 1 (PC 1) is	required to en. that a safe work method	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	roliance the VMS a vell as review	vs and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS 5 MS M HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND C THIS SWMS	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched and in accomply with gislative requirements to first identify any site hazards, and then to further take steps to either eliminate or continuous each hazard.			
If an incident or a near miss occurs, all work must sto, quately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUCTOR	ON WO K BEIN O KRIED OUT
☐ involves a risk of a person falling more than 2 meters	☐ is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	☐ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical integrated integrated in integrated integrated in the physical integrated integrated in integrated in the physical integrated integrated in the physical integrated in the physi	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
☐ involves structural alteration or repair that — quires term — ov sup — rt to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
☐ is carried out in/near a shaft or trench deeper tha tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



RISK MATRIX											
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION		HEIRARCHY OF CONTROLS		
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.		
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution		
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.		
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard		
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and		Engineering Isolate the hazard.		
is the second m	rchy of Controls: ost effective metho nging the work is th	d of controlling a	hazard. Enginee	ring by isolati		et. 'ive, while	rd. Substitution Administrative effective		Administrative Change the work.  PPE		

				PERS		TIVE EQUIPM					
		Select the app	ropriate PPL	abo. ~uitab	le or the equip	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	ARING STION	F' CTIO	RL PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	dequired:										
	Pe	ermit or Licen	ses Requirem	ents		Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Pre-start planning	Uncontrolled work at height Incompatible access equipment selection Unclear exclusion zones Inadequate supervision Weather-related instability	4A	<ul> <li>Identify if task can be completed from grown evel or mechanical access equipment and eliminate ladder use where reasonably practicable</li> <li>Select ladders, step platforms, walk pads, rain and walkways that are industrial rated and compliant with AS/NZS 1892 and AS 1657 for the intended ad and environment</li> <li>Confirm work involving ladded over 2 metres or in a red on, voids or fragile surfaces is managed under a site-specific SWMS of falls provention plan</li> <li>Mark and communicate equision, ones around adder set-up areas using cones, barricades or warning tape to previous persons was inguited by an adders.</li> <li>Check weather and it is and postport adder work during high winds, lightning, heavy rain or when roof six as are vicy.</li> <li>Alloc a competition supervisor to verify work methods, authorise ladder use and monitor compliance with this SW.</li> </ul>	2M
Inspect ladders and equipment	Ladder structural failure     Defective step platf     Damaged ropes climbing gear     Missing safety fee     Electrical conductivity	ЗН	I ladde J, step platforms, ramps, walkways and walk pads before use for cracks, bends, corros ose rungs, damaged stiles and missing components  Theck ladder feet, anti-slip pads, hinges and locking mechanisms are intact, secure and operate freely  Inspect ropes, harnesses, karabiners, pulleys and anchor slings for wear, cuts, glazing, deformation, corrosion and expired inspection tags  Use only industrial-rated ladders and step platforms with clearly legible load ratings and manufacturer labels  Use non-conductive fibreglass ladders when working near energised electrical installations or overhead power lines  Tag out and remove from service any damaged or non-compliant ladder, ramp, walkway or rope equipment and report to the supervisor immediately  DO NOT modify, drill, weld or extend ladders or climbing equipment beyond the manufacturer's design	1L
Prepare ground and access	<ul> <li>Uneven or unstable ground</li> <li>Slippery surfaces</li> <li>Obstructed ladder access</li> <li>Unplanned vehicle movement</li> <li>Trip hazards near ladder base</li> </ul>	ЗН	<ul> <li>Inspect ground and floor surfaces where ladders, step platforms, ramps and walkways will be set up and eliminate soft, eroded or loose areas</li> <li>Level and compact ground where possible or relocate the work to a firm, level surface such as a slab or structural floor</li> <li>Remove loose materials, rubbish, hoses and tools from around ladder bases, access points and designated walk pad routes</li> <li>Install temporary walk pads or access boards over fragile surfaces or roofing to provide a continuous, non-slip walking surface</li> </ul>	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			Position ladders and walkways clear of vehicle routes and establish no-go zones or physical barriers if vehicles must operate nearby	
			Apply non-slip mats or cleats where surfaces areooth or susceptible to moisture build-up	
			• DO NOT place ladder feet on loose objects—on as bricks, drums, planks or stacked materials to gain extra height	
nstall walk pads and ralkways	Fragile roof sheet failure     Slip on roof surface     Inadequate walkway anchorage     Falling objects from roof     Edge and skylight exposure	4A		2M
nstall ladder accesses	Incorrect ladder angle     Unsecured ladder base     Ladder top movement     Improper access through openings     Contact with live electrical installations	4A		2M
	Unstable fence structure			



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE     Sharp edges and protrusions     Unauthorised access to adjacent property     Fall from height	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Ascending and descending ladders	Slip on ladder rung     Overreaching while climbing     Carrying heavy or bulkwheeds     Dizziness or fatige during climb     Collision with persons below	3H		1L
Safe climbing techniques	Incorrect body positioning Ladder tip or slip Footwear loss of grip Entrapment of hands or clothing Overhead obstruction impact	3Н		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Using step platforms and ramps	Platform overloading Platform collapse or tipping Slip on platform surface Unsecured access ramp Manual handling strain	ЗН		2M
Using ladders, ramps and walkways	Pedestrian and worker congestion Fall from unprotected edge Trip at change of level Inadequate lighting Obstruction on access paths	ЗН		<b>1</b> L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Use ropes and climbing equipment	Rope or anchor failure Incorrect harness fitment Fall from height during rope use Swing into structure or edge Inadequate rescue capability	4A		2M
Working near edges and openings	Unprotected leacing edge Void or penetrations in floe Fragile roof areas Falling tools or material Loss of balance during transier	4A		2M
Housekeeping and site control	Trip hazards at ladder base  Obstructed emergency egress  Uncontrolled public access  Material build-up on walkways  Exposure to UV radiation	3Н		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Emergency response and review	Delayed response to fall     Inadequate first aid resources     Unreported near misses     Repeated unsafe ladder use     Psychological implematter incident			2M

### hluesafe



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2025

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo

Codes of Practice NT: https://worksafe.nt.gov.au/f -resourd

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor/ aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Or pational Health a. Safety Act J4

Occ ational Health and afety gulations 2017

Legis on VIC: https://www ksafe.vic.gov.au/occupational-health-and-safety-act-and-

tes of actice V/ attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/modelcodes-of-practice

#### Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Saf Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature

### SAFE WORK N. THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains fective of must be reviewed (and revised if necessary) if relevant control measures are rovised. The view respectively should be carried out in consultation with workers (including contractors as the may be cated by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

Version 2.5 Authorised by Review # Date of Issue: Review Date: 11





### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.	k	
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$	
Foreseeable hazards are identified and documented for each step.	$\boxtimes$	
Any hazards listed in any site risk assessments have been added to the SWMS		
SWMS initial risk (IR) column as well as residual risk (RR) colum mpleted.	$\boxtimes$	
Check control measures added to the SWMS are the most effective selections.	$\boxtimes$	
Responsible person is assigned and listed on the part of the important of	$\boxtimes$	
Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be use	$\boxtimes$	
Details of inspection checks required for any equipment listed an onthe SWMS.	$\boxtimes$	
Describes any mandatory qualifications, experience, use or skills required to perform the work.	$\boxtimes$	
Applicable personal protective equipment is selected on the SWMS.		
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$	
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE REV	/IEWED
SIGNATURE	DATE COM	PLETED