Lawn Edger   SA	AFE WORK METHOD STAT	EMENT (SWMS)	
	TASK OR ACTIVITY: Lawn Edge	r	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD			
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	ting a business or under the (PC 1) is	required to en that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:	NX	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	ppliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NATE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in account with gislative requirements to first identify any site hazards, so the company of the se hazards and then to further take steps to either eliminate or contract hazard.			
If an incident or a near miss occurs, all work must stop an alately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	$\square$ is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
Total       LOW       LOW       MODERATE       HIGH       HIGH       LOW       Research       Isolate the flazald.         Iotes on Hierarchy of Controls:       Elimination methods are the most effective and preferre usen con wing a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the increase the five, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), whe least effective       Substitution       Moderate       Administrative work.         PPE       PPE       PPE       PPE       PPE       PPE       PPE       PPE										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements						Ма	andatory Qual	ifications and	Training	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Tripping hazards, overhead power lines	2М	<ul> <li>Proper housekeeping: Ensure the worksite avell-organised and clutter-free to minimise tripping hazards related to tools, equipment, or debris.</li> <li>Visual inspection: Conduct a thorough visual or not on the worksite, identifying any tripping hazards such as holes or uneven ground, and address there issues before beginning work.</li> <li>Appropriate footwear: Worker must wear support a nor one phoses or boots offering sufficient grip on various surfaces to promet slips of trips.</li> <li>Adequate lighter. Ensure dequate lighting is closent in the workspace to improve visibility while working around potential heards.</li> <li>Hazen marking Clearenaark identifie avaards (such as cables, holes, or other obstructions) with high-visibil uarking surfaces to regram any unnecessary items from the work area (e.g., hoses, cords) that could create unipping hazards unditational awareness.</li> <li>Area tele ation: In move any unnecessary items from the work area (e.g., hoses, cords) that could create unipping hazards and dangerous," ensuring staff maintains a safe distance.</li> <li>Endipment condition: Inspect the lawn edger for only defects, loose connections, or worn parts that may cause it to maffunction or pose a risk during use.</li> <li>Communications: Establish clear lines of communication between team members, enabling quick responses in case of an incident or emergency.</li> <li>Emergency plan: Have a well-prepared emergency plan in place, including details of first aid requirements and escape routes.</li> <li>Work practices: Implement (PPE): Equip workers with appropriate PPE, such as safety glasses, gloves, and hearing protection, to reduce exposure to hazards.</li> <li>Work practices: Implement good work practices like using the appropriate cutting height and walking instead of running with the lawn edger to minimise risks.</li> <li>Regular breaks: Encourage workers to take regular breaks to prevent fatigue, which could potentially affect concentration levels and increase the likelihood of accident</li></ul>	1L
2. Site inspection	Slippery surfaces, uneven terrain	2M	<ul> <li>Prior to commencing work, conduct a thorough site inspection to identify potential hazards such as slippery surfaces and uneven terrain that may pose a risk to workers.</li> <li>Ensure all workers have completed a site-specific induction, highlighting the identified hazards and control measures in place.</li> <li>Implement appropriate signage and barrier controls around hazardous areas to alert workers and prevent access to unsafe zones.</li> </ul>	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Provide appropriate personal protective equipment (PPE) for workers, such as slip-resistant footwear and high-visibility clothing, to minimise the risk of slips, trips, and falls.	
			- Instruct workers on proper lifting techniques and conomic practices to avoid injuries associated with working on sloped or uneven surfaces.	
			- Schedule regular breaks for workers to reace fatigue a maintain focus during tasks, especially when working in challenging environments like slip, by terr	
			- Use well-maintained, suitable equipment and the s for the task (e.g., adjustable-height lawn edgers), ensuring they are capable of modiling the specific round commons.	
			- Regularly inspect and maintal, quipment, including the cking for any damages or wear and tear that could compromise the only in the other replacing parts as needed.	
			- Establish designated walk ay path within the worksite, marked with visible lines or markers, to help guide worker wement a reduce to the mood of slip and trip hazards.	
			- Impound a businessem or check-in protocol to ensure regular communication between workers, partice at when a rating in isolated or challenging work environments.	
			- In case of the reme whether conditions causing a significant increase in hazard levels (e.g., heavy rainfall leading text, thely slip ery surfaces), consider delaying work until conditions improve.	
	1		- induc physic safety audits and encourage feedback from workers to continuously improve safety practices, lentify emerging issues or hazards, and develop new strategies for minimising risk during site spectre and lawn edging tasks.	
			- Inspect all electrical cords and connections before use to ensure they are free from damage, frays, or exposed wires.	
	5		- Only use equipment with a current test tag to verify it has been recently tested for electrical safety.	
			- Ensure that any extension cords used are appropriate for outdoor use and have a suitable amperage rating for the equipment being used.	
			- Avoid using equipment in wet conditions, unless specifically designed for such environments.	
2. Equipment estur	Electrical faulta share blades	211	- Ensure that all workers are trained in the proper usage and handling of the lawn edger, specifically focusing on maneuvering techniques near and around potential hazards like the sharp blades.	214
3. Equipment setup	Electrical faults, sharp blades	3H	- Utilise appropriate personal protective equipment (PPE), such as gloves, eye protection, and steel-toed boots while operating the lawn edger.	2M
			- Regularly maintain the lawn edger to keep all mechanical components in proper working order, including the sharpening of blades when necessary.	
			- Always unplug the lawn edger when not in use or during any maintenance tasks involving the device.	
			- Implement guidelines for safe power management, including the use of residual current devices (RCDs) or portable circuit breakers.	
			- Maintain a clean work area free from debris and unnecessary objects to minimise the risk of tripping or other accidents.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Use caution when setting up and adjusting the lawn edger's height, taking care not to accidentally contact the sharp blades.	
			- Educate all workers on the importance of proper buy mechanics and hazard awareness while performing equipment setup tasks.	
			- Encourage regular communication among a member about potential hazards, control measures, and workplace incidents to promote continual approvement of safety practices.	
			- Establish an emergency response plan in case, accidents or incidents involving electrical faults, cuts from sharp blades, or other to ards related to the outpress.	
4. Mobilization	Manual handling i uries, vehicle accidents	3H		1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Starting the edger	Noise exposure, kickback			
6. Edging operation	Projectile debris, vibration-related injuries	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Maintenance	Cutting injuries, hazardous substances	2M		1L






Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Storage of equipment	Theft, unauthorised use	2М		1L





Version 2.5


Date of Issue:




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Fuel refilling	Fuel spills, inhalation of fumes	2М		1L

Date of Issue:











#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES						
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE							
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.gld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health and Safety Acta 04 Occupational Health and Safety Acta 04 Decupational Health and Safety of gulations 2017 Legis on VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations</u> Undes on wactice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>						
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislati-codes of Practice NSW">https://www.safework.nsw.gov.au/legal-obligations/legislati-codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati-codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati-codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/resource-library/lis</a></a></a></a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>						
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-serve-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>						
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_laces/codes-of-practice#COPs</u> Tasmania Work Health and Safety Act 2012	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes - First aid in the workplace - Managing the risk of falls at workplaces						
Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u> Details of permits, licenses or access required by regulatory bodies (add or delete as required):	<ul> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> <li>Managing the work environment and facilities</li> </ul>						
<ul> <li>Permits from local council</li> <li>Authorisation to commence work</li> <li>Any required documents.</li> </ul>	- How to manage work health and safety risks - Managing risks of plant in the workplace - Construction work						



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$	
Foreseeable hazards are identified and documented for each step.	$\boxtimes$	
Any hazards listed in any site risk assessments have been added to the SWMs	$\boxtimes$	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	$\boxtimes$	
Check control measures added to the SWMS are the most effective selection	$\boxtimes$	
Responsible person is assigned and listed on the part the importation ontrol measures.	$\boxtimes$	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be use	$\boxtimes$	
Details of inspection checks required for any equipment listed protection on the SWMS.	$\boxtimes$	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	$\boxtimes$	
Applicable personal protective equipment is selected on the SWMS.	$\boxtimes$	
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$	
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMPLETED	