Lawn Sod Cutter | SAFE WORK METHOD STATEMENT (SWMS)

TASK OR ACTIVITY: Lawn Sod Cutter

Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	Email:	

THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THIS PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:		
Signature:	Title:	Date:

Details of the person(s) responsible for ensuring implementation, monitoring and compliance of the SWMS as well as reviews and modifications of the SWMS.

Full Name:	Title:	Phone:

ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED	NAME OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS
Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, then to communicate those hazards and then to further take steps to either eliminate or control each hazard.	
If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.	
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.	
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.	

CLIENT OR PRINCIPAL CONTRACTOR DETAILS	
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	

ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT	
☐ involves a risk of a person falling more than 2 meters	☐ is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	☐ is carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	☐ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical integrity of a structure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing asbestos	☐ involves tilt-up or precast concrete
☐ involves structural alteration or repair that requires temporary support to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
☐ is carried out in/near a shaft or trench deeper than or tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.

ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY

RISK MATRIX

LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE		
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEE
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befo work starts.
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k records

Notes on Hierarchy of Controls: Elimination methods are the most effective and preferre en co lli a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the ost ef ve, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Eq ment) he least effective method.

HEIRARCHY OF CONTROLS



PERS NAL P TECTIVE EQUIPMENT (PPE)

Select the appropriate PPE bov uitable or the equipment used or the job task being performed (if applicable).

FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING TECTION	EY CTION	RESPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
											
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Other PPE Required:

Permit or Licenses Requirements	Mandatory Qualifications and Training

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Trip hazards, Incorrect manual handling techniques	2M	- Conduct a comprehensive site inspection to identify and remove potential trip hazards such as loose debris, rocks, and uneven ground surfaces. - Install clear signage and barrier tape around the work area to minimise unauthorised access and draw attention to potential hazards. - Provide adequate lighting in the work area, particularly for early morning or late evening operations, to enhance visibility and reduce risks associated with trip hazards. - Ensure all workers involved in the task are wearing appropriate personal protective equipment (PPE), such as steel-capped boots and high-visibility jackets, to protect against potential injury and increase visibility. - Train and instruct workers on proper manual handling techniques to reduce the risk of injury from lifting, carrying, and manoeuvering the sod cutter and materials. - Utilise mechanical aids such as trolleys or lifting equipment, whenever possible to reduce the need for manual handling and decrease the potential for injury. - Encourage regular rest and stretching breaks for workers engaged in manual handling tasks to minimise fatigue, muscle strain, and associated injuries. - Implement an effective incident reporting system that encourages workers to bring attention to hazards or incidents promptly, allowing for targeted resolution and improvement of overall workplace safety. - Develop and communicate an emergency plan to all workers outlining the necessary steps and procedures to follow in the event of an injury or accident related to the operation of the sod cutter. - Schedule peer-to-peer observation and coaching sessions to reinforce correct manual handling techniques and ensure consistent adherence to safe work practices. - Regularly perform maintenance checks on the lawn sod cutter to confirm it is in good working condition and maintains optimal levels of safety for operators. - Conduct ongoing reviews and updates of the Safe Work Method Statement (SWMS) to continuously improve and maintain the effectiveness of hazard identification and control measures associated with sod cutting tasks.	1L
2. Pre-Operation Inspection	Faulty equipment, Inadequate training	3H	- Develop and implement a thorough equipment inspection checklist covering all critical components of the sod cutter, ensuring that it is in good working condition before each use. - Provide appropriate training for all workers who will be operating or working near the sod cutter, focusing on safe handling techniques and proper procedures for monitoring equipment performance. - Establish a maintenance schedule for the sod cutter, including regular servicing and replacement of worn or damaged parts, to minimise the risk of equipment failure during operation. - Ensure that operators have completed necessary certifications or qualifications, as required by local Workplace Health and Safety regulations, before they are allowed to operate the equipment.	2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Conduct pre-start safety briefings with all workers involved in the project, encompassing potential hazards, emergency response procedures, and any site-specific safety concerns, such as uneven ground or overhead power lines. - Implement a system for reporting faults, defects or other issues with the sod cutter to management in a timely manner, allowing for prompt assessment and rectification of problems. - Equip the sod cutter with essential safety features, such as emergency stop buttons and guards, to reduce the risk of injury in the event of equipment malfunction. - Establish designated "safe zones" around the cutting area where non-essential personnel are restricted from accessing, and clearly mark these zones with high-visibility signage or barriers. - Organise refresher training courses for workers to reinforce their understanding of safe sod cutting practices and stay up-to-date with industry advancements or regulatory changes. - Encourage workers to wear appropriate Personal Protective Equipment (PPE) while operating or working around the sod cutter, including safety goggles, sturdy work gloves, and steel-toed boots. - Foster a culture of open communication among the team, allowing for workers to express concerns or suggest improvements regarding equipment safety or general work practices without fear of repercussion.	
3. Site Assessment	Uneven terrain, Presence of utilities, Obstructions	3H	- Prior to beginning work, perform a thorough site inspection to identify uneven terrain, potential obstructions, and locations of utilities that may pose hazards during the use of the sod cutter. - Ensure that workers are trained in recognizing site hazards and understand proper procedures for dealing with them. Conduct regular toolbox talks to reinforce this knowledge. - Use appropriate surveying or marking tools (e.g., flags, spray paint) to clearly delineate areas with uneven terrain or obstructions that workers should avoid when operating the sod cutter. - Refer to utility plans and collaborate with relevant utility companies to ensure accurate information on the location of underground utilities is available. Utilise services like "Dial Before You Dig" to minimise risk associated with underground utilities. - In instances where utility lines are identified, implement a safe working distance to avoid contact with these utilities during sod cutting activities. This may require hand digging or using specialised equipment to locate and expose utilities. - Equip sod cutters with safety devices, such as rollover protection structures (ROPS), automatic blade stops, and wheel brakes to minimise risks to operators in case of slips or falls on uneven terrain. - Encourage good communication between team members on-site to ensure everyone is aware of potential hazards and can respond promptly to any newly identified risks. - Implement a system for monitoring daily weather conditions, as wet or unstable ground conditions may exacerbate concerns related to uneven terrain and increase the risk of slips or incidents involving the sod cutter. - Continuously assess site conditions throughout the project's duration and adjust controls and precautions accordingly. If necessary, halt work temporarily until risks have been adequately mitigated.	2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Regularly review the SWMS (Safe Work Method Statement) with your team to identify any additional hazards, ensuring that control measures remain effective, and refine the implementation process in response to any changes or new hazards identified.	
4. Machine Setup	Incorrect settings, Loose parts	2	[redacted]	1L
5. Marking Cutting Area	Inaccurate measurements, Exposure to sharp objects	2M	[redacted]	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	
6. Cutting Sod	Kickback, Flying debris, Hand-arm vibration	4A	[redacted]	2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	
7. Rolling and Removing Sod	Awkward postures, High force exertion	3H	[redacted]	2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	
8. Loading Sod onto Transportation	Falls from heights, Vehicle collisions	3H	[redacted]	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	
9. Cleanup	Rollover accidents, Slip and fall hazards	2M	[redacted]	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	
10. Maintenance and Servicing	Exposure to hazard[redacted]stances, Unintended machine operation	3H	[redacted]	2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	
11. Waste Disposal	Manual handling i[redacted]ries, Ha[redacted] waste exposure	2M	[redacted]	1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			[redacted]	
12. Machinery Storage	Unauthorised access, [redacted] storage procedures	[redacted]	[redacted]	1L

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES FOR ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory
Work Health and Safety Act 2011
Work Health and Safety Regulations 2011
Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws
Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice
Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations
Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales
Work Health and Safety Act 2011
Work Health and Safety Regulations 2017
Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislation
Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/list-of-codes-of-practice

Northern Territory
Work Health and Safety (National Uniform Legislation) Act 2011
Work Health and Safety (National Uniform Legislation) Regulations 2011
Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws
Codes of Practice NT: https://worksafe.nt.gov.au/forms-and-resources/codes-of-practice

South Australia
Work Health and Safety Act 2012 (SA)
Work Health and Safety Regulations 2012 (SA)
Legislation for SA: https://www.safework.sa.gov.au/resources/legislation
Codes of Practice for SA: https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs

Tasmania
Work Health and Safety Act 2012
Work Health and Safety (Transitional and Consequential Provisions) Act 2012
Work Health and Safety Regulations 2012
Work Health and Safety (Transitional) Regulations 2012
Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations
Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria
Occupational Health and Safety Act 2004
Occupational Health and Safety Regulations 2017
Legislation VIC: https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations
Codes of Practice VIC: https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia
Work Health and Safety Act 2020
Work Health and Safety Regulations 2022
Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation
Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links
Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation
Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are revised. The review process should be carried out in consultation with workers (including contractors and sub-contractors) who may be affected by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.	☒	
All relevant personnel consulted during the development of the SWMS.	☒	
Name, signature, position and date signed of the person approving the SWMS.	☐	
Specific personnel and qualifications, experience is noted in the SWMS.	☒	
Provides a step-by-step process of tasks required to carry out the activity or task.	☒	
Adequate risk assessment of any identified hazards has been completed.	☒	
Foreseeable hazards are identified and documented for each step.	☒	
Any hazards listed in any site risk assessments have been added to the SWMS.	☒	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	☒	
Check control measures added to the SWMS are the most effective selection.	☒	
Responsible person is assigned and listed on the SWMS for the implementation of control measures.	☒	
Permit or licenses requirements specified, such as Hot Work, Electrical Work, Work at Heights etc.	☒	
SWMS identifies plant and equipment to be used.	☒	
Details of inspection checks required for any equipment listed are noted on the SWMS.	☒	
Describes any mandatory qualifications, experience, training or skills required to perform the work.	☒	
Applicable personal protective equipment is selected on the SWMS.	☒	
Reflects and documents any legislative references and/or Australian Standards.	☒	
Identifies any hazardous substances used with specific control measures in line with any SDS.	☒	

REVIEWED BY		**DATE REVIEWED**	
SIGNATURE		**DATE COMPLETED**	