

Leaded Light Repairing | SAFE WORK METHOD STATEMENT (SWMS)

TASK OR ACTIVITY: Leaded Light Repairing

Business Name:	ABN:	SWMS#
Business Address:		
Contact Person:	Phone:	Email:

THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:		
Signature:	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring compliance of the SWMS as well as reviews and modifications of the SWMS.		
Full Name:	Title:	Phone:

ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED

Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, then to communicate those hazards and then to further take steps to either eliminate or control each hazard.

If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.

Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.

The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.

NAME OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS

CLIENT OR PRINCIPAL CONTRACTOR DETAILS

Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	

ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT

- | | |
|--|--|
| <input type="checkbox"/> involves a risk of a person falling more than 2 meters | <input type="checkbox"/> is carried out on or near pressurised gas mains or piping |
| <input type="checkbox"/> is carried out on a telecommunication tower | <input type="checkbox"/> is carried out on or near chemical, fuel or refrigerant lines |
| <input type="checkbox"/> involves demolition of an element of a structure that is load-bearing | <input type="checkbox"/> is carried out on or near energised electrical installations or services |
| <input type="checkbox"/> involves demolition of an element related to the physical integrity of a structure | <input type="checkbox"/> is carried out in an area that may have a contaminated or flammable atmosphere |
| <input type="checkbox"/> involves, or is likely to involve, disturbing asbestos | <input type="checkbox"/> involves tilt-up or precast concrete |
| <input type="checkbox"/> involves structural alteration or repair that requires temporary support to prevent collapse | <input type="checkbox"/> is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| <input type="checkbox"/> is carried out in or near a confined space | <input type="checkbox"/> is carried out in an area of a workplace where there is any movement of powered mobile plant |
| <input type="checkbox"/> is carried out in/near a shaft or trench deeper than 2m or tunnel involving use of explosives | <input type="checkbox"/> is carried out in areas with artificial extremes of temperature. |
| <input type="checkbox"/> is carried out in or near water or other liquid that involves a risk of drowning. | <input type="checkbox"/> involves diving work. |

ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY

RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE			 <p>Elimination Remove the hazard.</p> <p>Substitution Replace the hazard.</p> <p>Isolation Isolate People from the hazard</p> <p>Engineering Isolate the hazard.</p> <p>Administrative Change the work.</p> <p>PPE</p>	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEED		
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.		
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	Monitor and keep records		

Notes on Hierarchy of Controls: Elimination methods are the most effective and preferred when controlling a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the third most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) is the least effective method.

PERSONAL PROTECTIVE EQUIPMENT (PPE)											
Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).											
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PROTECTION	EYE PROTECTION	RESPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
											
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other PPE Required:											
Permit or Licenses Requirements						Mandatory Qualifications and Training					

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Exposure to lead, fall from height	4A, 3H	<ul style="list-style-type: none"> - Use personal protective equipment (PPE) such as gloves, long-sleeve shirts, and safety glasses to prevent direct exposure to lead. - Ensure proper ventilation in the work area to minimise inhalation of lead dust or fumes. - Set up appropriate fall protection measures, such as guardrails or harnesses, if working at heights is necessary. - Implement a job rotation schedule to limit individual exposure time to hazardous conditions. - Conduct regular air monitoring to assess lead levels and effectiveness of ventilation systems. - Provide training for workers on recognizing lead hazards and the importance of maintaining a clean work area. - Use bluesafe work practices, including wet methods or HEPA vacuums, to reduce dust generation. - Establish a designated wash area where workers can clean their hands and change out of contaminated clothing before leaving the work site. - Avoid eating, drinking, or smoking in areas where lead exposure could occur. - Clearly mark lead hazard areas with appropriate signage to alert workers and other personnel. - Inspect ladders and scaffolding before use to ensure they are stable and in good condition. - Perform a pre-work safety briefing to communicate specific hazards associated with leaded light repairing and expectations for behaviour to ensure everyone's safety. 	2M, 1L
2. Removal of old lead	Cut hazards, exposure to dust and lead	3H, 3H	<ul style="list-style-type: none"> - Conduct a risk assessment prior to commencing the removal process to identify potential hazards specific to the site. - Ensure that all workers involved are trained and competent in leaded light repair work and familiar with the associated risks. - Use appropriate personal protective equipment (PPE), including cut-resistant gloves, safety glasses or goggles, dust masks, and aprons. - Implement engineering controls such as local exhaust ventilation to minimise dust and lead exposure during the removal process. - Implement wet methods during removal to reduce airborne dust and potential lead particle distribution. - Establish exclusion zones around the work area to prevent unauthorized access and reduce exposure to non-essential personnel. - Provide disposable overalls for workers to further minimise lead contamination on personal clothing. - Ensure tools and equipment used are well-maintained and specifically designed for leaded light work to reduce manual handling risks. 	2M, 1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<ul style="list-style-type: none"> - Regularly clean up debris and waste using HEPA-filtered vacuum systems rather than brooms or compressed air. - Set up handwashing facilities near the work area and enforce strict hygiene practices before eating, drinking, or taking breaks. - Conduct regular air monitoring to ensure lead dust levels are within acceptable limits and adjust controls as necessary. - Dispose of lead-contaminated materials and waste in accordance with local regulations to prevent environmental contamination. - Encourage workers to report any health symptoms promptly and conduct periodic health surveillance focusing on lead exposure. 	
3. Cleaning the glass	Chemical hazards, cut hazards	2M, 2M	<ul style="list-style-type: none"> - Provide workers with appropriate personal protective equipment (PPE) such as gloves resistant to chemicals and cuts, safety goggles, and long-sleeved aprons. - Use safe handling tools like suction cups or lifters to minimise direct contact with sharp edges. - Ensure proper ventilation in the workspace to disperse chemical fumes and use local exhaust ventilation if necessary. - Conduct regular training sessions on safe handling of chemicals and glass, including recognising warning labels and understanding safety data sheets (SDS). - Select less hazardous cleaning agents where possible and ensure all chemicals are clearly labelled. - Implement a 'clean as you go' policy to maintain an organised work area, reducing risks of accidents from clutter. - Establish a protocol for immediate cleaning and disposal of glass offcuts in designated receptacles to prevent injury. - Use cut-resistant mats or benchtops to reduce the risk of accidental slicing when setting down glass pieces. - Equip first aid kits specifically with supplies for both chemical exposure and cut injuries, and ensure all staff know the location. - Schedule routine inspections of PPE and other safety equipment to ensure they are in good working condition. - Maintain well-lit workspaces to improve visibility and reduce mistakes when handling glass and chemicals. - Develop procedures for reporting incidents and near-misses which enable continuous improvement of safety practices. 	1L, 1L
4. Cutting new lead	Cut hazards, repetitive motion injury	3H, 2M	<div></div> <div></div>	2M, 1L

[illegible]

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div>	
8. Cleaning off excess cement	Chemical hazards, skin in	2M, 2M	<div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div>	1L, 1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Polishing the leaded light	Physical exertion, upper body injuries	2M, 2M		1L, 1L
10. Installing the leaded light	Falling objects, fall from height	3H, 2M		2M, 1L

alls, exposure to lead

2M, 3H

SAFETY DATA SHEET

1. Identification

1.1 Product name: [REDACTED]

1.2 Other names: [REDACTED]

1.3 Recommended use: [REDACTED]

1.4 Restrictions on use: [REDACTED]

2. Hazard identification

2.1 Hazard classification: [REDACTED]

2.2 Hazard statement(s): [REDACTED]

2.3 Precautionary statement(s): [REDACTED]

2.4 GHS pictogram(s): [REDACTED]

2.5 Signal word: [REDACTED]

3. Composition/information on ingredients

3.1 List of ingredients: [REDACTED]

3.2 Concentration of ingredients: [REDACTED]

4. First aid measures

4.1 In case of contact with skin: [REDACTED]

4.2 In case of contact with eyes: [REDACTED]

4.3 In case of inhalation: [REDACTED]

4.4 In case of ingestion: [REDACTED]

5. Fire-fighting measures

5.1 Suitable extinguishing media: [REDACTED]

5.2 Special hazards: [REDACTED]

5.3 Special precautions for fire-fighters: [REDACTED]

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency measures: [REDACTED]

6.2 Environmental precautions: [REDACTED]

6.3 Clean-up methods: [REDACTED]

7. Handling and storage

7.1 Handling precautions: [REDACTED]

7.2 Storage conditions: [REDACTED]

7.3 Storage requirements: [REDACTED]

8. Exposure controls

8.1 Occupational exposure limits: [REDACTED]

8.2 Engineering controls: [REDACTED]

8.3 Personal protective equipment: [REDACTED]

9. Physical and chemical properties

9.1 Appearance: [REDACTED]

9.2 Odor: [REDACTED]

9.3 pH: [REDACTED]

9.4 Boiling point: [REDACTED]

9.5 Melting point: [REDACTED]

9.6 Density: [REDACTED]

9.7 Solubility: [REDACTED]

9.8 Flash point: [REDACTED]

9.9 Self-ignition temperature: [REDACTED]

9.10 Decomposition temperature: [REDACTED]

10. Stability and reactivity

10.1 Stability: [REDACTED]

10.2 Reactivity: [REDACTED]

10.3 Incompatibility: [REDACTED]

10.4 Hazardous decomposition products: [REDACTED]

11. Toxicological information

11.1 Acute toxicity: [REDACTED]

11.2 Skin corrosion/irritation: [REDACTED]

11.3 Eye irritation: [REDACTED]

11.4 Respiratory irritation: [REDACTED]

11.5 Sensitization: [REDACTED]

11.6 Chronic toxicity: [REDACTED]

12. Environmental information

12.1 Persistence and bioaccumulation: [REDACTED]

12.2 Ecotoxicity: [REDACTED]

12.3 Environmental fate: [REDACTED]

13. Transport and safety information

13.1 UN number: [REDACTED]

13.2 Proper shipping name: [REDACTED]

13.3 Hazard class: [REDACTED]

13.4 Packing group: [REDACTED]

13.5 Special provisions: [REDACTED]

13.6 Substances or mixtures contained in the package: [REDACTED]

13.7 Environmental protection code: [REDACTED]

13.8 Safety, health and environment labels: [REDACTED]

13.9 Safety data sheet number: [REDACTED]

14. Other information

14.1 Other relevant information: [REDACTED]

14.2 Revision history: [REDACTED]

14.3 Date of revision: [REDACTED]

14.4 Revision number: [REDACTED]

14.5 Revision description: [REDACTED]

14.6 Revision date: [REDACTED]

14.7 Revision number: [REDACTED]

14.8 Revision description: [REDACTED]

14.9 Revision date: [REDACTED]

14.10 Revision number: [REDACTED]

14.11 Revision description: [REDACTED]

14.12 Revision date: [REDACTED]

14.13 Revision number: [REDACTED]

14.14 Revision description: [REDACTED]

14.15 Revision date: [REDACTED]

14.16 Revision number: [REDACTED]

14.17 Revision description: [REDACTED]

14.18 Revision date: [REDACTED]

14.19 Revision number: [REDACTED]

14.20 Revision description: [REDACTED]

14.21 Revision date: [REDACTED]

14.22 Revision number: [REDACTED]

14.23 Revision description: [REDACTED]

14.24 Revision date: [REDACTED]

14.25 Revision number: [REDACTED]

14.26 Revision description: [REDACTED]

14.27 Revision date: [REDACTED]

14.28 Revision number: [REDACTED]

14.29 Revision description: [REDACTED]

14.30 Revision date: [REDACTED]

14.31 Revision number: [REDACTED]

14.32 Revision description: [REDACTED]

14.33 Revision date: [REDACTED]

14.34 Revision number: [REDACTED]

14.35 Revision description: [REDACTED]

14.36 Revision date: [REDACTED]

14.37 Revision number: [REDACTED]

14.38 Revision description: [REDACTED]

14.39 Revision date: [REDACTED]

14.40 Revision number: [REDACTED]

14.41 Revision description: [REDACTED]

14.42 Revision date: [REDACTED]

14.43 Revision number: [REDACTED]

14.44 Revision description: [REDACTED]

14.45 Revision date: [REDACTED]

14.46 Revision number: [REDACTED]

14.47 Revision description: [REDACTED]

14.48 Revision date: [REDACTED]

14.49 Revision number: [REDACTED]

14.50 Revision description: [REDACTED]

14.51 Revision date: [REDACTED]

14.52 Revision number: [REDACTED]

14.53 Revision description: [REDACTED]

14.54 Revision date: [REDACTED]

14.55 Revision number: [REDACTED]

14.56 Revision description: [REDACTED]

14.57 Revision date: [REDACTED]

14.58 Revision number: [REDACTED]

14.59 Revision description: [REDACTED]

14.60 Revision date: [REDACTED]

14.61 Revision number: [REDACTED]

14.62 Revision description: [REDACTED]

14.63 Revision date: [REDACTED]

14.64 Revision number: [REDACTED]

14.65 Revision description: [REDACTED]

14.66 Revision date: [REDACTED]

14.67 Revision number: [REDACTED]

14.68 Revision description: [REDACTED]

14.69 Revision date: [REDACTED]

14.70 Revision number: [REDACTED]

14.71 Revision description: [REDACTED]

14.72 Revision date: [REDACTED]

14.73 Revision number: [REDACTED]

14.74 Revision description: [REDACTED]

14.75 Revision date: [REDACTED]

14.76 Revision number: [REDACTED]

14.77 Revision description: [REDACTED]

14.78 Revision date: [REDACTED]

14.79 Revision number: [REDACTED]

14.80 Revision description: [REDACTED]

14.81 Revision date: [REDACTED]

14.82 Revision number: [REDACTED]

14.83 Revision description: [REDACTED]

14.84 Revision date: [REDACTED]

14.85 Revision number: [REDACTED]

14.86 Revision description: [REDACTED]

14.87 Revision date: [REDACTED]

14.88 Revision number: [REDACTED]

14.89 Revision description: [REDACTED]

14.90 Revision date: [REDACTED]

14.91 Revision number: [REDACTED]

14.92 Revision description: [REDACTED]

14.93 Revision date: [REDACTED]

14.94 Revision number: [REDACTED]

14.95 Revision description: [REDACTED]

14.96 Revision date: [REDACTED]

14.97 Revision number: [REDACTED]

14.98 Revision description: [REDACTED]

14.99 Revision date: [REDACTED]

14.100 Revision number: [REDACTED]

14.101 Revision description: [REDACTED]

14.102 Revision date: [REDACTED]

14.103 Revision number: [REDACTED]

14.104 Revision description: [REDACTED]

14.105 Revision date: [REDACTED]

14.106 Revision number: [REDACTED]

14.107 Revision description: [REDACTED]

14.108 Revision date: [REDACTED]

14.109 Revision number: [REDACTED]

14.110 Revision description: [REDACTED]

14.111 Revision date: [REDACTED]

14.112 Revision number: [REDACTED]

14.113 Revision description: [REDACTED]

14.114 Revision date: [REDACTED]

14.115 Revision number: [REDACTED]

14.116 Revision description: [REDACTED]

14.117 Revision date: [REDACTED]

14.118 Revision number: [REDACTED]

14.119 Revision description: [REDACTED]

14.120 Revision date: [REDACTED]

14.121 Revision number: [REDACTED]

14.122 Revision description: [REDACTED]

14.123 Revision date: [REDACTED]

14.124 Revision number: [REDACTED]

14.125 Revision description: [REDACTED]

14.126 Revision date: [REDACTED]

14.127 Revision number: [REDACTED]

14.128 Revision description: [REDACTED]

14.129 Revision date: [REDACTED]

14.130 Revision number: [REDACTED]

14.131 Revision description: [REDACTED]

14.132 Revision date: [REDACTED]

14.133 Revision number: [REDACTED]

14.134 Revision description: [REDACTED]

14.135 Revision date: [REDACTED]

14.136 Revision number: [REDACTED]

14.137 Revision description: [REDACTED]

14.138 Revision date: [REDACTED]

14.139 Revision number: [REDACTED]

14.140 Revision description: [REDACTED]

14.141 Revision date: [REDACTED]

14.142 Revision number: [REDACTED]

14.143 Revision description: [REDACTED]

14.144 Revision date: [REDACTED]

14.145 Revision number: [REDACTED]

14.146 Revision description: [REDACTED]

14.147 Revision date: [REDACTED]

14.148 Revision number: [REDACTED]

14.149 Revision description: [REDACTED]

14.150 Revision date: [REDACTED]

14.151 Revision number: [REDACTED]

14.152 Revision description: [REDACTED]

14.153 Revision date: [REDACTED]

14.154 Revision number: [REDACTED]

14.155 Revision description: [REDACTED]

14.156 Revision date: [REDACTED]

14.157 Revision number: [REDACTED]

14.158 Revision description: [REDACTED]

1

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div>	
14. Using powered tools and machinery	Electric shock, noise hazards	3H, 2M	<div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div>	2M, 1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Working with harmful substances	Exposure to hazardous substances, skin or eye contact	4A, 3H		2M, 1L
16. Heavy lifting & Manual handling	Musculoskeletal disorder, injuries from improper technique	3H, 2M		2M, 1L

[illegible]

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
18. Professional consultation	Stress, long working hours	2H, 2M		1L, 1L
19. Regular maintenance of machinery and tools	Injury during maintenance process, exposure to hazardous substance	3H, 2M		2M, 1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<div>SAMPLE</div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	
20. Emergency preparedness measures	Absence of safety knowledge, lack of emergency response ability	4A, 3H	<div>SAMPLE</div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> </div>	2M, 2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK

SAMPLE

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are revised. The review must be carried out in consultation with workers (including contractors and sub-contractors) who may be affected by the operation of the SWMS and their health and safety representatives who represent that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.	<input checked="" type="checkbox"/>	
All relevant personnel consulted during the development of the SWMS.	<input checked="" type="checkbox"/>	
Name, signature, position and date signed of the person approving the SWMS.	<input type="checkbox"/>	
Specific personnel and qualifications, experience is noted in the SWMS.	<input checked="" type="checkbox"/>	
Provides a step-by-step process of tasks required to carry out the activity or task.	<input checked="" type="checkbox"/>	
Adequate risk assessment of any identified hazards has been completed.	<input checked="" type="checkbox"/>	
Foreseeable hazards are identified and documented for each step.	<input checked="" type="checkbox"/>	
Any hazards listed in any site risk assessments have been added to the SWMS.	<input checked="" type="checkbox"/>	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	<input checked="" type="checkbox"/>	
Check control measures added to the SWMS are the most effective selected.	<input checked="" type="checkbox"/>	
Responsible person is assigned and listed on the SWMS for the implementation of control measures.	<input checked="" type="checkbox"/>	
Permit or licenses requirements specified, such as Hot Work, Electrical Work, Work at Heights etc.	<input checked="" type="checkbox"/>	
SWMS identifies plant and equipment to be used.	<input checked="" type="checkbox"/>	
Details of inspection checks required for any equipment listed as noted on the SWMS.	<input checked="" type="checkbox"/>	
Describes any mandatory qualifications, experience, training or skills required to perform the work.	<input checked="" type="checkbox"/>	
Applicable personal protective equipment is selected on the SWMS.	<input checked="" type="checkbox"/>	
Reflects and documents any legislative references and/or Australian Standards.	<input checked="" type="checkbox"/>	
Identifies any hazardous substances used with specific control measures in line with any SDS.	<input checked="" type="checkbox"/>	
REVIEWED BY		DATE REVIEWED
SIGNATURE		DATE COMPLETED