



| Levelling With Surface Jo  | inters   SAFE WORK METH                                      | HOD STATEMENT (SWMS)                     |                                     |
|--|--|--|-------------------------------------|
| TASK OR  | ACTIVITY: Levelling With Surface                             | e Jointers                               |                                     |
| Business Name:   |  | ABN:                                     | SWMS#                               |
| Business Address:  |  |  |                                     |
| Contact Person:  | Phone:   | E fil:                                   |                                     |
|  |  |  |                                     |
| THIS SAFE WORK METHOD  | STATEMENT IS APPROVED BY                                     | THE PCL OF THE ROJECT                    |                                     |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.   | cting a business or under o (PC 1) is                        | required to en that a safe work method s | statement (SWMS) is prepared before |
| Full Name:   |  |  |                                     |
| Signature:   |  | Title:                                   | Date:                               |
| Details of the person(s) responsible for ensuring implementation, monitoring   | apliance the VMS a vell as review                            | es and modifications of the SWMS.        |                                     |
| Full Name:   |  | Title:                                   | Phone:                              |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SYMS MY HAVE THE FOLLOWING COMMUNICATED  | NA. 2 OF ALL RELEVANT PERSONNI<br>EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND CO        | OMMUNICATED TO IN THE               |
| Safety meetings or toolbox talks will be sched and in accomposition with a gislative requirements to first identify any site hazards, and then to further take steps to either eliminate or continuous each hazard.  |  |  |                                     |
| If an incident or a near miss occurs, all work must ste, anately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.  |  |  |                                     |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.  |  |  |                                     |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. |  |  |                                     |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





| CLIENT OR PRINCIPAL  | CONTRACTOR DETAILS  |
|--|---|
| Client:  | SCOPE OF WORKS  |
| Project Name:  |   |
| Project Address:   |   |
| Project Manager:   |   |
| Contact Phone:   |   |
| Date SWMS supplied to Project Manager:   |   |
| ANY HIGH BIOK CONSTRUCTOR  | NAME OF THE POLIT   |
| ANY HIGH-RISK CONSTRUCTOR  | N WC & BEIN C ARIED OUT   |
| ☐ involves a risk of a person falling more than 2 meters                                     | is carried out on or near pressurised gas mains or piping                                       |
| ☐ is carried out on a telecommunication tower  | carried out on or near chemical, fuel or refrigerant lines                                      |
| ☐ involves demolition of an element of a structure that is load-bearing                      | $\square$ is carried out on or near energised electrical installations or services              |
| ☐ involves demolition of an element related to the physical integral of a functure           | ☐ is carried out in an area that may have a contaminated or flammable atmosphere                |
| ☐ involves, or is likely to involve, disturbing asb  | ☐ involves tilt-up or precast concrete  |
| ☐ involves structural alteration or repair that —quires term — v sup —rt to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| ☐ is carried out in or near a confined space   | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant  |
| ☐ is carried out in/near a shaft or trench deeper that. tunnel involving use of explosives   | ☐ is carried out in areas with artificial extremes of temperature.                              |
| $\square$ is carried out in or near water or other liquid that involves a risk of drowning.  | ☐ involves diving work.   |
| ANY HIGH-RISK MACHINER   | Y OR EQUIPMENT NEARBY   |
|  |   |
|  |   |
|  |   |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



| RISK MATRIX       |  |               |               |            |              |                |                                   |                                 |  |
|-------------------|--|---------------|---------------|------------|--------------|----------------|-----------------------------------|---------------------------------|--|
| LIKELIHOOD        | INSIGNIFICANT  | MINOR         | MODERATE      | MAJOR      | CATASTROPHIC | SCORE          | ACTION                            | HEIRARCHY OF CONTROLS           |  |
| ALMOST<br>CERTAIN | 3<br>HIGH  | 3<br>HIGH     | 4<br>ACUTE    | 4<br>ACUTE | 4<br>ACUTE   | SCORE          | ACTION                            | Elimination Remove the hazard.  |  |
| LIKELY            | 2<br>MODERATE  | 3<br>HIGH     | 3<br>HIGH     | 4<br>ACUTE | 4<br>ACUTE   | 4A<br>ACUTE    | DO NOT<br>PROCE                   | Substitution                    |  |
| POSSIBLE          | 1<br>LOW   | 2<br>MODERATE | 3<br>HIGH     | 4<br>ACUTE | 4<br>ACUTE   | 3H<br>HIGH     | Review before work starts.        | Replace the hazard.             |  |
| UNLIKELY          | 1<br>LOW   | 1<br>LOW      | 2<br>MODERATE | 3<br>HIGH  | 4<br>ACUTE   | 2M<br>MODERATE | Ensure control measures in place. | Isolate People from the hazard  |  |
| RARE              | 1<br>LOW   | 1<br>LOW      | 2<br>MODERATE | 3<br>HIGH  | 3<br>HIGH    | 1L<br>LOW      | nitor and                         | Engineering Isolate the hazard. |  |
| is the second m   | Administrative  otes on Hierarchy of Controls: Elimination methods are the most effective and preferrence on conclusion and hazard. Substitution the second most effective method of controlling a hazard. Engineering by isolation is the virtuost emitye, while Administrative ontrols by changing the work is the fourth most effective method. PPE (Personal Protective Equament), the least effective |               |               |            |              |                |                                   |                                 |  |

|                    |                    |                    |                  | PERS        |                       | TIVE EQUIPM                           |                      |                        |                    |                   |                           |
|--------------------|--------------------|--------------------|------------------|-------------|-----------------------|---------------------------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
|                    |                    | Select the app     | propriate PPL    | abo√ ≃uitab | ic or the equi        | pment used or                         | the job task         | being perforr          | ned (if applica    | ıble).            |                           |
| FOOT<br>PROTECTION | HAND<br>PROTECTION | HEAD<br>PROTECTION | HEARING<br>ETION | P ECTION    | R PIRATORY PROTECTION | FACE<br>PROTECTION                    | HIGH-VIS<br>CLOTHING | PROTECTIVE<br>CLOTHING | FALL<br>PROTECTION | SUN<br>PROTECTION | HAIR/JEWELLERY<br>SECURED |
|                    |                    |                    |                  |             |                       |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |                  |             |                       |                                       |                      |                        |                    |                   |                           |
| Other PPE R        | Required:          |                    |                  |             |                       |                                       |                      |                        |                    |                   |                           |
|                    | Pe                 | ermit or Licen     | ses Requirem     | ents        |                       | Mandatory Qualifications and Training |                      |                        |                    |                   |                           |
|                    |                    |                    |                  |             |                       |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |                  |             |                       |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |                  |             |                       |                                       |                      |                        |                    |                   |                           |



| JOB STEP            | POTENTIAL HAZARDS                             | IR              | CONTROL MEASURES   | RR               |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                        | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK |
| 1. Preparation      | Inadequate training, Incorrect use of tools   | 2M              | <ul> <li>Ensure all workers are provided with communensive training and instruction in the use of surface jointers.</li> <li>Verify that only competent personnel, who has a monstrated their understanding, operate or supervise the use of surface jointers.</li> <li>Clearly outline safe operating rocedures for the use of respect jointers in a documented format accessible to all work.</li> <li>Perform a preceding inspect in of the equipment densure it is in safe working condition and free from defects.</li> <li>Prover person uprotourly equipment of PE) such as eye protection, hearing protection, and dust mask to densure the surface during operation.</li> <li>Implemental lockour agout procedure to disable defective equipment until repairs can be made by qualifie beneficial.</li> <li>Rosition safety carriers or signage to restrict unauthorised access to areas where surface jointers are because.</li> <li>Regular review and update training materials and procedures to encompass new safety information or dates on equipment use.</li> <li>Use machine guards or other moving parts guards to prevent accidental contact during operation.</li> <li>Keep the work area clean and organised, ensuring there are no tripping hazards or obstructions near the equipment.</li> <li>Conduct regular safety meetings to reinforce best practices and address any concerns raised by workers regarding the use of surface jointers.</li> </ul> | 1L               |
| 2. Inspection       | Machine malfunction, Exposure to moving parts | 2M              | <ul> <li>Conduct pre-operational checks to identify any signs of wear, damage, or malfunction on the surface jointer.</li> <li>Regularly maintain and service machinery as per manufacturer's guidelines to ensure optimal performance.</li> <li>Ensure all guards and safety features are properly secured and in good working condition before starting the machine.</li> <li>Provide comprehensive training for operators on proper usage, recognising potential faults, and emergency shutdown procedures.</li> <li>Implement a lockout/tagout procedure to prevent accidental start-up during maintenance or inspection.</li> <li>Ensure operator's clear understanding of the location and function of all stop and emergency controls.</li> <li>Use personal protective equipment such as eye protection and hearing protection to guard against particles and noise.</li> </ul>  | 1L               |



| JOB STEP              | POTENTIAL HAZARDS                                      | IR              | CONTROL MEASURES  | RR               |
|-----------------------|--|-----------------|---|------------------|
| SPECIFIC WORK STEPS   | HAZARDS THAT MAY ARISE                                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK |
|                       |  |                 | - Keep work areas clean and free of obstructions to avoid interference with machine operations.                                       |                  |
|                       |  |                 | - Ensure the workpiece is properly set up and stable before engagement with the machine to prevent abrupt ejections.                  |                  |
|                       |  |                 | - Display clear instructional signage outlining erational, safety, and emergency protocols visibly near the machine.                  |                  |
|                       |  |                 | - Conduct a pre-start safety briefing to outline positial hazards and control measures.   |                  |
|                       |  |                 | - Ensure all operators are weating appropriate PPL include mearing protection, helmets, and safety glasses.                           |                  |
|                       |  |                 | - Implement a process management, on, including agular monitoring of sound levels and providing breaks to prevent provided exposes e. |                  |
|                       |  |                 | - Securithe was area was barriers or sety tape to prevent unauthorised access during operation.                                       |                  |
|                       |  |                 | - Reg a inspect of maintain the surface jointer to ensure it is in proper working order and free from faults.                         |                  |
| 3. Operation          | Noise exposure, Falling objects,<br>Electrical hazards | 3H              | - Use to swa minima libration and fit anti-vibration gloves to reduce risk of hand-arm vibration undrom                               | 2M               |
|                       |  |                 | - To and ag electrical equipment regularly to comply with electrical safety standards.  |                  |
|                       |  | \               | Keep coustidy and away from walkways to avoid tripping hazards and minimise cord damage.  |                  |
|                       |  |                 | - circuit breakers and Residual Current Devices (RCDs) to protect against electrical faults.  |                  |
|                       |  |                 | Provide trained spotters or supervisors to assist with monitoring safety during operation.  |                  |
|                       |  |                 | - Store materials and equipment securely, using shelves or racks, to prevent falling objects.   |                  |
|                       |  |                 | - Erect signage around the work area alerting others to potential hazards such as noise and moving equipment.                         |                  |
|                       |  |                 |   |                  |
|                       |  |                 |   |                  |
|                       |  |                 |   |                  |
|                       |  |                 |   |                  |
| 4. Maintenance/Repair | Use of improper tools, Equipment failure               | 2M              |   | 1L               |
| ·                     |  |                 |   |                  |
|                       |  |                 |   |                  |
|                       |  |                 |   |                  |
|                       |  |                 |   |                  |



| JOB STEP             | POTENTIAL HAZARDS                         | IR              | CONTROL MEASURES   | RR               |
|----------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS  | HAZARDS THAT MAY ARISE                    | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                      |   |                 |  | •                |
|                      |   |                 |  |                  |
|                      |   |                 |  |                  |
|                      |   |                 |  |                  |
|                      |   |                 |  |                  |
|                      |   |                 |  |                  |
|                      | 1   |                 |  |                  |
|                      |   |                 |  |                  |
|                      |   |                 |  |                  |
| 5. Material Handling | Manual lifting injuries, Sandal and falls | 3H              |  | 2M               |
|                      |   |                 |  |                  |
|                      |   |                 |  |                  |
|                      |   |                 |  |                  |
|                      |   |                 |  |                  |



| JOB STEP            | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                                    | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 6. Clean Up         | Contact with hazardous substances, Slips, trips and falls | ЗН              |  | 1L               |
| 7. Tool Change      | Misuse of tools, Injury from recoil                       | 3H              |  | 1L               |



| JOB STEP            | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                                    | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 8. Adjustment       | Improper machine guarding, Incorrect tool usage           | 211             |  | 1L               |
| 9. Lubrication      | Oil spills causing slips, Contact with harmful substances | 2M              |  | 1L               |



| JOB STEP            | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |  |                 |  |                  |
| 10. Orientation     | Lack of safety procedures knowledge, misuse of personal protective equipment | ЗН              |  | 2M               |



| JOB STEP            | POTENTIAL HAZARDS                       | IR              | CONTROL MEASURES   | RR               |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 11. Jointer Set Up  | Incorrect installation, Electrical haza | ЗH              |  | 2M               |



| JOB STEP            | POTENTIAL HAZARDS                            | IR              | CONTROL MEASURES   | RR               |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                       | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 12. Timber Feeding  | Splinters entry, Manual handling injuries    | ЗН              |  | 2M               |
| 13. Powering On     | Electrical faults, Moving component injuries | ЗН              |  | 2M               |



| JOB STEP            | POTENTIAL HAZARDS                     | IR              | CONTROL MEASURES   | RR               |
|---------------------|---------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |                                       |                 |  | 1                |
| 14. Powering Off    | Unintended movement, Electrical St. s | 2M              |  | 1L               |



| JOB STEP            | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                                     | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 15. Disassembling   | Misuse of tools, Falls from height                         | ЗН              |  | 2M               |
| 16. Reassembling    | Misuse of tools, Incorrect reassembly causing malfunctions | ЗН              |  | 2M               |



| JOB STEP            | POTENTIAL HAZARDS                                      | IR              | CONTROL MEASURES   | RR               |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |  |                 |  |                  |
| 17. Verification    | Lack of procedural adherence, Machine component errors | 2M              |  | 1<br>1L          |



| JOB STEP            | POTENTIAL HAZARDS                        | IR              | CONTROL MEASURES   | RR               |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE                   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 18. Lockout/Tagout  | Unintended machinestart accordal hazards | ВН              |  | 2M               |



| JOB STEP                  | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|---------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS       | HAZARDS THAT MAY ARISE                                   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 19. Emergency<br>Shutdown | Panic reaction, Delays in isolation                      | 4A              |  | 2M               |
| 20. Restarting            | Unexpected equipment behaviour, Injury from moving parts | 3H              |  | 2M               |



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR              |
|---------------------|------------------------|-----------------|--|-----------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUA<br>RISK |
|                     |                        |                 |  | •               |
|                     |                        |                 |  |                 |



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatide

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo\_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le\_lation

Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/wor">https://www.safework.sa.gov.au/wor</a> aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health at Safety Act 34

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.wksafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

tes of actice VIC attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |

#### SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains a fective of must be reviewed (and revised if necessary) if relevant control measures are revised. The view process should be carried out in consultation with workers (including contractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU mast ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME          |   |   |   |   |   |   |   |
| INITIALS      |   |   |   |   |   |   |   |
| DATE          |   |   |   |   |   |   |   |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 19





### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS  | COMPLETED  | COMMENTS |
|---|------------|----------|
|   |            |          |
| The company details have been entered, including the project name and address.  |            |          |
| All relevant personnel consulted during the development of the SWMS.  |            |          |
| Name, signature, position and date signed of the person approving the SWMS.   |            |          |
| Specific personnel and qualifications, experience is noted in the SWMS.   | 7          |          |
| Provides a step-by-step process of tasks required to carry out the activity or task.  |            |          |
| Adequate risk assessment of any identified hazards has been completed.  |            |          |
| Foreseeable hazards are identified and documented for each step.  |            |          |
| Any hazards listed in any site risk assessments have been added to the SWMS   |            |          |
| SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.   |            |          |
| Check control measures added to the SWMS are the most effective selective.  |            |          |
| Responsible person is assigned and listed on the person is as a person is as a person is a |            |          |
| Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc.   |            |          |
| SWMS identifies plant and equipment to be us  |            |          |
| Details of inspection checks required for any equipment listed a noted on the SWMS.   |            |          |
| Describes any mandatory qualifications, experience, and or skills required to perform the work.   |            |          |
| Applicable personal protective equipment is selected on the SWMS.   |            |          |
| Reflects and documents any legislative references and/or Australian Standards.  |            |          |
| Identifies any hazardous substances used with specific control measures in line with any SDS.   |            |          |
|   |            |          |
| REVIEWED BY   | DATE REVIE | WED      |
| SIGNATURE   | DATE COMPL | ETED     |