



Livestock Handling Shearing and Ar	nimal Husbandry SAFE W	ORK METHOD STATEMENT	(SWMS)
TASK OR ACTIVITY:	Livestock Handling Shearing ar	nd Animal Husbandry	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PCL OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	eting a business or undo	required to er. 3 that a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	poliance the VMS a vell as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS 5 MS M HAVE THE FOLLOWING COMMUNICATED	NAL OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be scheded in accomply with gislative requirements to first identify any site hazards, and then to further take steps to either eliminate or continuous each hazard.			
If an incident or a near miss occurs, all work must sto, quately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUCTOR	ON WO K BEIN O KRIED OUT
☐ involves a risk of a person falling more than 2 meters	☐ is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	☐ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical integration of a ructure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
☐ involves structural alteration or repair that — quires term — ov sup — rt to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
☐ is carried out in/near a shaft or trench deeper tha tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCOBE	ACTION		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE ACTI	SCORE ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and		Engineering Isolate the hazard.	
is the second m	rchy of Controls: ost effective metho nging the work is th	d of controlling a	hazard. Enginee	ring by isolati		et. 'ive, while	rd. Substitution Administrative effective		Administrative Change the work. PPE	

				PERS		TIVE EQUIPM					
		Select the app	ropriate PPL	abo. ~uitab	ic or the equip	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	ARING STION	F' CTIO	RL PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	dequired:										
	Pe	ermit or Licen	ses Requirem	ents		Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			Inspect all livestock yards, dairy, shearing work and mark any potholes, loose boards broken rail or immediate repair or isolation	
			Confirm safe separation between people, live motorbikes, side by side buggies and feed delivery vehicles using gates, bollards and clearly signed alkways	
			Verify that all workers and curactors hold relevathing training artificial and competency, side by side buggy training artificial and competency, side by side buggy training artificial and competency, side by side buggy training artificial and competency.	
	Unidentified ground hazards		Develop a live ck hand plan at identifier scape routes, designated crush and race use, isolation points and extremely shulf flocation for manical feeders and milking equipment.	
Pre-start planning and site assessment	Unsegregated vehicle and livestock areas	3H	Schoole high risk to as such as mutuering, slaughtering and shearing for daylight hours where possition and avoid work in yards, crushes and slaughter areas.	2M
site assessment	Inadequate emergency access Untrained or fatigued workers Extreme weather exposure		• Estat sh somme sation plan including UHF radio channels, mobile phone coverage check and call-in interval for a sote particle should be satisfied by the sati	
			Check sathe precasts and reschedule non-critical livestock work during extreme heat, lightning sices, heavy rain where animal behaviour and vehicle stability may be affected	
			Brief wars on site-specific hazards including aggressive animals, working dogs, biosecurity controls any chemical treatments recently applied to stock or pastures	
			P. ovide a stocked first aid kit, eyewash, burn kit and trauma kit at the shearing shed, dairy and main stockyards and ensure trained first aiders are on site	
			Document the SWMS briefing with attendance records and require all workers to sign that they understand control measures and stop-work authority	
			Inspect all rails, posts, gates, latches, ramps, races, crushes and shearing shed catching pens for rot, rust, broken welds or loose fasteners before bringing animals in	
			Repair or isolate any damaged gates, latches or rails using lock-out tags and physical barriers before use	
	Damaged yard structures Uncontrolled animal egress		Install or maintain non-slip surfaces on ramps, crush floors, dairy pits and holding yards using grooved concrete, rubber matting or expanded mesh where appropriate	
Stockyard and race preparation		3H	Remove manure build-up, wet straw, loose fleece, spilled grain and other debris from walkways, steps and platforms to reduce slip hazards	2M
			Position gates and drafting races so workers do not need to lean over animals to operate latches; extend handles and use remote latches where practicable	
			• Fit anti-baulk panels, solid sides and curved race designs where possible to reduce animal hesitation and pressure on workers at gates	
			Verify that loading ramps have compliant side rails, kick rails and secure attachment points to trucks in line with relevant state livestock loading codes	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS Handling and moving livestock on foot	• Animal kicks and crushing • Aggressive or stressed animals • Being knocked down or trampled • Dog bites or trips • Noise and dust exposure	INITIAL RISK	Provide mechanical aids such as wheelbarrows, trolleys and feed carts to minimise manual handling of heavy feed bags, salt blocks and equipment Post clear signage for maximum loading density animal class at holding yards and ramps and DO NOT exceed recommended stocking densities Ensure lighting in yards, dairy, shearing so at and loading areas is sufficient to avoid shadows and dark spots that cause animals to baulk or workers animals areas is sufficient to avoid shadows and dark spots that cause animals so as bulls, stags, rand, boars as high calvers, cows with young calves, protective sows and cull animal segregate and has a first in only with experienced staff and suitable containment Plan escape and signally day, rands and personal keep them clear of equipment, hoses, buckets and tools at all times. More restochesing and stress stock andling techniques such as working the flight zone and balance point is than a sunger or hitting stock. Use pape traine and controlled working dogs only; DO NOT allow inexperienced or aggressive dogs in close only, ment as as or milking parlours. Prohibit hildre visitors and non-essential personnel from active yards and handling areas and enforce this with laked gaves and clear signage. Keep was ers outside of kick zones behind animals where possible; when unavoidable, maintain a sical contact and stay close to the animal's body to reduce impact if it kicks. Use suitable drafting aids such as flags, rattles or paddles instead of using hands or feet to strike animals. Wear steel capped safety boots with slip-resistant soles, long pants and appropriate upper-body protection to reduce injury from kicks and crushing.	RESIDUAL RISK
Cattle herding and motorbike mustering	Motorbike rollover Collision with livestock Unstable or uneven terrain Fatigue during mustering Remote work isolation	4A	Limit the number of workers in forcing yards and raceways to avoid overcrowding and reduce the risk of workers being trapped between animals and rails Apply dust suppression such as wetting down laneways or using mechanical ventilation in enclosed sheds when dust levels become visibly elevated	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Side by side buggy operations	Vehicle rollover Loss of control on stopes Load instability Struck by moving vehicle Entanglement with moving parts	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Feeding livestock and mechanical feeding	Contact with moving augers Grain dust inhalation Feed bin collapse Crushing by animals at feed areas Manual handling of feed bags	3H		2M
Dairy and milking cow operations	Kicks during milking Crushing in milking bales Exposure to chemicals and sanitisers Electric shock from milking plant Slips in wet dairy	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Sheep shearing and using shearers	Lacerations from Learing Lupuses Musculoskeletal strain Electrical faults in shearing Animal kicks during shearing Noise exposure in shearing shed	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Foot handling and routine animal husbandry	Crushing injuries to hands and feet Needlestick or blade injuries Zoonotic disease exposure Animal escape from crush or bail Chemical exposure from the themselves.	3H		2M
Poultry operations and handling birds	 Dust and dander inhalation Ammonia exposure Manual handling of crates Aggressive roosters or pecking Biosecurity breaches 	3H		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Removing hides, fleece and slaughtering livestock	Cuts from knives and hindes Exposure to blood and body fluids Slips on wet floors Struck by carcass movement Zoonotic infection risk	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
Unloading deliveries of animal feed	Struck by moving trucks Falling from truck or loader Load shift or collapse Entanglement with lifting plant Dust inhalation during unloading	ЗН		1L
Stockyard operations and loading livestock	 Crushing at gates and ramps Falls from loading ramps Vehicle and livestock interaction Overcrowding in yards Noise and agitation of stock 	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
General PPE, hygiene and emergency response	Inadequate personal protection Cross contamination an. Delayed emergency response Heat stress and dehydration Psychological stress from animal work	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK

hluesafe



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2025

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo

Codes of Practice NT: https://worksafe.nt.gov.au/f -resourd

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor/ aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Or pational Health a. Safety Act J4

Occ ational Health and afety gulations 2017

Legis on VIC: https://www ksafe.vic.gov.au/occupational-health-and-safety-act-and-

tes of actice V/ attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/modelcodes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature

SAFE WORK NOTHER STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains fective of must be reviewed (and revised if necessary) if relevant control measures are rovised. The view respectively should be carried out in consultation with workers (including contractors and other substitutions) and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

Version 2.5 Authorised by Review # Date of Issue: Review Date: 15





SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.	k	
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMS		
SWMS initial risk (IR) column as well as residual risk (RR) colum mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selections.	\boxtimes	
Responsible person is assigned and listed on the part of the important of	\boxtimes	
Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed an onthe SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, use or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REV	/IEWED
SIGNATURE	DATE COM	PLETED