Loading Docks	SAFE WORK METHOD STA	TEMENT (SWMS)	
Т	ASK OR ACTIVITY: Loading Doc	ks	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or under the (PC 1) is	required to en the that a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	opliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAS PHAVE THE FOLLOWING COMMUNICATED	NATE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with gislative requirements to first identify any site hazards, the comparison becaution those hazards and then to further take steps to either eliminate or contained hazard.			
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX													
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	000DF			HEIRARCHY OF CONTROLS					
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	SCORE	SCORE	SCORE		ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution					
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.					
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard					
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.					
is the second me	RARE 1 2 3 3 1L Initian and keine records Isolate the hazard. Isolate the hazard. Isolate the hazard. Isolate the hazard. Isolate the hazard. otes on Hierarchy of Controls: Elimination methods are the most effective and preferrence on converting a hazard. Substitution the second most effective method of controlling a hazard. Engineering by isolation is the virtual protective equipment), while Administrative ontrols by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), whe least effective Substitution Isolate the hazard.													

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Other PPE Required:										
	Permit or Licenses Requirements					Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Conduct regular inspections and mainteners of the loading dock area to ensure it remains clean and free from clutter, debris, or obstacles that can be cause trianing or falling.	
			- Communicate effectively with all workers on about the hazards tied to trip and falls, emphasising appropriate housekeeping practices in the loading sock area.	
			- Use clearly marked pathway and designated are a for the storage of equipment, tools, and materials. This not only paints a charge place for everyone builds of minimises any obstruction.	
			- Ensure that a sectrical sector provides a sources within the loading dock area is installed and maintain in compliant with A stralian candards and relevant codes of practice.	
			- Incluse overloc circuits and other sales, mechanisms in the design of electrical systems to protect again a ctrical and as. In the event of overloading, these mechanisms prevent accidents and damage to equil in t.	
			- Provide per anal prostive equipment (PPE) such as non-slip footwear, gloves, and safety goggles for staff wor ing on site, paracularly when engaged in tasks that carry potential risks.	
1. Preparation	Trip and falls from clutter, Electrical hazards from equipment	2M	- type twiss le wanting signs and labels indicating potential electrical hazards in an around the loading dock area. A serve as constant reminders of the need for conscious efforts in ensuring safety.	1L
			nplement a consistent cord management system to keep electrical cables organised, labelled, and stand correctly. Properly maintained cords pose less of a risk compared to loosely hanging or coiled cables.	
			- Train employees on regular intervals on electrical safety procedures and protocols to minimise human- induced errors.	
			- Schedule periodic worksite inductions for employees and visitors to familiarise them with the safe operation of equipment and how to minimise electrical hazards.	
			- Establish emergency response procedures for incidents related to trip and fall accidents or electrical hazards. Regularly review and update these procedures and conduct drills to ensure all team members are well-versed.	
			 Designate specific individuals as safety monitors responsible for keeping an eye on the work environment, identifying hazards, and taking immediate action to address potential dangers. 	
			- Encourage a positive safety culture around the workplace by having an open line of communication between employees and management. This empowers workers to promptly report any hazards, near misses, or concerns they might have without fear of repercussions.	
2. Dock Inspection	Slips on wet surfaces, Dock plate malfunction	2M	- Conduct regular inspections of the loading dock area to identify and address any potential hazards, such as wet surfaces or damaged dock plates.	1L
			- Ensure all staff working in the loading dock area are provided with slip-resistant footwear to minimise the risk of slips and falls on wet surfaces.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Implement a safety policy that requires employees to promptly clean up spills and clearly mark wet surfaces with appropriate signage until they are dry.	
			- Install high-quality drainage systems in the loading wock area to prevent standing water, which can contribute to slippery surfaces.	
			- Regularly inspect and maintain dock plate achinery to sure proper functioning and reduce the risk of malfunctions during operation.	
			- Train employees on proper dock plate usage procedures and stress the importance of following these procedures to avoid accident caused by operator or.	
			- Develop an incident reporting to tem that encourage employees to report dock plate malfunctions and other hazards provide y change ent.	
			- Enforce a converticity no-vehicle process, vicy in the uock inspection area, discouraging trucks from entering while workers be present prevent. If this related to vehicle movement.	
			- Esta an energy response plan, including clear instructions for evacuating the loading dock area in case, dock a malfunction or other serious accidents.	
			- Provide we pers with easy access to personal protective equipment (PPE), such as safety gloves and safety gloves for ingles to minimize injuries during dock inspection tasks.	
			- gular update safety training programs to incorporate new information regarding potential risks and best, but updates to mitigate them in the loading dock environment.	
			Pevelop visual aids, such as posters and videos, to remind staff of safety tips when conducting dock in pections and reinforce the importance of maintaining a hazard-free workspace.	
	C		- Clearly mark pedestrian walkways and ensure they are separate from vehicle traffic areas to reduce the risk of collisions between vehicles and pedestrians.	
			- Install highly visible signage at appropriate locations, directing pedestrians and drivers where to move within the designated zones on the loading dock.	
			- Provide adequate lighting in the vehicle arrival area so drivers and pedestrians can easily discern their surroundings and identify potential hazards.	
	Collision with pedestrians, Reversing	011	- Implement a traffic management plan for vehicles arriving at the loading dock, which includes specific procedures for drivers to follow when entering, reversing or exiting onsite.	
3. Vehicle Arrival	vehicle accidents	3H	- Equip vehicles with audible alarms and flashing beacons that will activate automatically when the vehicle is reversing, alerting nearby pedestrians of potential danger.	2M
			- Arrange for a trained spotter to assist drivers in safely navigating and reversing their vehicles into or out of the loading dock when needed. The spotter should also communicate directly with the driver via two-way radio or hand signals.	
			- Require all loading dock employees and visitors to wear high-visibility clothing that clearly identifies them as pedestrians and enhances their visibility to drivers in the area.	
			- Monitor and enforce site speed limits for vehicles operating within the loading dock area to minimise the risk of accidents while also allowing drivers sufficient time to react if necessary.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Educate staff and drivers about workplace health and safety policies, including general loading dock procedures, hazard identification, and the importance of maintaining clear communication while on site.	
			- Conduct regular reviews of the loading dock's safe measures and practices, remaining open to feedback from both employees and drivers, appropriate plementing any necessary improvements to ensure the ongoing safety of all involved.	
4. Chocking Wheels	Crushing hazards from improperly chocked wheels, Strainer unanual chocking			1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Dock Leveller Operation	Fingers caught between succes, Slippery leveller succe			1L
6. Opening Trailer Doors	Unexpected loads shift, High noise level during door opening	2M		1L

Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Loading / Unloading	Manual handling injuries, Falling objects from trailer	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Stacking / Racking	Struck by forklift, Struck by falling item during stacking			2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Pallet Transportation	Overexertion when moving pallets, Struck by moving equations	21		1L

Version 2.5

Date of Issue:







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Closing Trailer Doors	Hands caught in door tracks, Noise hazard	2M		1L
12. Vehicle Departure	Collisions with pedestrians, Accidents with other vehicles	ЗH		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES				
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE					
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health au Safety Act 204 Occupational Health and onfety or gulations 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations</u> of the solution of the state of the solution of the solutio				
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>				
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/worplace-provelaws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formediatestary.au/formedia</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>				
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: https://www.safework.sa.gov.au/resources/legislation Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs Tasmania Work Health and Safety Act 2012	 Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes First aid in the workplace Managing the risk of falls at workplaces 				
Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	 Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination 				
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 				



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMS	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selections	\boxtimes	
Responsible person is assigned and listed on the part the importation control measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE RE	VIEWED
SIGNATURE	DATE CON	IPLETED