Lock Changing	SAFE WORK METHOD STA	ATEMENT (SWMS)						
Т	ASK OR ACTIVITY: Lock Changi	ng						
Business Name:		ABN:	SWMS#					
Business Address:								
Contact Person:	Phone:	E gil:						
	STATEMENT IS ADDONIN BY							
THIS SAFE WORK METHOD STATEMENT IS APPROX O BY THE PC. OF TP: ROJECT Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or under the group (PC, I) is required to enume that a safe work method statement (SWMS) is prepared before the proposed work starts.								
Full Name:								
Signature:	NX	Title:	Date:					
Details of the person(s) responsible for ensuring implementation, monitoring	ppliance the VMS a well as review	s and modifications of the SWMS.						
Full Name:		Title:	Phone:					
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS STIMS MAKE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE					
Safety meetings or toolbox talks will be sched ed in according with gislative requirements to first identify any site hazards, so to compare hicas those hazards and then to further take steps to either eliminate or contineach hazard.								
If an incident or a near miss occurs, all work must stop an attactive Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.								
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.								
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.								



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
Low Low Low MODERATE HIGH HIGH LOW Revectors Isolate the flazation Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferrence on minute a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the increase the five, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), whe least effective PPE PPE										

	PERS_NAL TECTIVE EQUIPMENT (PPE) Select the appropriate PPL about suitable or the equipment used or the job task being performed (if applicable).										
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements					Mandatory Qualifications and Training					




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Slips, falls, incorrect use of tools	ЗН	 Workers must wear appropriate non-slip for wear to minimise the risk of slips and falls. Ensure the work area is clean and free from tutter to event tripping hazards. Conduct a risk assessment before starting the user to identify potential hazards in the environment. Use proper signage to warm over soft the work buog under wen and possible hazards in the vicinity. Ensure adequate listen in the origination of the work buog under wen and possible hazards. Inspect all to reach equipment provide use to clearly the any obstacles or dangers present. Inspect all to reach equipment provide use to clearly the area in good working condition. Provide trainer for staff with correction tools to prevent misuse and reduce injuries. Use the montenance equipment (PPE) such as gloves and safety glasses when handling tools and locks. Follov a montenance schedule for tools to ensure they remain safe and functional. Establin cleat communication procedures between team members during the task to enhance condination and orfety awareness. Set up or iters or caution tape around the work area to keep unauthorised personnel at a safe distance. Insure that ladders or step stools, if used, are stable and positioned correctly to prevent falls. Limit distractions by prohibiting the use of mobile phones and other devices while performing the task. Have first aid kits readily accessible and ensure staff are trained in basic first aid in case of an emergency. 	2M
2. Tool Gathering	Incorrect tool usage, cuts from sharp tools	2М	 Conduct a toolbox talk before starting the task to ensure all workers understand the correct tools required and how to use them safely. Regularly inspect tools for damage or wear and replace them as needed to prevent failures that could lead to injury. Ensure all workers have completed proper training on using hand tools specific to lock changing. Provide clear instruction manuals or guidelines for any specialised tools used in the process. Use personal protective equipment (PPE) such as gloves with cut resistance to protect hands from sharp edges. Establish a clean and organised workspace to minimise the risk of slips, trips, and falls while handling tools. Maintain a dedicated storage area for tools to prevent clutter and reduce the chance of accidentally using an incorrect or faulty tool. Label tools clearly to avoid confusion and ensure the right tool is used for the specific lock changing task. 	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Limit access to the work area to authorised personnel only to reduce distractions and ensure safety protocols are followed.	
			- Implement a buddy system or supervision plan where more experienced workers oversee less experienced ones during tool gathering and use .	
			- Provide first aid kits readily accessible new the work site case of injuries like cuts or abrasions occurring.	
			- Ensure proper lighting in the workspace to help orkers see to its and materials clearly, reducing missteps or errors when selsing and using then	
			- Conduct a thorous was a sinspace on of the lock and surrounding area for any signs of damage or wear that could indice electrical assues.	
			- Use appropriate personal protective state and (PPE), such as insulated gloves and safety goggles, to minimum risk of survey of a electrical shock.	
		ty lock 3H	- Ensure t power ources to electronic locks are turned off and verified with a multimeter before starting work to be not electronic locks.	
	R		- Verify the here system integrates with other security alarms and disable those systems to avoid integrates with other security alarms and disable those systems to avoid integrates with other security alarms and disable those systems to avoid integrates with other security alarms and disable those systems to avoid the security alarms and disable those systems to avoid the security alarms and disable those systems to avoid the security alarms and disable those systems to avoid the security alarms and the security alarms and disable those systems to avoid the security alarms and the security alarms and the security alarms and the security alarms are systems at the security alarms and the security alarms and the security alarms at the security alarms and the security alarms at the security at the secur	
			- Em, the lock-out/tag-out procedure to visually confirm that the lock is safely isolated from its power purce by the performing any work.	
			- e tools with insulated handles specifically designed for electrical work to further reduce risk of electrical contact.	
3. Lock Assessment	Electrical shock, in y from faulty lock		- Keep water and other conductive materials away from your workspace to minimise the chances of accidental electrical conductivity.	2M
	5		- Confirm that replacement parts are sourced from reputable suppliers and meet Australian Standards to ensure safety and reliability.	
			- Schedule regular maintenance checks for locks, identifying faulty components before they become hazardous.	
			- Train all staff involved in lock changing on emergency procedures in case of electrical shock or malfunction.	
			- Clearly label and demarcate areas where electrical hazards exist so workers are aware of the risks involved.	
			- Use non-conductive barricades or warning tape around the worksite to maintain a safe distance for others.	
			- Ensure communication devices are accessible but placed a safe distance from live circuits to avoid interference or risk of shock.	
. Uninstall Old Lock	Finger pinching, sudden release of tension	ЗH		2M





Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Installing New Lock	Improper installation, part mix-up	31		2М
7. Testing New Lock	Faulty lock, not opening/closing properly	2M		1L








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUA RISK
9. Document Completion	Misreporting, inad urate record transing	2M		
10. Delivering Work	Manual handling, traffic hazards	3H		2M

Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				-
11. Client Interaction	Altercations, miscommunication	2М		1L





Date of Issue:












JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17. Lock Reassessment	Incorrect installation, lock malfunction			1L
18. Corrective Action (if needed)	Failure to rectify issue, repeated mistakes	ЗН		2M





Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
20. Sign-off	Inaccurate documentation, missed signatures			1L



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES							
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE							
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health an Safety Acta 04 Occupational Health and Infetring gulations 2017 Legismon VIC: <u>https://www.enerksafe.vic.gov.au/occupational-health-and-safety-act-and- ingulations</u> Indes of mactice VICouttps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice						
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: <a acts-and-regulations"="" href="https://www.safework.nsw.gov.au/legal-obligations/legislati-codes-of-ract.cod</td><td>Western Australia
Work Health and Safety Act 2020
Work Health and Safety Regulations 2022
Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u>
Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u></td></tr><tr><td>Northern Territory
Work Health and Safety (National Uniform Legislation) Act 2011
Work Health and Safety (National Uniform Legislation) Regulation 2011
Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/wc_place-sector-laws</u>
Codes of Practice NT: <u>https://worksafe.nt.gov.au/f</u></td><td>Safe Work Australia Links
Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u>
Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-
codes-of-practice</u>
Model Codes of Practice</td></tr><tr><td>South Australia
Work Health and Safety Act 2012 (SA)
Work Health and Safety Regulations 2012 (SA)
Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u>
Codes of Practice for SA: <u>https://www.safework.sa.gov.au/wor</u> <u>aces/codes-of-practice#COPs</u></td><td> Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes </td></tr><tr><td>Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination 						
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 						



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMPLETED	