Maintenance Of Gas Uti	lities SAFE WORK METH	DD STATEMENT (SWMS)	
TASK O	R ACTIVITY: Maintenance Of Gas	s Utilities	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E jii:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	sting a business or under the (Poull) is	required to en the that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:	NK	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	opliance i the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN PHAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with gislative requirements to first identify any site hazards, such to compare hicas those hazards and then to further take steps to either eliminate or contrast each hazard.			
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS		
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.		
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution		
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.		
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard		
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.		
is the second me	RARE 1 2 3 3 1L Inition and ke precords Isolate the hazard. otes on Hierarchy of Controls: Limination methods are the most effective and preferrence on construction is the second most effective method of controlling a hazard. Engineering by isolation is the structure for the second most effective method. Substitution is the second protective for method. Substitution is the second most effective method. PEE potes by changing the work is the fourth most effective method. PPE (Personal Protective For methol), the least effective Substitution Notes on the least effective										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Other PPE Required:										
	Pe	ermit or Lice	nses Requirem	ients			Mandatory Qualifications and Training				




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Falling objects, slips and trips, manual handling injuries	ЗН	 Conduct a pre-work site inspection to identic potential hazards and ensure the area is clear of debris. Use appropriate signage and barriers to column off the work area to prevent unauthorised access. Ensure all workers are trained in manual hand underhead in reduce the risk of injuries. Provide and enforce the user i personal protection equipment (PPE) such as gloves, safety boots, and helmets. Inspect and materials incurrely to record and materials incurrely to ensure they are in good working condition. Store tools and materials incurrely to record and materials incurrely to reduce the need for manual handling. Ensure are quarter unting in the work area to minimise the risk of slips and trips. Implement record to keep walkways and work areas free from obstructions. Conducting to toolbox talks to remind workers of the potential hazards and the importance of following so ty privedure. Assign supervisor to oversee the work and ensure that all safety measures are being followed. Instabilish emergency procedures and ensure all workers are familiar with them in case of an incident. 	1L
2. Gas Line Location	Explosions, gas leaks	4A	 Conduct a pre-start meeting to address potential risks and control measures. Verify all personnel are trained and competent in gas line location procedures. Use calibrated gas detection equipment to identify the presence of gas leaks. Mark the identified gas lines clearly using appropriate tags and flags. Ensure communication devices are operational for continuous on-site communication. Employ non-invasive methods such as ground-penetrating radar for locating gas lines. Follow local guidelines and regulations related to gas utility maintenance. Confirm that the relevant permits and authorisations are in place before commencing work. Have emergency response protocols in place, including evacuation routes and shutdown procedures. Wear appropriate personal protective equipment, including flame-resistant clothing and gas masks. Maintain a safe distance from identified gas lines during excavation and maintenance activities. Keep fire extinguishers and first aid kits readily accessible at the worksite. Periodically inspect the calibration and functionality of gas detection and location equipment. 	2M
3. Delineation of Work Area	Unauthorised access, falls from height, vehicle strike	2M	- Erect temporary fencing or barriers around the work area to restrict unauthorised access	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
		- Nor	- Use warning signs to alert personnel and the public of potential hazards within the delineated area	THOIT
			- Designate a spotter or safety officer to monitor the area for unauthorised entry	
			- Implement a permit-to-work system to ensure authorised personnel enter the worksite	
			- Utilise high-visibility clothing for all worker within the delineated area	
			- Install edge protection, such as guardrails covarance, to minimise fall risks at height	
			- Ensure proper lighting is provided if the work en ands into low that conditions	
			- Utilise personal fall arrest symmetry (harnesses an onverty) when working at height	
			- Ensure all vehicle deque safety markings and functioning alarms	
			- Position vehicles and equinent to inimise deriving where possible	
			- Conduct regular safety have fings and wook talks to reinforce hazard awareness	
			- Sign speed and enforce them within the worksite to reduce vehicle strike risk	
			- Estate showar trademanagement plans including designated pedestrian walkways separate from	
			vehicle ute	
Isolation of Services	Electrical check, goo look	ЗH		1L
Isolation of Services	Electrical shock, gas leak	3⊓		IL.
				-






Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Welding Procedures	Burns, eye damage, inhalation of fump	ЗН		1L
8. Pressure Testing	Equipment failure, explosion	ЗН		2M







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. De-isolation of Gas Supply	Gas leak, explosions	4A		I 3Н
11. Documentation And Handover	Incorrect recording of information, non- compliance	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Clean Up Operation	Slips, trips and falls, manual handling injuries	2M		1L
13. Collection And Disposal Of Waste	Environmental pollution, manual handling injuries	2M		1L







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Post-Maintenance Monitoring	Inadequate monitoring, missed faults	ЗН		2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17. Emergency Procedures	Lack of knowledge, inadequate response			2М
18. Equipment Maintenance	Slips, trips and falls, manual handling injuries	2М		1L

Version 2.5

Date of Issue:







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
20. Regular Inspection	Inadequate monitoring, missed faults	ЗН		2M
	S			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health at Safety Act and 4 Occupational Health and prfetvingulations 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations</u> of des of mactice VIC <u>extps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>					
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes rodes-oi raction Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes-oi raction	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>					
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-serv-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formed-resourcestorestorestorestorestorestorestorestor</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u> <u>codes-of-practice</u> Model Codes of Practice					
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_dces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes 					
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health end eafety consultation, construction and coordination 					
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 					



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selection	\boxtimes		
Responsible person is assigned and listed on the part the importation ontrol measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE REVIEWED		
SIGNATURE	DATE COMPLETED		