| Maintenance Of Treatment S | Systems SAFE WORK ME | THOD STATEMENT (SWMS) | |
|--|---|--|------------------------------------|
| TASK OR A | CTIVITY: Maintenance Of Treatm | ent Systems | |
| Business Name: | | ABN: | SWMS# |
| Business Address: | | | |
| Contact Person: | Phone: | E fil: | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROVIND BY | | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | | required to entry that a safe work method s | tatement (SWMS) is prepared before |
| Full Name: | | | |
| Signature: | NK | Title: | Date: |
| Details of the person(s) responsible for ensuring implementation, monitoring a | voliance i the VMS a vell as review | s and modifications of the SWMS. | |
| Full Name: | | Title: | Phone: |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS STMS MAKE THE FOLLOWING COMMUNICATED | NATE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS | DMMUNICATED TO IN THE |
| Safety meetings or toolbox talks will be sched ed in account with agislative requirements to first identify any site hazards, such as comparing those hazards and then to further take steps to either eliminate or contineach hazard. | | | |
| If an incident or a near miss occurs, all work must stop an attactive Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |



| CLIENT OR PRINCIPAL | CONTRACTOR DETAILS |
|---|---|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date SWMS supplied to Project Manager: | |
| ANY HIGH-RISK CONSTRUC | |
| ☐ involves a risk of a person falling more than 2 meters | I is carried out on or near pressurised gas mains or piping |
| □ is carried out on a telecommunication tower | carried out on or near chemical, fuel or refrigerant lines |
| ☐ involves demolition of an element of a structure that is load-bearing | □ is carried out on or near energised electrical installations or services |
| □ involves demolition of an element related to the physical integ. Y of a sucture | \square is carried out in an area that may have a contaminated or flammable atmosphere |
| □ involves, or is likely to involve, disturbing asb | ☐ involves tilt-up or precast concrete |
| involves structural alteration or repair that quires terminary supart to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| □ is carried out in or near a confined space | \Box is carried out in an area of a workplace where there is any movement of powered mobile plant |
| is carried out in/near a shaft or trench deeper that tunnel involving use of explosives | ☐ is carried out in areas with artificial extremes of temperature. |
| ☐ is carried out in or near water or other liquid that involves a risk of drowning. | ☐ involves diving work. |
| ANY HIGH-RISK MACHINER | RY OR EQUIPMENT NEARBY |
| | |
| | |
| | |



| RISK MATRIX | | | | | | | | | | |
|---|---------------|---------------|---------------|------------|--------------|----------------|---|--|------------------------------------|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | | | HEIRARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | SCORE | ACTION | | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCE | | Substitution | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review befor work starts. | | Replace the hazard. | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | | Isolate People from the hazard | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | nitor and k⊾ records | | Engineering Isolate the hazard. | |
| DARE LOW LOW MODERATE HIGH HIGH LOW Moderate Isolate the hazard. Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferrement on the value of controlling a hazard. Engineering by isolation is the virtue ost endiver, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective Substitution Administrative PPE PPE PPE PPE PPE PPE | | | | | | | | | | |

| | | | | | | TIVE EQUIPM | | | | | |
|---------------------|---------------------------------|--------------------|---------------|-------------|----------------------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | Select the ap | propriate PPL | abo, ruitab | i or the equi | oment used or | the job task | being perform | ned (if applica | able). | |
| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | | P ECTION | R⊾ ⇒PIRATORY PROTECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Other PPE Required: | | | | | | | | | | | |
| | Permit or Licenses Requirements | | | | | | Ма | andatory Qual | ifications and | Training | |
| | | | | | | | | | | | |




| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------|--|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Exposure to chemical substances, Slips and trips | ЗН | Conduct a thorough risk assessment prior a darting the work to identify potential hazards related to chemical exposure and ground conditions. Provide adequate training to workers on the unconding and use of chemicals, including proper storage procedures. Ensure that all personnel are unupped with suital operational protective equipment (PPE), such as gloves, goggles, and uncrators, there necessary. Implement spin ontainment measures and have spill kits readily available to handle any accidental releases. Clease label a chemic containers are ensure Material Safety Data Sheets (MSDS) are accessible for refere. Maint in the ar and chanised work areas to minimise the risk of slips and trips, ensuring that tools and material are used in unignated storage spaces. Use priver signing to alert workers and visitors to slippery surfaces or other trip hazards in the vicinity. Control egular inspections of the work area to promptly address and rectify slip and trip hazards. Encourage the practice of good housekeeping by all workers to immediately clean up spills and debris. In element a system where workers report any unsafe conditions related to slips, trips, or chemical hazards directly and promptly. Review and update safety procedures regularly, incorporating feedback from employees to improve safety practices continuously. | 2М |
| 2. Inspection of system | Electrocution from contact with live parts, Unexpected start-up of equipment | ЗН | Conduct a risk assessment prior to commencing work to identify potential electrical hazards. Ensure all personnel are trained and competent in electrical safety and lockout/tagout procedures. De-energise and isolate electrical components using lockout/tagout procedures before commencing inspection. Use insulated tools and equipment when working near live electrical components. Wear appropriate personal protective equipment (PPE), including rubber-soled boots and electrical gloves. Position warning signs and barriers to alert others of electrical work in progress. Inspect all electrical panels, wires, and connections for damage or wear prior to beginning work. Install residual current devices (RCDs) where appropriate for additional protection against electrocution. Keep water and moisture away from electrical components to prevent accidental contact. Test for absence of voltage using approved testing equipment before touching any electrical parts. | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------------|--|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Ensure communication systems are in place to alert colleagues in case of emergency. | |
| | | | - Implement administrative controls such as schedules and checklists to avoid oversights. | |
| | | | - Designate a spotter to observe the worker for some y while near electrical installations. | |
| | | | - Review emergency procedures and ensurement and equirment is readily accessible. | |
| 3. Powering off the system | Residual power causing damage, Accidental restart of system | ЗН | Ensure all workers are trained and competent unckout/tagout (LOTO) procedures specific to the treatment system. Verify that a risk assessment us been conducted of a commencing work to identify potential energy sources and hazard. Implement and O protocol to ensure that particles completely shut off and cannot be inadvertently reactivated. Clean tabel an writerian, levers, or buxons that control power supply with appropriate signage indicating they is to find to burned. Utilizeror, responsible portective equipment (PPE), such as insulated gloves and safety glasses, when powerin off to system. Usign super for or responsible person to oversee the shutdown process to confirm that all stages are now if correctly. Use a nucl-lock system where each worker involved applies their own lock to prevent accidental narring until all are removed. Onduct a walk-through inspection after shutdown to verify there is no residual power in the system components. Display warning signs around the work area during maintenance to alert others to the potential hazards of an unexpectedly powered system. Communicate clearly with all team members about the status and stage of the maintenance task to avoid confusion or mistakes. Position barriers or safety cones around the shutdown system to restrict unauthorized access and reducing the likelihood of accidental restart. | 2M |
| 4. Cleaning of system | Exposure to hazardous cleaning chemicals, Cuts or punctures from sharp objects | ЗН | | 2M |







| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 6. Electrical work | Electrocution, Fires due to short circul | | | 2М |
| 7. Ladder use | Falling from ladder, Objects falling from ladders onto workers | ЗH | | 2M |

Version 2.5

Date of Issue:







PayPal

bluesafe.

| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|--|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 9. Testing the functioning of the system | System malfunction leading to fluid le ts or sprays, Burst pipes or tubes | | | 2M |
| 10. Labelling the equipment as safe for use | Incorrect labelling leading to misuse, Poor visibility of labels | 2M | | 1L |

Version 2.5




| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 11. Documenting maintenance activities | Incomplete records leader to unsecked issues, Miscommunication the matter due to poor documentation | 2М | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 12. Return of equipment to service | Faulty equipment after maintenance, Improperly installed equipment | ЗН | | 2M |
| 13. Disposal of waste materials | Exposure to harmful substances at disposal area, Incorrect disposal causing environmental harm | | | 1L |







| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 15. Regular audits and checks for safety procedures | Bypass of safety check, Non-adherence to standard procedure | ЗН | | 2M |
| | | | | |



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE REF | ERENCES |
|--|--|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL | ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice | Victoria Occupational Health at Safety Act and 4 Occupational Health and prfetvingulations 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations</u> of des of mactice VIC <u>extps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u> |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes rodes-oi raction Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes-oi raction | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-serv-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formed-resourcestorestorestorestorestorestorestorestor</u> | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u> <u>codes-of-practice</u> Model Codes of Practice |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u> | Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes |
| Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice | First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health end eafety consultation, construction and coordination |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents. | Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work |



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | COMMENTS |
|---|----------------|----------|
| | | |
| The company details have been entered, including the project name and address. | | |
| All relevant personnel consulted during the development of the SWMS. | | |
| Name, signature, position and date signed of the person approving the SWMS. | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | |
| Adequate risk assessment of any identified hazards has been completed. | \boxtimes | |
| Foreseeable hazards are identified and documented for each step. | \boxtimes | |
| Any hazards listed in any site risk assessments have been added to the SWMs | \boxtimes | |
| SWMS initial risk (IR) column as well as residual risk (RR) column mpleted. | \boxtimes | |
| Check control measures added to the SWMS are the most effective selection | \boxtimes | |
| Responsible person is assigned and listed on the property of the importation control measures. | \boxtimes | |
| Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc. | \boxtimes | |
| SWMS identifies plant and equipment to be use | \boxtimes | |
| Details of inspection checks required for any equipment listed protection on the SWMS. | \boxtimes | |
| Describes any mandatory qualifications, experience, and g or skills required to perform the work. | \boxtimes | |
| Applicable personal protective equipment is selected on the SWMS. | \boxtimes | |
| Reflects and documents any legislative references and/or Australian Standards. | \boxtimes | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | \boxtimes | |
| | | |
| REVIEWED BY | DATE REVIEWED | |
| SIGNATURE | DATE COMPLETED | |