



Manual Handling Of Heavy C	arcasses SAFE WORK M	ETHOD STATEMENT (SWMS)
TASK OR AC	TIVITY: Manual Handling Of Hea	vy Carcasses	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROX 0 BY	THE PC. OF TP' ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or under the (PC 1) is	required to en that a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	poliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS S (MS M) HAVE THE FOLLOWING COMMUNICATED	NA. 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND C THIS SWMS	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched sed in accounty with gislative requirements to first identify any site hazards, and then to further take steps to either eliminate or continuous each hazard.			
If an incident or a near miss occurs, all work must sto, an attely. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			





CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH BIOK CONSTRUCTOR	NAME OF THE POLIT
ANY HIGH-RISK CONSTRUCTOR	N WC & BEIN C ARIED OUT
☐ involves a risk of a person falling more than 2 meters	is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	\square is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical integral of a functure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
☐ involves structural alteration or repair that —quires term — v sup —rt to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
☐ is carried out in/near a shaft or trench deeper that. tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
\square is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	Y OR EQUIPMENT NEARBY



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS		
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION	Elimination Remove the hazard.		
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE	Substitution		
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.	Replace the hazard.		
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Isolate People from the hazard		
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and	Engineering Isolate the hazard.		
is the second m	Administrative Notes on Hierarchy of Controls: Elimination methods are the most effective and preferrence on the second most effective method of controlling a hazard. Engineering by isolation is the interpost entire to see the five, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equament) whe least effective									

	PERS VALIT TECTIVE EQUIPMENT (PPE)										
		Select the app	propriate PPL	abo√ ≃uitab	ic or the equi	pment used or	the job task	being perforr	ned (if applica	ıble).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING ETION	P ECTION	R PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Other PPE Required:										
	Pe	ermit or Licen	ses Requirem	ents		Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Exposure to biological hazards, Slippage due to wet floor	ЗН	 Conduct a thorough risk assessment to idea by specific biological hazards associated with handling heavy carcasses. Ensure all workers have up-to-date vaccinations cannot disease that may be transmitted through contact with animal carcasses. Provide personal protective or tipment (PPE) success were proof gloves, aprons, and face shields to prevent skin contact with siologic chazards. Install non-slip or atsion stores increas prone or become wet during the handling process to reduce the risk of slippin. Implement a regular of being schedulous keep floors dry and free from animal fluids or other contact of its. Displement a regular of being schedulous keep floors may be wet, alerting workers to take extra caution. Use mitchan all aids on trolleys or hoists to reduce the physical strain involved in manual handling. Ingin we kers or proper lifting techniques to minimise the risk of musculoskeletal injuries from manual handling or causes and well-ventilated area for handling carcasses to help disperse any airborne biological hazards. In sure proper disposal procedures for waste and fluids from carcasses to prevent contamination and reduce slip hazards. Monitor compliance with safety protocols through regular inspections and audits of the work area and practices. Establish an incident reporting system encouraging workers to report hazards or incidents immediately. 	2M
2. Lifting carcass	Strains and sprains, Cuts and abrasions	4A	 Conduct a pre-lift assessment to determine the weight and centre of gravity of the carcass. Use mechanical lifting aids such as hoists or trolleys whenever possible to reduce manual handling. Ensure workers are trained in proper lifting techniques, such as keeping the back straight and bending at the knees. Implement a team lift approach for heavy carcasses, ensuring communication and coordination among all team members. Provide appropriate personal protective equipment (PPE), such as gloves with cut-resistant properties. Clear the work area of any obstacles or hazards that could lead to trips or falls during lifting. Arrange for regular rest breaks to prevent fatigue among workers handling heavy carcasses. Establish a clear path for transporting the carcass to minimise unnecessary lifting or carrying distances. Encourage workers to seek assistance from colleagues if they are unsure about the safe handling of a carcass. 	3Н



ARISE INITIAL RISK		RESIDUAL RISK
	 Rotate tasks among workers to avoid repetitive strain on the same muscle groups. Position carcasses at an optimal working height before lifting to reduce the need for excessive bending or reaching. Keep tools and lifting aids well-maintained to evevent failures that may lead to injuries. Review and update manual handling processores requestly to incorporate new safety techniques and technologies. Ensure workers receive appropriate training on sample mandling techniques and proper use of equipment. Use mechanicatinds success trokes, hoists, or conveyors to assist in moving heavy carcasses, reducing the exception of physical train. Implement a salidy system where works a work in pairs or teams to lift and transport carcasses, ensure where we are coordinated movements. Designate lear paraways for the transportation of carcasses to minimise the risk of collisions with other 	
	or reaching. - Keep tools and lifting aids well-maintained to revent failures that may lead to injuries. - Review and update manual handling proce ares requestly to incorporate new safety techniques and technologies. - Ensure workers receive appropriate training on second manual mandling techniques and proper use of equipment. - Use mechanic ands such as trocks, hoists, or onveyors to assist in moving heavy carcasses, reducing the max of physical train. - Implement a mildy system where works a work in pairs or teams to lift and transport carcasses, ensures that dear passways for the transportation of carcasses to minimise the risk of collisions with other	
	- Review and update manual handling procesures regressly to incorporate new safety techniques and technologies. - Ensure workers receive appropriate training on summary handling techniques and proper use of equipment. - Use mechanic ands success trocks, hoists, or onveyors to assist in moving heavy carcasses, reducing the last of physical train. - Implement a subdy system where workers work in pairs or teams to lift and transport carcasses, ensures thared upon a coordinated movements. - Designate plear pageways for the transportation of carcasses to minimise the risk of collisions with other	
	- Ensure workers receive appropriate training on so many mandling techniques and proper use of equipment. - Use mechanic ands success trokers, hoists, or conveyors to assist in moving heavy carcasses, reducing the lock of physical train. - Implement a worldy system where workers work in pairs or teams to lift and transport carcasses, ensures thereof we are coordinated movements. - Designate plear pageways for the transportation of carcasses to minimise the risk of collisions with other	
	equipment. - Use mechanic ands success troiners, hoists, or conveyors to assist in moving heavy carcasses, reducing the last of physical train. - Implement a subdy system where workers work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses, ensure where we work in pairs or teams to lift and transport carcasses.	
	reducing the law of physical train. - Implement a boldy system where works a work in pairs or teams to lift and transport carcasses, ensure where works are coordinated movements. - Designate plear payways for the transportation of carcasses to minimise the risk of collisions with other	
	ensular hared and coordinated movements. - Designate lear payways for the transportation of carcasses to minimise the risk of collisions with other	
	Apply to ar an visible signage in areas where carcass transportation occurs to alert workers and reduce up to be a linear carcast transportation occurs to alert workers and reduce up to be a linear carcast transportation occurs to alert workers and reduce up to be a linear carcast transportation occurs to alert workers and reduce up to be a linear carcast transportation occurs to alert workers and reduce up to be a linear carcast transportation occurs to alert workers and reduce up to be a linear carcast transportation occurs to alert workers and reduce up to be a linear carcast transportation occurs to alert workers and reduce up to be a linear carcast transportation occurs to alert workers and reduce up to be a linear carcast transportation occurs to alert workers and reduce up to be a linear carcast transportation occurs to alert workers and reduce up to be a linear carcast transportation occurs to alert workers and reduce up to be a linear carcast transportation occurs to alert workers and transportation occurs transportation occurs to alert workers and transportation occurs to all transportation occurs to all transportation occurs to all transportations are all transportations and transportation occurs to all transportations are all transportations and transportation occurs to all transportations are	
ith other	Conorgular maintenance checks on all equipment involved in carcass transportation to ensure they in safe working condition.	
3H	- Buablish a communication protocol using radios or hand signals to facilitate coordination between workers during transportation.	2M
	- Schedule carcass transport during less busy times to decrease congestion and interaction with other workplace activities.	
	- Develop and enforce a strict no-entry policy for unauthorised personnel in areas designated for carcass transportation to maintain safety.	
	- Provide personal protective equipment (PPE) like gloves and steel-toed shoes to protect workers from potential injuries.	
	- Mark blind spots clearly and install mirrors at critical points to improve visibility and prevent collisions.	
	- Monitor and adapt the transportation process to account for changes in environmental conditions, such as slippery floors due to spills.	
	- Encourage regular breaks for workers involved in manual handling to reduce fatigue and maintain focus on safe practices.	
ght hazards 2M		1L
		Conc. an gular maintenance checks on all equipment involved in carcass transportation to ensure they a in safe-working condition. - Bublish a communication protocol using radios or hand signals to facilitate coordination between workers during transportation. - Schedule carcass transport during less busy times to decrease congestion and interaction with other workplace activities. - Develop and enforce a strict no-entry policy for unauthorised personnel in areas designated for carcass transportation to maintain safety. - Provide personal protective equipment (PPE) like gloves and steel-toed shoes to protect workers from potential injuries. - Mark blind spots clearly and install mirrors at critical points to improve visibility and prevent collisions. - Monitor and adapt the transportation process to account for changes in environmental conditions, such as slippery floors due to spills. - Encourage regular breaks for workers involved in manual handling to reduce fatigue and maintain focus on safe practices.



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Inspection of carcadess	Chemical exposure, Biological contamination	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
6. Tools maintenance	Hand injuries, Eye injuries from spar or debris	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Dressing carcass	Cuts from sharp equipment, Musculoskeletal disorders through repetitive movements	4A		3 H
8. Cleaning work area	Slippery floors, Handling cleaning chemicals	ЗН		1 2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Disposing waste products	Exposure to biological hazards, Risk of cuts	2M		I 1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
				•
				•
10. Machine setup for next use	Crush injuries, Elec	ВН		2M
				ı
				•



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Dealing with accidents or injuries	Infection risk, Severity of injury increased if unattended	2M		1L
12. Maintain hygiene	Cross contamination, Viral infection	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Handling of tools	Eye injuries from flying particles, H injuries from incorrect ha	3Н		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Destination management	Crushing hazards, Tripping on obstacles	2M		1L
15. Supervising operations	Failure in supervision, Accidental incident due to lack of monitoring	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				1
	<u></u>			
	5			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatide

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-oi racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health at Safety Act

Occupational Health and affety gulations 2017

Legis on VIC: https://www.csafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains a fective of must be reviewed (and revised if necessary) if relevant control measures are revised. The view process should be carried out in consultation with workers (including contractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU mast ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							





SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.		
Any hazards listed in any site risk assessments have been added to the SWMS		
SWMS initial risk (IR) column as well as residual risk (RR) column ppleted.		
Check control measures added to the SWMS are the most effective selections		
Responsible person is assigned and listed on the part the important portrol measures.		
Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc.		
SWMS identifies plant and equipment to be us		
Details of inspection checks required for any equipment listed a noted on the SWMS.		
Describes any mandatory qualifications, experience, a g or skills required to perform the work.		
Applicable personal protective equipment is selected on the SWMS.		
Reflects and documents any legislative references and/or Australian Standards.		
Identifies any hazardous substances used with specific control measures in line with any SDS.		
REVIEWED BY	DATE REVIE	WED
SIGNATURE	DATE COMPL	ETED