



Mig Welder   SA	AFE WORK METHOD STAT	EMENT (SWMS)	
	TASK OR ACTIVITY: Mig Welder	r	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or undo	required to en that a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:	NY	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	noliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS & MS M HAVE THE FOLLOWING COMMUNICATED	NA 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND C THIS SWMS	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched and in account with gislative requirements to first identify any site hazards, and then to further take steps to either eliminate or conincact those each hazard.			
If an incident or a near miss occurs, all work must sto, quately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH BIOK CONSTRUCTOR	NAME OF THE POLIT
ANY HIGH-RISK CONSTRUCTOR	N WC & BEIN C ARIED OUT
☐ involves a risk of a person falling more than 2 meters	is carried out on or near pressurised gas mains or piping
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	$\square$ is carried out on or near energised electrical installations or services
☐ involves demolition of an element related to the physical integral of a functure	☐ is carried out in an area that may have a contaminated or flammable atmosphere
☐ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
☐ involves structural alteration or repair that —quires term — v sup —rt to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant
☐ is carried out in/near a shaft or trench deeper that. tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
$\square$ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	Y OR EQUIPMENT NEARBY

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS		
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION	Elimination Remove the hazard.		
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE	Substitution		
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.	Replace the hazard.		
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Isolate People from the hazard		
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and	Engineering Isolate the hazard.		
is the second m	rchy of Controls: ost effective metho nging the work is th	d of controlling a	hazard. Enginee	ering by isolati	on is the in ost e	en 'ive, while	rd. Substitution Administrative effective	Administrative Change the work.  PPE		

				PERS		TIVE EQUIPM					
		Select the app	propriate PPL	abo√ ≃uitab	ic or the equi	pment used or	the job task	being perforr	ned (if applica	ıble).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING ETION	P ECTION	R PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Required:										
	Pe	ermit or Licen	ses Requirem	ents		Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Welder's flash, Electrical shock	2M	Sure, here are thirteen detailed control meanles for the mentioned work step and hazards:  - Ensure all workers have current and appropriate training in Mig Welding procedures and Hazards.  - Conduct a thorough inspection of the welding a unine and equipment prior to use. This includes checking for any signs of datinge, frayed cords or ponectors:  - All electrical connections show the insulated and to make on cords must comply with Australian Standards AS/NZS 10.  - Utilise welds ascreens to protect the ars in the uninity from welder's flash.  - Require all ophratives trained appropriate personal protective equipment (PPE) including safety glasses for Unantection fand vesistant gloves, and protective footwear.  - Open on whoulds an appropriate respirators if ventilation is inadequate.  - Deploy none impuss a shields or guards to prevent sparks or slag reaching flammable material.  Niways seep a unitable fire extinguisher within easy reach when welding is taking place.  - Manchin clean and clutter-free working area, reducing the risk of any incidental contact with hot urfaces, accidental triggering of the machinery.  - Angularly review and update risk assessments and safe work method statements (SWMS) to reflect changes in working methods or newly identified risks.  - De-energise and lockout/tagout welding machines when not in use or unattended as per Australian Standard AS/NZS 4836:2011.  - Ensure all welding operations are undertaken at least 3 metres away from any flammable materials, as per Australian Standard AS16742.1.  - Follow proper procedures for shutdown after welding operations, including allowing time for cooling before storage or disposal of waste materials.	1L
2. Material Handling	Musculoskeletal injuries, Cuts and abrasions	3H	<ul> <li>- Using proper manual handling techniques: Given that musculoskeletal injuries are a common concern with MIG welding, all personnel should receive training in safe manual handling.</li> <li>- Equipment and Work Design: MIG Welding equipment should be ergonomically designed to prevent posture-related injuries. The workspace layout should complement the welder's movements, reducing the need for bending or twisting.</li> <li>- Use of Protective Tools: Workers should wear gloves and long-sleeved jackets to protect against cuts and abrasions.</li> <li>- Regular Risk Assessment: Conduct safety audits and workplace hazard assessments regularly to mitigate any potential risks.</li> <li>- Proper Storage Methods: Store materials appropriately to minimise risk of trip hazards or falling objects.</li> </ul>	2М



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Utilise Mechanical Aids: Wherever possible, use mechanical aids such as trolleys or hoists to move heavy materials.	
			- Supervision and Safety Checks: Management my censure that workers perform their tasks following health and safety guidelines. Regular equipment aspections and maintenance can help detect any issues early.	
			- Training Sessions: Regular safety-training sions sould be conducted to increase awareness about MIG welding hazards amongst employees.	
			- Emergency Protocols: Have stablished emergency evacure in procedures and keep first-aid equipment readily available.	
			- Adequate Break suffice t rest breaks to reduce fatigue and increase concentration levels.	
			- Limiting we nours: To posent over xertion and fatigue, which ultimately leads to accidents, set reasonable lines for works hours.	
			- Saft at terial Land When disposing of scrap metal and other waste material, do so safely to avoid cuts a stream of the same s	
			- Communication in the workplace, helping to raise potential safety concern prohably.	
			dical ervice. Implement a health monitoring program that includes regular medical checks to monitor the specific health needs and adapt to changes.	
			- gularly inspect the welding equipment for possible leaks or damages. Any detected damages should be reported and repaired immediately.	
			- Ensure all workers are properly trained and certified to handle welding equipment. This includes understanding the mechanics, risks, and appropriate safety measures.	
			- Use well-ventilated areas for welding processes to prevent the accumulation of gas and reduce explosion risk.	
			- Use flame-resistant barriers around the work area to contain any sparks or flames produced during the welding process.	
Welding Process     Initiation	Gas leaks, Explosion risk	4A	- Workers should always wear appropriate Personal Protective Equipment (PPE). This can include welding helmets, fire-resistant jackets, gloves, and boots.	3H
			- Keep flammable materials well away from the welding area to eliminate potential fuel sources for fires and explosions.	
			- Regularly clean and maintain welding equipment to ensure it is functioning safely and efficiently.	
			- Implement an effective communication system to relay safety instructions and updates within the team to prevent accidents.	
			- Follow the correct shutdown procedures after welding operations, making sure gas cylinders are secured and stored in a safe area.	
			- Use safety devices such as flash arrestors on equipment to prevent the ignition of gases.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Establish a buddy system to ensure that one team member can quickly respond and give first aid assistance when needed.	
			- Set up designated fire extinguisher points, and extree they are easy to access and clearly marked.	
			- Make sure welders take regular breaks to a dafatigue. Tired workers are more likely to make mistakes that could lead to accidents.	
4. During Welding	Metal fumes and gasses LIV radiation	44		3H
5. Inspection and	Eye strain, Repetitive stress injuries	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Cleaning and Maintenance	Chemical exposure, Slips, trips, and falls	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Shutdown process	Electrical shock, Fires	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Waste Disposal	Cuts from sharp waste, Hazardous waste handling	ЗН		<b>1</b> 2M
9. Breakdown procedure	Heavy lifting, Electrical shock	ЗН		<b>1</b> 2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Emergency procedures training	Inadequate training, panic situations	ЗН		<b>1</b>
procedures training				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				1
11. Ventilation check	Risk of asphyxiation, Bust Inhalation	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Fire safety equipment availability check	Risk of major burns, Smoke inhalation	4A		2M
13. PPE Inspection	Faulty equipment, Inadequate protection	ЗН		I <sup>1L</sup>



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Height work preparations for overhead welding	Falls from height, Struck by falling objects	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Lockout/tagout operations	Unexpected start- Electric shock	3H		1 1L
16. Equipment testing (welding machine)	Electric shock, Explosion risk	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17. Visual inspection of the welding area	Ignoring potential hazards, Tripping over objects	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
PECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUA RISK
				<b>.</b>
. Final Welding	Eye strain, Failure identif	зн		2M
pection				



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK





#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-oi racti

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compliance/worksafe.nt.gov.au/laws-and-compl

Codes of Practice NT: https://worksafe.nt.gov.au/f

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le\_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work\_aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health al. Safety Act

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.wksafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <a href="https://www.commerce.wa.gov.au/worksafe/legislation">https://www.commerce.wa.gov.au/worksafe/legislation</a> Codes of Practice WA: <a href="https://www.commerce.wa.gov.au/worksafe/codes-practice">https://www.commerce.wa.gov.au/worksafe/codes-practice</a>

#### Safe Work Australia Links

Law and Regulation (All States): <a href="https://www.safeworkaustralia.gov.au/law-and-regulation">https://www.safeworkaustralia.gov.au/law-and-regulation</a> Model Codes of Practice: <a href="https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice">https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice</a>

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains a fective of must be reviewed (and revised if necessary) if relevant control measures are revised. The view process should be carried out in consultation with workers (including contractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU mast ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

Version 2.5 Authorised by Review # Date of Issue: Review Date: 19





### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.		
Any hazards listed in any site risk assessments have been added to the SWMS		
SWMS initial risk (IR) column as well as residual risk (RR) column pleted.		
Check control measures added to the SWMS are the most effective selective.		
Responsible person is assigned and listed on the person is as a person is as a person is a p		
Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc.		
SWMS identifies plant and equipment to be us		
Details of inspection checks required for any equipment listed a noted on the SWMS.		
Describes any mandatory qualifications, experience, and or skills required to perform the work.		
Applicable personal protective equipment is selected on the SWMS.		
Reflects and documents any legislative references and/or Australian Standards.		
Identifies any hazardous substances used with specific control measures in line with any SDS.		
REVIEWED BY	DATE REVIE	WED
SIGNATURE	DATE COMPL	ETED