Motor Mower Ride-On SAFE WORK METHOD STATEMENT (SWMS)							
TAS	COR ACTIVITY: Motor Mower Rid	de-On					
Business Name:		ABN:	SWMS#				
Business Address:							
Contact Person:	Phone:	E fil:					
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY						
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en the that a safe work method s	tatement (SWMS) is prepared before				
Signature:		Title:	Date:				
Details of the person(s) responsible for ensuring implementation, monitoring	npliance the VMS a well as review	s and modifications of the SWMS.					
Full Name:		Title:	Phone:				
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NAME OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE				
Safety meetings or toolbox talks will be sched ed in according with egislative requirements to first identify any site hazards, such a compared compared those hazards and then to further take steps to either eliminate or contral each hazard.							
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.							
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.							
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.							



CLIENT OR PRINCIPAL CONTRACTOR DETAILS							
Client:	SCOPE OF WORKS						
Project Name:							
Project Address:							
Project Manager:							
Contact Phone:							
Date SWMS supplied to Project Manager:							
ANY HIGH-RISK CONSTRUC							
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping						
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines						
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services						
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere						
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete						
involves structural alteration or repair that quires terrar by supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor						
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant						
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.						
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.						
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY						



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Other PPE Required:										
	Permit or Licenses Requirements Mandatory Qualifications and Training										



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Debris on ground, overhead power lines	2М	 Thorough inspection: Before starting the proving task, conduct a comprehensive site inspection to identify any potential hazards such as debrion the group, overhead power lines, or other obstructions. Site cleanup: Remove any debris, loose mate to be objects from the ground to prevent them from getting caught in the mower blades or causing durage to the exipment. Power line assessment: Debring in the height and stap of overhead power lines from the work area and ensure there is a durate containe for the ride-to otor mower. Use proper sint ge: Clean mate of the work of a with appropriate signs and barriers to ensure that unauthoriset ersonnel are usent at a the dimage. Awardess training: Bundle employee with necessary training about potential hazards related to ride-on move nower, not necessary training about potential hazards related to ride-on move nowers or the control measures they should follow during the preparation stage. PPE I glupment: Sup all workers with essential Personal Protective Equipment (PPE), including safety tots, noves, a protection, high-visibility clothing, and hearing protection. Pre-sta to heaver size device operators to complete a pre-start checklist for the ride-on mover, ensing that it is used working condition and all safety guards and devices are securely in place. Weatro bansiderations: Check the weather conditions before commencing work, and reschedule tasks base of neavy rain or strong winds that could cause debris accumulation or unstable ground conditions. Sine work procedures: Develop and follow specific Safe Work Method Statements (SWMS) during this work step, discussing them with workers and ensuring they understand their responsibilities. Tree trimming: If necessary, trim tree branches and vegetation around the work area to minimise contact with overhead power lines and reduce the risk of electrocution. Monitor surface conditions: Continuously monitor ground conditions while m	1L
2. Pre-start checks	Damaged equipment, incorrect fluid levels	2M	 Conduct a thorough visual inspection of the motor mower and its components, checking for any signs of damage, wear, or deterioration. Check all safety devices, such as safety guards and kill switches, to ensure they are intact and functioning correctly. Inspect belts, chains, and cables for any signs of fraying, damage, or excessive wear. Replace if necessary. Examine all hoses and connections for leaks or damages, paying close attention to hydraulic lines and fluid levels. 	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Verify that all fluid levels (oil, coolant, brake fluid) are within the manufacturer's recommended range. Top up if required.	
			- Check tyre pressure and condition, ensuring that by do not show any signs of damage, punctures, or excessive wear.	
			- Inspect the mower blades for damage or pressive wear Sharpen or replace if necessary.	
			- Ensure that all control levers and linkage are prover working order and free from obstruction.	
			- Check the fuel level and fill to the tank, ensuring that no copting mants or debris are introduced in the process.	
			- Test all lights, indication and we aing signals on the outer mower to ensure they are functioning correctly.	
			- Consult the verator's manual for all specify pre-start checks required for the specific make and model of the votor moder.	
			- Doc that all present check findings on a checklist or logbook, addressing any identified issues before using the tripmen	
			- Hold a pollon talk wherall operators, discussing the importance of conducting pre-start checks, rocedures to herew, and hazards to be aware of.	
	1		- Escriblish a routine maintenance schedule for the motor mower, including regular servicing and inspect to promote the longevity and safe operation of the equipment.	
			- Furper Training: Ensure that all operators using the mower are trained in its safe operation, including how to start and stop the mower, engage and disengage cutting mechanisms, steer, park, and troubleshoot any issues.	
	5		 Protective Equipment: Provide appropriate personal protective equipment (PPE) for operators, including earmuffs or earplugs to reduce exposure to excessive noise, safety goggles to protect against flying debris, and gloves to minimise contact injuries. 	
3. Start mower	Exposure to noise, improper operation	2M	- Routine Maintenance: Conduct regular inspections and maintenance on the motor mower to ensure it is in good working order and safe to use. Maintain a maintenance log and follow the guidelines provided by the manufacturer.	1L
o. otart mowor	technique	2.00	- Pre-Start Checklist: Develop and implement a pre-start inspection checklist that includes checking all safety features, fluid levels, tyre pressure, and function of the ignition system before starting the mower.	
			- Starting Operations: Instruct operators to start the mower only when they are seated properly and all controls are neutral. Ensure the parking brake is engaged before starting the engine.	
			- Mowing Techniques: Train operators on proper mowing techniques to reduce the risk of overturning, like driving at an appropriate speed for the terrain, following the contours of the landscape, and avoiding steep slopes, sharp turns, or sudden changes in terrain where possible.	
			- Hazardous Areas: Identify and flag hazardous areas in the mowing area, such as steep slopes, water bodies, and obstacles that may require additional safety precautions or techniques to safely navigate.	




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Emergency Stop Procedure: Inform operators about the emergency stop procedures for the mower, including how to quickly shut down the engine, disengage the cutting mechanism, and apply the brake in case of an emergency or malfunction.	
			- Enclosed Cab Option: If feasible, consider procung an enclosed cab option for the mower to further protect operators from excessive noise expressive, flying debris, and inclement weather conditions.	
			- Noise Communication: Implement a system or communication between operators if necessary, such as using hand signals, radios, or visual indicators of antate clear and efficient communication without excessive shouting or noise exposure.	
			- Proper Storage: Instruct open are on the proper's page the mower when not in use, meaning parked on a flat surface with the parking make engaged, cut a mechanism disengaged, and keys removed to prevent unauthor of anothesiafe the pration.	
			- Continuous, provement, eriodica, reviewand update safety procedures, training materials, mainter ance so trices, and control mean es based on feedback from operators, observations of work process, and control in the mower equipment, ensuring that safety remains a priority within your workplice.	
4. Ride-on mowing	Hitting obstacles, rollover	ЗН		2М

Version 2.5

Review #








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Blade maintenance	Sharp blades, pincturoints	σH		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Slope operation	Loss of control, loss of traction	ЗН		2M








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Fuel storage & handling	Fire hazard, toxic fume inhalation	3H		
10. Refuelling	Spillage, overfills	2M		1L

Version 2.5















EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE RE	EFERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGIS	SLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health and Safety Acta 24 Occupational Health and Safety Acta 24 Descriptional Health and Safety - gulations 2017 Legis from VIC: https://www.worksafe.vic.gov.au/cocupational-health-and-safety-act-and- safety - safety - safe
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workslate-serve-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workslate-serve-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 Weiding processes First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work Any required documents	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work

- Any required documents.



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the SWMS	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selections	\boxtimes		
Responsible person is assigned and listed on the part the importation control measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE RE	VIEWED	
SIGNATURE	DATE COM	DATE COMPLETED	