



Preventing Allergic Reac	tions SAFE WORK METH	OD STATEMENT (SWMS)	
TASK OF	RACTIVITY: Preventing Allergic	Reactions	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E 111:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PCL OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	cting a business or under the (PC 1) is	required to en that a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	apliance the VMS a well as review	es and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS S (MS IN HAVE THE FOLLOWING COMMUNICATED	NA, 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched and in accomposition with a gislative requirements to first identify any site hazards, and then to further take steps to either eliminate or continuous each hazard.			
If an incident or a near miss occurs, all work must ste, anately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





CLIENT OR PRINCIPAL	CONTRACTOR DETAILS						
Client:	SCOPE OF WORKS						
Project Name:							
Project Address:							
Project Manager:							
Contact Phone:							
Date SWMS supplied to Project Manager:							
ANY HIGH BIOK CONSTRUCTOR	NAME OF THE POLIT						
ANY HIGH-RISK CONSTRUCTOR	N WC & BEIN C ARIED OUT						
☐ involves a risk of a person falling more than 2 meters	is carried out on or near pressurised gas mains or piping						
☐ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines						
☐ involves demolition of an element of a structure that is load-bearing	\square is carried out on or near energised electrical installations or services						
☐ involves demolition of an element related to the physical integral of a functure	☐ is carried out in an area that may have a contaminated or flammable atmosphere						
☐ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete						
☐ involves structural alteration or repair that —quires term — v sup —rt to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor						
☐ is carried out in or near a confined space	☐ is carried out in an area of a workplace where there is any movement of powered mobile plant						
☐ is carried out in/near a shaft or trench deeper that. tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.						
\square is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.						
ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY							

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



	RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS			
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION	Elimination Remove the hazard.			
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE	Substitution			
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.	Replace the hazard. Isolation			
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Isolate People from the hazard			
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and	Engineering Isolate the hazard.			
is the second m	Administrative Notes on Hierarchy of Controls: Elimination methods are the most effective and preferrence and concluding a hazard. Substitution the second most effective method of controlling a hazard. Engineering by isolation is the virtuoist entitive, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equament), the least effective										

	PERS VALIT TECTIVE EQUIPMENT (PPE)										
		Select the app	ropriate PPŁ	abo v uitab	or the equi	pment used or	the job task	being perforr	ned (if applica	ıble).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING ETION	P ECTION	PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	equired:										
	Pe	ermit or Licen	ses Requirem	ents			Ma	andatory Qual	ifications and	Training	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Potential allergens presence (e.g., dust, food, latex), Inadequate personal protective equipment (PPE)	ЗН	 Conduct a thorough risk assessment of the tork area to identify all potential allergens. Develop a comprehensive allergen management plant consultation with employees to address identified risks. Implement clear labelling proposols for all substances and managing allergenic hazards. Provide adequate training for themployees on identify and managing allergenic hazards. Ensure proper to culation system are in place to reduce airborne allergens such as dust. Maintain allergens allergens are present with appropriate signage. Utilis in callergens alternatives for substances known to cause allergic reactions whenever possible. Supply apply priate assonal protective equipment (PPE) such as gloves, masks, or goggles to employs is hareling possibilar allergens. Itablis strict angiene protocols, including regular handwashing and decontamination procedures. Provide mediate access to first-aid resources and medical assistance in case of an allergic reaction. Inplement routine cleaning schedules using hypoallergenic cleaning products to minimise allergen accompliation. Restrict food consumption to designated areas to limit risks associated with food allergies. Encourage open communication and reporting of any allergy-related incidents or near misses to continually improve safety measures. 	2M
2. Work Area Setup	Exposure to unidentified allergens within the workspace, Lack of ventilation	ЗН	 Conduct a thorough assessment of the work environment to identify potential allergens present. Implement a comprehensive cleaning schedule using non-allergenic cleaning agents to minimise dust and other common allergens. Ensure proper labelling of all materials and substances in the area that may contain allergens. Install high-efficiency air filtration systems to reduce airborne allergens. Maintain adequate ventilation through natural or mechanical means to disperse allergens effectively. Provide employees with access to Material Safety Data Sheets (MSDS) for any substances used in the workspace. Educate and train employees on recognising and avoiding potential allergens they may encounter. Restrict the use of known allergenic substances within the work area as much as possible. Establish protocols for immediate cleaning of spills that could lead to allergic reactions. Use enclosed systems to handle or transport allergenic substances when possible. 	2M



SPECIFIC WORK STEPS HAZARDS THAT MAY ARISE INITIAL RISK SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS - Allow employees to report concerns related to allergens and address them promptly Implement a no-pet policy in the workplace unless animals are part of an approved program or sen - Provide personal protective equipment, such as usks, gloves, or goggles, to employees handling allergenic substances Develop and communicate an emergency poonse of specifically for managing allergic reaction incidents. - Ensure that all workers involved in material handre are to set to recognise and identify allergenic substances Provide approache personal procedures in procedures are in a part of an approved program or sen - Specifically for managing allergic reaction incidents. - Ensure that all workers involved in material handre are to set to recognise and identify allergenic substances Provide approache personal procedures in a part of the equipment of the procedure in the procedures in a part of the procedure in the	RESIDUAL RISK
- Allow employees to report concerns related to allergens and address them promptly. - Implement a no-pet policy in the workplace unless animals are part of an approved program or sen - Provide personal protective equipment, such an usaks, gloves, or goggles, to employees handling allergenic substances. - Develop and communicate an emergency moonse an especifically for managing allergic reaction incidents. - Ensure that all workers involved in material handle are at used to recognise and identify allergenic substances. - Provide approximate personal promitive equipment (PPE) such as gloves, masks, or respirators to prevent skin evitact and in valido to allerge. - Implement a not labeling system for varials containing allergens, ensuring all containers and pack are circums arked. - Estatish assignate areas for handling allergenic materials to minimise cross-contamination with or substances/materials, improper hand systems are allergenic materials. - Use mit handle aids like trolleys or lifting equipment to reduce direct contact with allergenic materials or any procedures. - Conduct with specific allergenic materials and maintenance of ventilation systems to ensure proper air circulation moval or airborne allergens. - Lyelop clear procedures for safe handling and storage of allergenic materials, including spill-respondoods. - Encourage good hygiene practices, such as washing hands before and after handling materials and	
- Provide personal protective equipment, such a creaks, gloves, or goggles, to employees handling allergenic substances. - Develop and communicate an emergency croonse for specifically for managing allergic reaction incidents. - Ensure that all workers involved in material handle are with do recognise and identify allergenic substances. - Provide personal protective equipment of the recognise and identify allergenic substances. - Provide approache personal protective equipment (PPE) such as gloves, masks, or respirators to prevent skinner nact and in lation to allergenic. - Implement a set table of system for creatials containing allergens, ensuring all containers and pack or are of the serked. - Estatish usignate areas for handling allergenic materials to minimise cross-contamination with a substances, materials, limproper hand by procedures. - Contact with specific allergenic substances/materials, improper hand by procedures. - Contact with specific allergenic materials and pack or are allergenic materials or interest and pack or are allergenic materials and	
allergenic substances. - Develop and communicate an emergency choose of specifically for managing allergic reaction incidents. - Ensure that all workers involved in material handle are for sed to recognise and identify allergenic substances. - Provide appropriate personal productive equipment (PPE) such as gloves, masks, or respirators to prevent skintentact and including allergenic substances, are cited as at labeling system for atterials containing allergens, ensuring all containers and pack of are cited are cited are cited as a cited as a substances are cited as a substances. - Use mit handling allergenic materials to minimise cross-contamination with or substances/materials, Improper hand by a 3H procedures - Contact with specific allergenic substances/materials, Improper hand by a 3H procedures - Contact with specific allergenic substances/materials, Improper hand by a 3H procedures - Contact with specific allergenic substances/materials, Improper hand by a 3H procedures - Contact with specific allergenic substances/materials, Improper hand by a 3H procedures - Contact with specific allergenic substances/materials, Improper hand by a 3H procedures - Encourage good hygiene practices, such as washing hands before and after handling materials and substances are substances. - Encourage good hygiene practices, such as washing hands before and after handling materials and substances. - Encourage good hygiene practices, such as washing hands before and after handling materials and substances. - Encourage good hygiene practices, such as washing hands before and after handling materials and substances. - Encourage good hygiene practices, such as washing hands before and after handling materials and substances. - Encourage good hygiene practices, such as washing hands before and after handling materials and substances. - Encourage good hygiene practices, such as washing hands before and after handling and storage of allergenic materials.	e.
incidents. - Ensure that all workers involved in material hands are to sed to recognise and identify allergenic substances Provide appropriate personal pronetive equipment (PPE) such as gloves, masks, or respirators to prevent skine state and in leation to allerges - Implement a set labeling system for exterials containing allergens, ensuring all containers and pack to are circle carked Estates in signal charged Estates in signal charged for handling allergenic materials to minimise cross-contamination with or substances/materials, Improper hand by procedures - Use my hanks, aids like trolleys or lifting equipment to reduce direct contact with allergenic materials and procedures - Encourage good hygiene practices, such as washing hands before and after handling materials and substances of the procedures are contained to the procedure of the procedur	
substances. - Provide appropriate personal pronotive equipment (PPE) such as gloves, masks, or respirators to prevent skinn dact and in dation collerger. - Implement a cort labeling system for exerials containing allergens, ensuring all containers and pack to are controller airked. - Estains in signal characterials to minimise cross-contamination with our substances are substances. Use men hanks vaids like trolleys or lifting equipment to reduce direct contact with allergenic materials of the substances are sport. Contact with specific allergenic substances/materials, Improper hand is substances and maintenance of ventilation systems to ensure proper air circulation moval or-airborne allergens. - Encourage good hygiene practices, such as washing hands before and after handling materials and substances, such as washing hands before and after handling materials and substances.	
prevent skin ontact and in thation colleges Implement a sect labeling system for caterials containing allergens, ensuring all containers and pack to are circle starked. Estate showsignate areas for handling allergenic materials to minimise cross-contamination with or substalles. Use mechanic aids like trolleys or lifting equipment to reduce direct contact with allergenic materials of the substances/materials, Improper hand is procedures 3. Material Handling Contact with specific allergenic substances/materials, Improper hand is procedures 3. Waterial Handling Contact with specific allergenic substances/materials, Improper hand is procedures Concact utine inspections and maintenance of ventilation systems to ensure proper air circulation involval or airborne allergens. Levelop clear procedures for safe handling and storage of allergenic materials, including spill-respondences. Encourage good hygiene practices, such as washing hands before and after handling materials and	
pack are clock outled. Estate she signate areas for handling allergenic materials to minimise cross-contamination with or substances. Use muchanity aids like trolleys or lifting equipment to reduce direct contact with allergenic materials to substances materials and transport. Contact with specific allergenic substances/materials, Improper handles are clock outlet are signated areas for handling allergenic materials to minimise cross-contamination with or substances. Use muchanity aids like trolleys or lifting equipment to reduce direct contact with allergenic materials or or or transport. Conduct uttine inspections and maintenance of ventilation systems to ensure proper air circulation moval or airborne allergens. - Levelop clear procedures for safe handling and storage of allergenic materials, including spill-respondences. - Encourage good hygiene practices, such as washing hands before and after handling materials and	
substal es. Use muchanic aids like trolleys or lifting equipment to reduce direct contact with allergenic materials. Use muchanic aids like trolleys or lifting equipment to reduce direct contact with allergenic materials and transport. Contact with specific allergenic substances/materials, Improper hand to substances/materials, Improper hand to moval or airborne allergens. - Levelop clear procedures for safe handling and storage of allergenic materials, including spill-respondences. - Encourage good hygiene practices, such as washing hands before and after handling materials and	
Contact with specific allergenic substances/materials, Improper hand is procedures 3. Material Handling Contact with specific allergenic substances/materials, Improper hand is procedures 3. Material Handling Contact with specific allergenic substances/materials, Improper hand is procedures for safe handling and storage of allergenic materials, including spill-respondences. - Deletop clear procedures for safe handling and storage of allergenic materials, including spill-respondences. - Encourage good hygiene practices, such as washing hands before and after handling materials and	ier
3. Material Handling substances/materials, Improper hand s 3H procedures Conductutine inspections and maintenance of ventilation systems to ensure proper air circulation moval or airborne allergens. - Delop clear procedures for safe handling and storage of allergenic materials, including spill-respondences. - Encourage good hygiene practices, such as washing hands before and after handling materials and	3
- Encourage good hygiene practices, such as washing hands before and after handling materials and	and 2M
	se
- Limit the number of employees exposed to allergenic substances by restricting access to authorise personnel only.	
- Regularly review and update safety data sheets (SDS) for all materials used on-site to ensure accuration is available.	te
- Monitor and review incidents related to allergic reactions and adjust safety measures accordingly to prevent future occurrences.	
Use of cleaning chemicals that can 4. Cleaning Activities cause allergic reaction, Dust and 3H	l 2M
particles exposure	ZIVI



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Waste Management	Improper waste disponent may expose to allergens, Prolonged continuith allergenic materials	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Finishing tasks	Continuous contact with allergenic residues, Failure to properly clean work equipment	ЗН		2M
7. Clean-Up Operations	Exposure to allergenic substances due to improper cleaning, Dust exposure while collecting the trash	3H		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Equipment Storage	Possible residual and substants on equipment, Inadequate storage causing re-exposure to allergens	ЗН		2M
	causing re-exposure to avergens			



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Reporting & Documentation	Delayed reporting of allergic reactions, Missed or inaccurate records of allergen-related issues	ЗН		2M
10. Regular Inspection	Exposure to unidentified or latent allergens during inspection, Inadequate PPE for inspecting the areas	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				ı
44 Cafati Training	Inadequate knowledge about allerge management at the workplace, Nor covered topics regarding pecific	ЗН		2M
11. Safety Training	covered topics regarding pecific allergies	3H		ZIVI
				1



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Health Monitoring	Delayed identification of allergy signs among workers, Inadequate medical support on-site	ЗН		2M
13. Equipment Maintenance	Allergenic substances build-up on equipment parts, Inadequate cleaning process for the equipment	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Emergency Response	Inability to properly manage critical allergy cases, Lao of first of medical resources	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
15. Policy Review	Old policies not covering new allergenic hazards, Insufficient safe practices against allergy	ЗН		1L



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-oi racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health al. Safety Act

Occupational Health and Infety gulations 2017

Legis on VIC: https://www.wksafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains a fective of must be reviewed (and revised if necessary) if relevant control measures are revised. The view process should be carried out in consultation with workers (including contractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU mast ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

Version 2.5 Authorised by Review # Date of Issue: Review Date: 15





SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
		/
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.	7	
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.		
Foreseeable hazards are identified and documented for each step.		
Any hazards listed in any site risk assessments have been added to the SWMS	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column pulleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selective.	\boxtimes	
Responsible person is assigned and listed on the part the important measures.	\boxtimes	
Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be us	\boxtimes	
Details of inspection checks required for any equipment listed a noted on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIE	WED
SIGNATURE	DATE COMPL	ETED