| Radial Arm Saw | SAFE WORK METHOD ST | ATEMENT (SWMS) | |
|--|---|--|-------------------------------------|
| Т | ASK OR ACTIVITY: Radial Arm Sa | aw | |
| Business Name: | | ABN: | SWMS# |
| Business Address: | | | |
| Contact Person: | Phone: | E ail: | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROVED BY | THE PC. OF THE ROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | | required to en the that a safe work method s | statement (SWMS) is prepared before |
| Full Name: | | | |
| Signature: | NK | Title: | Date: |
| Details of the person(s) responsible for ensuring implementation, monitoring | opliance the VMS a well as review | s and modifications of the SWMS. | |
| Full Name: | | Title: | Phone: |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAS PHAVE THE FOLLOWING COMMUNICATED | NAME OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS | DMMUNICATED TO IN THE |
| Safety meetings or toolbox talks will be sched ed in according with a gislative requirements to first identify any site hazards, such a companie hica those hazards and then to further take steps to either eliminate or contral each hazard. | | | |
| If an incident or a near miss occurs, all work must sto, an anately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |



| CLIENT OR PRINCIPAL | CONTRACTOR DETAILS |
|---|---|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date SWMS supplied to Project Manager: | |
| ANY HIGH-RISK CONSTRUC | |
| ☐ involves a risk of a person falling more than 2 meters | I is carried out on or near pressurised gas mains or piping |
| □ is carried out on a telecommunication tower | carried out on or near chemical, fuel or refrigerant lines |
| ☐ involves demolition of an element of a structure that is load-bearing | □ is carried out on or near energised electrical installations or services |
| □ involves demolition of an element related to the physical integ. Y of a sucture | \square is carried out in an area that may have a contaminated or flammable atmosphere |
| □ involves, or is likely to involve, disturbing asb | ☐ involves tilt-up or precast concrete |
| involves structural alteration or repair that quires terrar by supart to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| □ is carried out in or near a confined space | \Box is carried out in an area of a workplace where there is any movement of powered mobile plant |
| is carried out in/near a shaft or trench deeper that tunnel involving use of explosives | ☐ is carried out in areas with artificial extremes of temperature. |
| ☐ is carried out in or near water or other liquid that involves a risk of drowning. | ☐ involves diving work. |
| ANY HIGH-RISK MACHINER | RY OR EQUIPMENT NEARBY |
| | |
| | |
| | |



| RISK MATRIX | | | | | | | | | | |
|--|---------------|---------------|---------------|------------|--------------|----------------|---|--|------------------------------------|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | | | HEIRARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | SCORE | ACTION | | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCE | | Substitution | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review befor work starts. | | Replace the hazard. | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | | Isolate People from the hazard | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | nitor and k⊾ records | | Engineering Isolate the hazard. | |
| Date LOW LOW MODERATE HIGH HIGH LOW Morecords Isolate the hazard. Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferre usen con flag a hazard. Substitution a the second most effective method of controlling a hazard. Engineering by isolation is the increase the flow, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective Administrative Change the work. PPE PPE PPE PPE PPE PPE PPE | | | | | | | | | | |

| | | | | | | TIVE EQUIPM | | | | | |
|---------------------|---------------------------------|--------------------|---------------|-------------|----------------------------|---------------------------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | Select the ap | propriate PPL | abo, ruitab | i or the equi | oment used or | the job task | being perform | ned (if applica | able). | |
| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | | P ECTION | R⊾ ⇒PIRATORY PROTECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Other PPE Required: | | | | | | | | | | | |
| | Permit or Licenses Requirements | | | | | Mandatory Qualifications and Training | | | | | |
| | | | | | | | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|-------------------------------------|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Flying debris, inadequate workspace | ЗН | Inspect the radial arm saw before use to ensure all guards and safety devices are in place, functional, and properly adjusted. Provide appropriate personal protective equipment PE) for workers, such as safety goggles, earplugs or earmuffs, and dust masks or respirators. Ensure the workspace is cleaned any obstructions before a combustible materials that may pose a risk during the operation. Position the renum arm sam on a stud, level surface to prevent potential tipping or shifting during use. Create a dearnated exclusion zone and one radial arm saw to keep untrained personnel and bystachers at a fe dirence from the certation area. Clean bark and more a 'no-go' area within the trajectory of flying debris to minimise potential expose a'. Educat workers about he proper techniques for feeding material onto the saw and the importance of aintaining a bionced posture while doing so. Imported a strict 'no-jewelleny' policy for workers operating the radial arm saw to eliminate the risk of atching sentangling their belongings. Use a dust collection system to help control airborne debris generated by the sawing process, reducing the likelihood of inhalation hazards. Keep blades sharp and clean to ensure effective cutting and minimise the chances of debris incidents caused by dull or dirty blades. Maintain proper lighting conditions around the radial arm saw workspace, enabling workers to see the working area clearly and identify any hazards promptly. Train workers regularly on emergency stop procedures and the location of switch-off mechanisms on the radial arm saw, preparing them to act quickly in case of an incident. Conduct regular hazard assessments and ongoing reviews of control measures to ensure that changes in the work environment or tasks are adequately addressed and managed. | 1L |
| 2. Inspecting saw | Electric shock, faulty equipment | 2M | Regular maintenance and inspection: Develop a routine maintenance schedule for the radial arm saw, ensuring that it is regularly checked for any signs of wear or damage. Electrical safety checks: Before use, ensure the equipment has been properly tested and tagged by a qualified electrician to reduce the risk of electric shock. Visual inspection before use: Prior to starting work, visually inspect the saw for any noticeable defects, such as loose bolts, damaged cords, or broken parts. | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Proper grounding: Ensure the radial arm saw is grounded according to manufacturer's guidelines to prevent static buildup and reduce the risk of electric shock. | |
| | | | - Use of residual current devices (RCDs): A RCD of and be installed on the supply circuit to provide additional protection against electric shock. | |
| | | | - Training and competency: Only trained all competent prators should be allowed to use the radial arm saw, thereby reducing the risk of faulty equip. Int us | |
| | | | - Safe work procedures: Develop and implement Safe Work M thod Statement (SWMS) that includes step-by-step instructions for inducting work safe with the sail arm saw. | |
| | | | - Protective equipment: Provide a itable personal processe equipment (PPE) for workers, including gloves, safety good as, as hear, porotection when necessary. | |
| | | | - Safety guare and mechanisms: Much sure the radial arm saw is equipped with appropriate safety guards and in locking muchanisms and the risk of injury during operation. | |
| | | | - Emotion cy sto, which. The saw should have a clearly marked and accessible emergency stop button that c.), mediate malt operation if needed. | |
| | | | - Reporting to cards: to courage a culture of open communication where workers can freely report any potential haza of or detective equipment without fear of repercussion. | |
| | 1 | | - live ruipme, adjustments: Workers should power down and unplug the radial arm saw before many diversion lipsting any parts or changing attachments to mitigate the risk of electric shock or accidental ctivatio. | |
| | | | - Proper Training: Ensure all workers handling the Radial Arm Saw have received appropriate training on its usage, maintenance, and safety protocols before taking up any tasks to reduce ergonomic injuries or incorrect measurements. | |
| | | | Ergonomic Design: Install guardrails and handles where possible, at suitable heights for reaching comfortably without unnecessary bending or climbing to mitigate injury risks. | |
| | | | Personal Protective Equipment (PPE): Provide workers with appropriate PPE, such as gloves, eye protection, and earplugs, to minimise potential injuries during the measuring process. | |
| 3. Setting measurement | Ergonomic injury, incorrect measurements | 2M | - Regular Maintenance: Conduct regular inspections and timely maintenance of the Radial Arm Saw, ensuring it stays in good working condition and doesn't cause any hazard due to misalignment or wear and tear. | 1L |
| | | | Clear Workspace: Keep the work area around the saw clear of clutter and debris, thus providing adequate space to prevent tripping hazards whilst setting measurements. | |
| | | | Double-check Measurements: Implement a policy that requires workers to double-check their measurements, confirming accuracy before proceeding with cutting to avoid mishaps resulting from incorrect measurements. | |
| | | | - Safe Work Practices: Encourage workers to take breaks and stretch frequently to prevent physical strain while continuously setting measurements on the Radial Arm Saw. | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------|-----------------------------|-----------------|---|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | Colour-coded Measuring Tapes: Use high-contrast or colour-coded measuring tapes to improve readability and minimise chances of incorrect measurements by enhancing visibility and reducing user errors. Lighting: Ensure proper lighting is available in the measurement section of the workspace to clearly see details on the material being measured and cold mistakes caused by poor visibility. Supervision: Have a designated supervisor pointer takes during the measuring process, offering guidance if needed, to ensure proper technique proper used and to quickly address any issues or | |
| 4. Positioning material | Manual handling, tuch point | 2M | guidance if needed, to ensure proper techniqui use being used and to quickly address any issues or hazards that arise. | 1L |

Version 2.5




| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|--------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 5. Cutting material | Kick back, dust inhalati | 31 | | 2M |




| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|--------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 6. Adjusting blade | Blade contact, excessive force | 21 | | |
| 7. Removing waste | Dust exposure, trip hazards | 2M | | 1L |
| . Removing waste | Dust exposure, trip flazarus | 2111 | | 16 |

















| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------|-------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 11. Storing equipment | Cluttered storage, improper lifting | 2М | | 1L |







| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | |



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE REF | ERENCES |
|---|---|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL | ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> | Victoria Occupational Health at Safety Act and A Occupational Health and orfety orgulations 2017 Legis non VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulations</u> ordes of mactice VIC <u>autps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u> |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes rach. Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes-ou rach. | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/we_place-serv-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/f</u> | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u> <u>codes-of-practice</u> Model Codes of Practice |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u> | Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes |
| Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice | First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents. | Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work |



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | COMMENTS |
|---|----------------|----------|
| | | |
| The company details have been entered, including the project name and address. | | |
| All relevant personnel consulted during the development of the SWMS. | | |
| Name, signature, position and date signed of the person approving the SWMS. | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | |
| Adequate risk assessment of any identified hazards has been completed. | \boxtimes | |
| Foreseeable hazards are identified and documented for each step. | \boxtimes | |
| Any hazards listed in any site risk assessments have been added to the SWMs | \boxtimes | |
| SWMS initial risk (IR) column as well as residual risk (RR) column mpleted. | \boxtimes | |
| Check control measures added to the SWMS are the most effective selection | \boxtimes | |
| Responsible person is assigned and listed on the part the importation ontrol measures. | \boxtimes | |
| Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc. | \boxtimes | |
| SWMS identifies plant and equipment to be use | \boxtimes | |
| Details of inspection checks required for any equipment listed protection on the SWMS. | \boxtimes | |
| Describes any mandatory qualifications, experience, and g or skills required to perform the work. | \boxtimes | |
| Applicable personal protective equipment is selected on the SWMS. | \boxtimes | |
| Reflects and documents any legislative references and/or Australian Standards. | \boxtimes | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | \boxtimes | |
| | | |
| REVIEWED BY | DATE REVIEWED | |
| SIGNATURE | DATE COMPLETED | |