

Radio Frequency and High Frequency	uency Welder   SAFE WOR	K METHOD STATEMENT (SW	/MS)
TASK OR ACTIV	TY: Radio Frequency and High I	Frequency Welder	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVID BY	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.	sting a business or under the (Pour I) is	required to en that a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:	NK	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	opliance the VMS a vell as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN PHAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with gislative requirements to first identify any site hazards, such a companie hica those hazards and then to further take steps to either eliminate or control each hazard.			
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	$\square$ is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terrar by supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	000DF			HEIRARCHY OF CONTROLS		
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	SCORE ACTION	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution		
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.		
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard		
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.		
is the second me	LOW       LOW       MODERATE       HIGH       HIGH       LOW       Kc records       Dodd the Initial d.         otes on Hierarchy of Controls:       Elimination methods are the most effective and preferre       en con       To a hazard. Substitution       Administrative       Change the work.         ontrols by changing the work is the fourth most effective method.       PPE (Personal Protective Equipment), the least effective       Effective       PPE										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE R	Other PPE Required:										
	Permit or Licenses Requirements					Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Electrical hazards, Unsafe work environment	2М	<ul> <li>Regular inspection and maintenance of elemenal equipment: To minimise the risk of electrical hazards, ensure that all electrical equipment used for dio frequency (RF) and high frequency (HF) welding is inspected and maintained regularly by a quale defendion.</li> <li>Proper grounding and circuit protection: Ensure at all electric connections and equipment are properly grounded and have propriate circuit protection in proceed to prevent electrical shock or overload.</li> <li>Use of insulated tools of protective gear: Workers enaild always use insulated tools while working with RF and HF weldin equipment, as hell as wear appropriate personal protective equipment (PPE), including glownesafety glares, an char proteored.</li> <li>Removal of enabustible daterials: One we work area of any flammable or combustible materials to minimicathe risk of for uzards during welding operations.</li> <li>Adea an tentilate and air filtration: Ensure proper ventilation and air filtration is in place to remove harmfultum and pericles generated during RF and HF welding processes, preventing respiratory problem and variable or to KF and HF radiation and prevent unauthorised access.</li> <li>Emergency shut-off controls: Equip all RF and HF welding equipment with clearly marked emergency so to for bothers: Equip all RF and HF welding equipment with clearly marked emergency so to for outrols, allowing for immediate disconnection in case of an emergency situation.</li> <li>Comprehensive employee training: Provide regular training and refresher courses to workers on safe finandling of RF and HF welding equipment, emphasising the importance of following hazard control measures and work procedures correctly.</li> <li>Clutter-free work environment: Maintain a well-organised and clutter-free workspace to reduce the risk of trip and fall hazards, ensuring that all necessary materials and tools are readily accessible.</li> <li>Regular monitoring and assessment: Continually review and evaluate the effectiveness of implemented hazard contr</li></ul>	1L
2. Machine setup	Pinch points, Equipment malfunction	ЗН	<ul> <li>Conduct a thorough risk assessment before beginning the setup process, identifying potential pinch points and equipment malfunction hazards.</li> <li>Ensure that all operators have completed appropriate training for the safe operation of the Radio Frequency (RF) &amp; High Frequency (HF) welding machines.</li> <li>Verify that Personal Protective Equipment (PPE) is being used correctly, including gloves to protect hands from pinch points, eye protection, and appropriate footwear.</li> <li>Regularly inspect and maintain the RF &amp; HF welding machine to avoid equipment malfunction, including following manufacturer's guidelines for servicing and repairs.</li> </ul>	2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Establish a routine pre-operational inspection process to check the condition of cables, connections, and components before using the machine.	
			- Implement proper Lockout/Tagout procedures where working on or near the equipment, strictly prohibiting untrained individuals from altering an esettings or components.	
			- When setting up the machine, keep hands and fingers analy from moving parts and potential pinch points, using appropriate tools if necessary.	
			- Utilise signage, barriers, or other physical mean es to indicate the presence of potential hazards during machine setup and alert near opersonnel to thes lisks.	
			- Develop and enforce standard perating procedure (1993) for machine setup, ensuring all operators are familiar with the top step step scess, including hazard control measures.	
			- Incorporate viety feature or device such exemergency stop buttons and guarding systems, to minimise the vieto of incide and inju. A sociated with pinch points or equipment malfunction.	
			- Ass design encurety officer to oversee the machine setup process and ensure adherence to estable his safety stocols and control measures.	
			- Encourage then compunication among team members, creating an environment where staff can report unsafe thork punctices abonditions without fear of retribution.	
	•		- view nd reverse control measures periodically based on incident reports, near-miss scenarios, and work fee back, keeping the SWMS updated and reflective of current best practices in workplace health nd sate	
			- gularly conduct refresher training for operators, focusing on the identification of hazards and the implementation of appropriate control measures for machine setup in the RF & HF welding environment.	
	5		- Ensure proper training and induction for all workers involved in the radio frequency and high-frequency welding processes, focusing on the correct manual handling techniques and safety procedures.	
			- Implement a well-organised workspace design, allowing sufficient space for material movement, loading, and storage to minimise the risk of falling objects and manual handling injuries.	
			- Provide suitable lifting equipment such as forklifts, hoists, or trolleys to assist with material loading and unloading, minimising the need for excessive manual handling.	
			- Schedule regular inspection and maintenance of all lifting equipment used for material loading to ensure they are in good working condition and free from defects that could lead to accidents.	
3. Material loading	Manual handling, Falling objects	2M	- Enforce a buddy system or team lifting approach for heavy or awkwardly-shaped materials to reduce the risk of strains and sprains associated with manual handling tasks.	1L
			- Implement clear housekeeping practices around the loading area, including proper labeling and storage of materials, to prevent any potential falling object hazards.	
			- Encourage workers to wear the appropriate personal protective equipment (PPE) when conducting material loading activities, such as gloves, safety boots, and hard hats, to protect against potential hazards.	
			- Establish an effective communication system between workers and supervisors, enabling them to report unsafe work conditions or incidents immediately.	




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<ul> <li>Develop and implement emergency response procedures for the event of accidents or incidents involving falling objects or injuries sustained from manual handling activities.</li> </ul>	
			- Conduct toolbox talks or pre-start meetings for we pers involved in the material loading process to discuss potential hazards, safety precautions of other relevant information.	
			- Utilise pallets, shelves, or racks for storing raterials to the ure they are stored securely and not placed at height where they may be prone to falling.	
			- Incorporate visual aids, such as warning signs a noor marking in the loading area to indicate restricted zones or areas where extra to thon must be take. We to the desence of falling object hazards.	
			- Regularly review and update to Safe Work Method on ement (SWMS) for radio frequency and high- frequency welders of an energiest cut on material loading and associated hazards to identify any necessary charges or implement of safety recourse.	
4. Operation	Exposure to RF/HF radiation, Noise	ЗН		2M





Version 2.5








STEP POTENTIAL HAZARDS
VORK STEPS HAZARDS THAT MAY ARISE



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Weld quality inspection	Inadequate personal protective equipment (PPE), Fumes exposure	2		1L





Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Housekeeping	Work area obstruction, hazardous was disposal	11.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Shut down	Unauthorised access, machine lockout/tagout failure	ЗН		2M
12. Emergency procedures	Exposure to toxic materials, Inadequate emergency response	2M		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK

Version 2.5

Date of Issue:









#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES						
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE AT ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria On opational Health as Safety Act and Occupational Health and Safety Act and Decupational Health and Safety Act and Legis non VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulat</u> Safety Act and Act					
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislatic">https://www.safework.nsw.gov.au/legal-obligations/legislatic</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislatic</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>					
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wg_place-servelaws Codes of Practice NT: https://worksafe.nt.gov.au/formed-resources/compliance/wg_place-servelaws	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice					
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_dces/codes-of-practice#COPs</u>	<ul> <li>Model codes of Fractice</li> <li>Managing noise and preventing hearing loss at work</li> <li>Confined spaces</li> <li>Labelling of workplace hazardous chemicals</li> <li>Managing risks of hazardous chemicals in the workplace</li> <li>Welding processes</li> <li>First aid in the workplace</li> </ul>					
Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012         Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a>	<ul> <li>First and in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> </ul>					
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	<ul> <li>More frequencies of plant in the workplace</li> <li>Construction work</li> </ul>					



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

d must reviewed (and view n should be carried out in hav be sted by the operation

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.			
Foreseeable hazards are identified and documented for each step.	$\boxtimes$		
Any hazards listed in any site risk assessments have been added to the SWMS	$\boxtimes$		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	$\boxtimes$		
Check control measures added to the SWMS are the most effective selections	$\boxtimes$		
Responsible person is assigned and listed on the property of the importation control measures.	$\boxtimes$		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$		
SWMS identifies plant and equipment to be use	$\boxtimes$		
Details of inspection checks required for any equipment listed reproduction on the SWMS.	$\boxtimes$		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	$\boxtimes$		
Applicable personal protective equipment is selected on the SWMS.	$\boxtimes$		
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$		
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$		
REVIEWED BY	DATE REVIEWED		
SIGNATURE	DATE COMPLETED		