Replacement Of Electrical Co	mponents SAFE WORK N	IETHOD STATEMENT (SWM	5)
TASK OR AC	TIVITY: Replacement Of Electrica	I Components	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO		
Under the Work Health and Safety Regulation (WHS Regulation), a person conductive proposed work starts.		required to en use that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	poliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAS MAN HAVE THE FOLLOWING COMMUNICATED	NA 2 OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched and in account with a gislative requirements to first identify any site hazards, such as computing those hazards and then to further take steps to either eliminate or contained hazard.			
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL CONTRACTOR DETAILS						
Client:	SCOPE OF WORKS					
Project Name:						
Project Address:						
Project Manager:						
Contact Phone:						
Date SWMS supplied to Project Manager:						
ANY HIGH-RISK CONSTRUC						
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping					
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines					
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services					
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere					
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete					
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor					
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant					
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.					
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.					
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY					



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	

						TIVE EQUIPM					
	Select the appropriate PPL above suitably for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements Mandatory Qualifications and Training										




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Incorrect tool usage, Equipment malfunction	2М	 Use only tools and equipment that are fit foundrose and have been tested and tagged according to Australian standards. Provide training for all workers on the correct end of tools and equipment needed for the task. Develop and implement a netular maintenance to redule for exelectrical tools and equipment to prevent malfunctions. Ensure a qualified contrain interacts equipment for any signs of malfunction before use. Keep a logbox of equipment maintenance are unspection reports readily available on site. Implement are related upment. Equipment are discontrained and the product of the task is any dearns reaction of the task is any dearns reactions and signage around the worksite emphasizing the importance of using tools to rectly ind reputing any issues with equipment immediately. Arrangent immediate availability of first aid kits and trained first aid personnel at the worksite. Incorporate periodic checks by supervisors throughout the workday to ensure all safety measures are being adhered to. Introduce a buddy system whereby less experienced workers pair up with more experienced colleagues to ensure proper tool and equipment use. 	1L
2. Shut Down Power Source	Electrical shock, Unintended power supply	ЗН	 Conduct a comprehensive risk assessment before commencing the task to identify all potential hazards. Ensure that only qualified and licensed electricians perform the task of shutting down the power source. Clearly label all circuit breakers and switches relevant to the electrical systems being worked on. Utilise lockout/tagout (LOTO) procedures to secure the power source and prevent accidental reenergisation. Double-check that all necessary equipment, tools, and personal protective equipment (PPE) are available and in good working order. Test each circuit or component with an appropriate voltage tester to confirm deenergisation before starting work. Provide staff with training and regular refreshers on electrical safety and emergency response procedures. 	2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Maintain clear communication among team members throughout the procedure to ensure everyone is aware of current status and any changes.	
			- Keep an accessible and well-stocked first aid kit rearby, including materials for treating electrical burns and shocks.	
			- Establish an emergency shutdown process and ensure all workers are familiar with it.	
			 Regularly inspect and maintain all equipments server shutting down power sources to ensure they are safe and effective. Hold pre-task meetings to regive the SWMS document with call involved personnel to reinforce safety 	
			measures and clarify any doub.	
			- Ensure that workers in ved in ntifyin components are adequately trained in electrical component reconnition are candling.	
			- Use whited an end when the schematics and manufacturer manuals to guide the identification process.	
		- Implementer doubtersheck system where a second qualified person verifies the correctness of identified compounds		
		Provide adequate lighting and magnification tools to enhance visibility and accuracy during component in tification.		
			Use component specifications.	
			tablish clear labelling and storage systems to prevent misidentification of components before insultation.	
3. Identify Components	Misidentification, Component damage	2M	- Conduct regular training updates to accommodate new technology and components introduced into the market.	1L
			- Implement a strict protocol for reporting and replacing damaged components, ensuring they are not mistakenly reused.	
			- Use protective cases or packaging to handle sensitive components, reducing the risk of physical damage.	
			- Maintain a clean and organised work environment to minimise the risk of component damage due to environmental factors.	
			- Include checklists as part of the procedure to ensure all steps of identification and handling are followed thoroughly.	
		- Regularly audit the identification process and handling of components to reinforce safety practices.		
			- Develop an accountability system where each component's condition is logged and tracked through the identification and installation process.	
. Remove Old Components	Electric shock, Cuts/abrasions	ЗН		2M










Version 2.5

Date of Issue:







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Document Process	Insufficient reporting, Lost information	2М		1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				•
10. Clean Up	Slips, trips and falls, Inappropriate disposal of waste	2M		1L
11. Post Operation Checks	Operational failure, Electrical hazards	2М		1L

Version 2.5

Date of Issue:






Version 2.5

Date of Issue:













JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Handling Tools And Equipment	Misuse of tools, Accidents	2M		1L
17. Operating within Proximity of Other Workers	Distraction, Accidents	2M		1L





Version 2.5





Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
		Ť		



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES DANY STATE DAT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health au Safety Act 204 Occupational Health and pafety or gulations 2017 Legis non VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulat</u> is unles of mactice VIC <u>extps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulations 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/we_place-serv-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/f</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u> <u>codes-of-practice</u> Model Codes of Practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_dces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 More relational safety constitution, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\square		
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selection	\boxtimes		
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE RE	VIEWED	
SIGNATURE	DATE COMPLETED		