



| Residential Hvac Installa  | ation   SAFE WORK METH                                      | OD STATEMENT (SWMS)                           |                                     |
|--|---|---|-------------------------------------|
| TASK O   | R ACTIVITY: Residential Hvac In                             | stallation                                    |                                     |
| Business Name:   |   | ABN:  | SWMS#                               |
| Business Address:  |   |   |                                     |
| Contact Person:  | Phone:  | E fil:  |                                     |
|  |   |   |                                     |
| THIS SAFE WORK METHOD  | STATEMENT IS APPROVED BY                                    | THE PC. OF THE ROJECT                         |                                     |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.   | cting a business or undo                                    | required to en that a safe work method        | statement (SWMS) is prepared before |
| Full Name:   |   |   |                                     |
| Signature:   | NY  | Title:  | Date:                               |
| Details of the person(s) responsible for ensuring implementation, monitoring a   | apliance the VMS a well as review                           | s and modifications of the SWMS.              |                                     |
| Full Name:   |   | Title:  | Phone:                              |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS & (MS IN HAVE THE FOLLOWING COMMUNICATED   | NA. 2 OF ALL RELEVANT PERSONN<br>EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND C<br>THIS SWMS | OMMUNICATED TO IN THE               |
| Safety meetings or toolbox talks will be sched and in account with gislative requirements to first identify any site hazards, and then to further take steps to either eliminate or continuous each hazard.  |   |   |                                     |
| If an incident or a near miss occurs, all work must sto, quately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.  |   |   |                                     |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.  |   |   |                                     |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. |   |   |                                     |





| CLIENT OR PRINCIPAL  | CONTRACTOR DETAILS  |
|--|---|
| Client:  | SCOPE OF WORKS  |
| Project Name:  |   |
| Project Address:   |   |
| Project Manager:   |   |
| Contact Phone:   |   |
| Date SWMS supplied to Project Manager:   |   |
| ANY HIGH BIOK CONSTRUCTOR  | NAME OF THE POLIT   |
| ANY HIGH-RISK CONSTRUCTOR  | N WC & BEIN C ARIED OUT   |
| ☐ involves a risk of a person falling more than 2 meters                                     | is carried out on or near pressurised gas mains or piping                                       |
| ☐ is carried out on a telecommunication tower  | carried out on or near chemical, fuel or refrigerant lines                                      |
| ☐ involves demolition of an element of a structure that is load-bearing                      | $\square$ is carried out on or near energised electrical installations or services              |
| ☐ involves demolition of an element related to the physical integral of a functure           | ☐ is carried out in an area that may have a contaminated or flammable atmosphere                |
| ☐ involves, or is likely to involve, disturbing asb  | ☐ involves tilt-up or precast concrete  |
| ☐ involves structural alteration or repair that —quires term — v sup —rt to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| ☐ is carried out in or near a confined space   | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant  |
| ☐ is carried out in/near a shaft or trench deeper that. tunnel involving use of explosives   | ☐ is carried out in areas with artificial extremes of temperature.                              |
| $\square$ is carried out in or near water or other liquid that involves a risk of drowning.  | ☐ involves diving work.   |
| ANY HIGH-RISK MACHINER   | Y OR EQUIPMENT NEARBY   |
|  |   |
|  |   |
|  |   |



| RISK MATRIX       |  |                    |                 |                  |                    |                |   |         |                                      |  |
|-------------------|--|--------------------|-----------------|------------------|--------------------|----------------|---|---------|--------------------------------------|--|
| LIKELIHOOD        | INSIGNIFICANT  | MINOR              | MODERATE        | MAJOR            | CATASTROPHIC       | SCORE          | ACTION  | HEI     | RARCHY OF CONTROLS                   |  |
| ALMOST<br>CERTAIN | 3<br>HIGH  | 3<br>HIGH          | 4<br>ACUTE      | 4<br>ACUTE       | 4<br>ACUTE         | SCORE          | ACTION  |         | Elimination Remove the hazard.       |  |
| LIKELY            | 2<br>MODERATE  | 3<br>HIGH          | 3<br>HIGH       | 4<br>ACUTE       | 4<br>ACUTE         | 4A<br>ACUTE    | DO NOT<br>PROCE                                 |         | Substitution                         |  |
| POSSIBLE          | 1<br>LOW   | 2<br>MODERATE      | 3<br>HIGH       | 4<br>ACUTE       | 4<br>ACUTE         | 3H<br>HIGH     | Review before work starts.                      |         | Replace the hazard.                  |  |
| UNLIKELY          | 1<br>LOW   | 1<br>LOW           | 2<br>MODERATE   | 3<br>HIGH        | 4<br>ACUTE         | 2M<br>MODERATE | Ensure control measures in place.               | Isolate | e People from the hazard             |  |
| RARE              | 1<br>LOW   | 1<br>LOW           | 2<br>MODERATE   | 3<br>HIGH        | 3<br>HIGH          | 1L<br>LOW      | nitor and                                       |         | Engineering Isolate the hazard.      |  |
| is the second m   | rchy of Controls:<br>ost effective metho<br>nging the work is th | d of controlling a | hazard. Enginee | ering by isolati | on is the in ost e | en 'ive, while | rd. Substitution<br>Administrative<br>effective |         | Administrative Change the work.  PPE |  |

|                    |                    |                    |                  | PERS        |                | TIVE EQUIPM        |                      |                        |                    |                   |                           |
|--------------------|--------------------|--------------------|------------------|-------------|----------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
|                    |                    | Select the app     | ropriate PPŁ     | abo. auitab | ic or the equi | pment used or      | the job task         | being perforr          | ned (if applica    | ıble).            |                           |
| FOOT<br>PROTECTION | HAND<br>PROTECTION | HEAD<br>PROTECTION | HEARING<br>ETION | P ECTION    | PROTECTION     | FACE<br>PROTECTION | HIGH-VIS<br>CLOTHING | PROTECTIVE<br>CLOTHING | FALL<br>PROTECTION | SUN<br>PROTECTION | HAIR/JEWELLERY<br>SECURED |
|                    |                    |                    |                  |             |                |                    |                      |                        |                    |                   |                           |
|                    |                    |                    |                  |             |                |                    |                      |                        |                    |                   |                           |
| Other PPE R        | Required:          |                    |                  |             |                |                    |                      |                        |                    |                   |                           |
|                    | Pe                 | ermit or Licen     | ses Requirem     | ents        |                |                    | Ma                   | andatory Qual          | ifications and     | Training          |                           |
|                    |                    |                    |                  |             |                |                    |                      |                        |                    |                   |                           |
|                    |                    |                    |                  |             |                |                    |                      |                        |                    |                   |                           |
|                    |                    |                    |                  |             |                |                    |                      |                        |                    |                   |                           |



| JOB STEP              | POTENTIAL HAZARDS              | IR              | CONTROL MEASURES  | RR               |
|-----------------------|--------------------------------|-----------------|---|------------------|
| SPECIFIC WORK STEPS   | HAZARDS THAT MAY ARISE         | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK |
| 1. Preparation        | Improper tools, Inadequate PPE | 2M              | <ul> <li>Conduct a site inspection prior to work concencement to identify potential hazards and ensure that appropriate control measures are in place.</li> <li>Provide training for all workers on the correct in to on and use of tools specific to HVAC installation tasks.</li> <li>Ensure that all tools and equipment are regularly in intain a and inspected to confirm they are in good working condition before use.</li> <li>Require staff to year appropriate in conal protonive equipment (PPE) such as safety goggles, gloves, high-visibility orthing, and by el-capit boots adring all phases of work.</li> <li>Association of task or thin the preparation phase to determine any additional PPE requirements, like respirate protes in dust or furnes are present.</li> <li>Implication tool or skilist system at the beginning and end of each shift to account for all tools, reducing misplated on proper stored items, which could lead to accidents.</li> <li>Enforce a strike olicy that prohibits the use of defective tools or makeshift solutions; damaged tools should in rediate be tagged out of service.</li> <li>Provice a rinstructions and signage around the worksite regarding the mandatory use of PPE and the ntification of designated storage areas for tools.</li> <li>Develop and distribute a work plan that outlines safe tool handling practices and communicates these clearly to all team members.</li> <li>Designate and train a safety officer who is responsible for monitoring compliance with PPE and tool safety standards.</li> <li>Keep an inventory of backup PPE on site to replace any damaged or worn-out equipment promptly to maintain continuous protection.</li> <li>Regularly review and update safety procedures based on toolbox meetings or feedback from workers regarding any issues or hazards encountered.</li> </ul> | 1L               |
| 2. Inspection Of Site | Poor lighting, Trip hazards    | 2M              | <ul> <li>Conduct a site walkthrough prior to work to identify and document areas with poor lighting.</li> <li>Use portable task lighting or headlamps in inadequately lit areas to ensure visibility.</li> <li>Ensure all workers are familiar with the layout of the site to navigate safely.</li> <li>Remove unnecessary equipment and materials from walkways to minimise trip hazards.</li> <li>Lay down brightly coloured tape or paint to mark uneven surfaces or temporary obstacles clearly.</li> <li>Use cable covers to prevent trips over cables or hoses that must traverse pathways.</li> <li>Have designated storage areas for tools and materials not in immediate use to keep workspaces organised.</li> </ul>  | 1L               |



| JOB STEP                   | POTENTIAL HAZARDS                      | IR              | CONTROL MEASURES   | RR               |
|----------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS        | HAZARDS THAT MAY ARISE                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS   | RESIDUAL<br>RISK |
|                            |  |                 | - Provide clear safety instructions and signage near hazardous areas to warn personnel.  |                  |
|                            |  |                 | - Encourage team communication through briefings so everyone is aware of identified hazards and control measures.  |                  |
|                            |  |                 | - Schedule regular inspections throughout the Lay to ensure that control measures remain effective and are being followed.   |                  |
|                            |  |                 | - Encourage workers to report any new hazar and improved attely, ensuring they are addressed without delay.  |                  |
|                            |  |                 | - Conduct a pre-work safety beging to identify specific electional hazards and manual handling risks.  |                  |
|                            |  |                 | - Ensure all equipment tools be tested and tagges as per the Australian Standard AS/NZS 3760 before use.   |                  |
|                            |  |                 | - Use insulate tools and wear rubbel toler tools to provide additional protection against electrical shock   |                  |
|                            | Electrical hazards, Manual handling    | ЗН              | - Follogie fe lifting anniques, including bending at the knees and keeping loads close to the body, to preven the half and ing injuries.   |                  |
|                            |  |                 | - Position here equipment as close as possible to the installation site to minimise carrying distances.  |                  |
| 2 Sotting Up               |  |                 | splement a bookly system when lifting or moving heavy or awkward equipment to reduce strain on indicate or the system when lifting or moving heavy or awkward equipment to reduce strain on indicate or the system when lifting or moving heavy or awkward equipment to reduce strain on indicate or the system when lifting or moving heavy or awkward equipment to reduce strain on indicate or the system when lifting or moving heavy or awkward equipment to reduce strain on indicate or the system when lifting or moving heavy or awkward equipment to reduce strain on indicate or the system when lifting or moving heavy or awkward equipment to reduce strain on indicate or the system when lifting or moving heavy or awkward equipment to reduce strain on indicate or the system when lifting or moving heavy or awkward equipment to reduce strain or the system of the |                  |
| 3. Setting Up<br>Workspace | injuries                               |                 | Clearly with and barricade areas where electrical work is being conducted to prevent unauthorised ass.   | 1L               |
|                            |  |                 | - Ensure all personnel are trained in manual handling best practices and electrical safety awareness.  |                  |
|                            |  |                 | - Organise all cords and cables neatly to avoid trip hazards and unintended contact with live wires.   |                  |
|                            |  |                 | - Utilise mechanical aids such as trolleys or hoists to assist in the movement of heavy components.  |                  |
|                            |  |                 | - Lockout and tag any electrical circuits that are not required during initial setup to prevent accidental energising.   |                  |
|                            |  |                 | - Provide adequate task lighting to improve visibility in the workspace, especially in poorly lit installation areas.  |                  |
|                            |  |                 | - Regularly inspect and maintain all personal protective equipment (PPE) to ensure it provides maximum protection.   |                  |
|                            |  |                 |  |                  |
|                            |  |                 |  |                  |
|                            | Electric shock, Incorrect installation | 011             |  | 014              |
| 4. Installing Indoor Unit  | causing damage                         | 3H              |  | 2M               |
|                            |  |                 |  |                  |
|                            |  |                 |  |                  |
|                            |  |                 |  |                  |



| JOB STEP                           | POTENTIAL HAZARDS                    | IR              | CONTROL MEASURES   | RR               |
|------------------------------------|--------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS                | HAZARDS THAT MAY ARISE               | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                    |                                      |                 |  |                  |
| 5. Accessing Outdoor<br>Unit Space | Fall from heights, Unstable surfaces | 3H              |  | 2M               |



| JOB STEP                                  | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|---|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS                       | HAZARDS THAT MAY ARISE                                   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 6. Installing Outdoor<br>Unit             | Contact with high voltage, Unexpected weather conditions | ЗН              |  | 1L               |
| 7. Connecting Indoor<br>And Outdoor Units | Electric shock, Exposed wires                            | 4A              |  | 2M               |



| JOB STEP                            | POTENTIAL HAZARDS                      | IR              | CONTROL MEASURES   | RR               |
|-------------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS                 | HAZARDS THAT MAY ARISE                 | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                     |  |                 |  |                  |
| 8. Leak Testing And<br>Gas Charging | Exposure to harmful gases, Fire hazard | 4A              |  | 2M               |



9

| JOB STEP                    | POTENTIAL HAZARDS                                       | IR              | CONTROL MEASURES   | RR               |
|-----------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS         | HAZARDS THAT MAY ARISE                                  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 9. Insulation               | Contact with sharp edges, Exposure to insulation fibers | ЗН              |  | 1L               |
| 10. Commissioning<br>System | System malfunction, Improper testing procedures         | ЗН              |  | 1 1L             |



| JOB STEP               | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS    | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                        |   |                 |  |                  |
|                        |   |                 |  |                  |
|                        |   |                 |  |                  |
|                        |   |                 |  |                  |
|                        |   |                 |  |                  |
|                        |   |                 |  |                  |
|                        |   |                 |  |                  |
|                        |   |                 |  | ı                |
|                        | •   |                 |  |                  |
|                        |   |                 |  |                  |
|                        |   |                 |  |                  |
| 11. Cleanup Operations | Inadvertent disposal or necessary pass, Exposure to hazardous waste | 2M              |  | 1L               |
|                        | Exposure to nazardous waste   |                 |  |                  |
|                        |   |                 |  |                  |
|                        |   |                 |  |                  |
|                        |   |                 |  | 1                |
|                        |   |                 |  |                  |
|                        |   |                 |  |                  |



| JOB STEP                                     | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|--|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS                          | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| 12. Customer Handover                        | Miscommunication leading to misuse, Failure to explain safety procedures | 2M              |  | 1L               |
| 13. Regular<br>Maintenance and<br>Inspection | Risk of electrical shock, Deterioration of components over time          | ЗН              |  | 2M               |



| JOB STEP                        | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|---------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS             | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                                 |   |                 |  |                  |
| 14. Repair Work if<br>Necessary | Unexpected shutdown of system, Improper repair causing further damage | 4A              |  | 2M               |



| JOB STEP                                 | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES   | RR               |
|--|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS                      | HAZARDS THAT MAY ARISE                                      | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|  |   |                 |  |                  |
| 15. Retirement And<br>Disposal Of System | Improper disposal procedures, Leakag of hazardous materials | 4A              |  | 2M               |
|  |   |                 |  |                  |



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws

Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislations/

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis > odes-oi racti

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo\_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le\_lation

Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/wor/">https://www.safework.sa.gov.au/wor/</a> aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Occupational Health al. Safety Act

Occupational Health and affety gulations 2017

Legis on VIC: https://www.wksafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): <a href="https://www.safeworkaustralia.gov.au/law-and-regulation">https://www.safeworkaustralia.gov.au/law-and-regulation</a> Model Codes of Practice: <a href="https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice">https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice</a>

#### **Model Codes of Practice**

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |
|             |           |      |

#### SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains a fective of must be reviewed (and revised if necessary) if relevant control measures are revised. The view process should be carried out in consultation with workers (including contractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU mast ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME          |   |   |   |   |   |   |   |
| INITIALS      |   |   |   |   |   |   |   |
| DATE          |   |   |   |   |   |   |   |





### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS  | COMPLETED      | COMMENTS |  |
|---|----------------|----------|--|
|   |                |          |  |
| The company details have been entered, including the project name and address.                  |                |          |  |
| All relevant personnel consulted during the development of the SWMS.                            |                |          |  |
| Name, signature, position and date signed of the person approving the SWMS.                     |                |          |  |
| Specific personnel and qualifications, experience is noted in the SWMS.                         | 7              |          |  |
| Provides a step-by-step process of tasks required to carry out the activity or task.            |                |          |  |
| Adequate risk assessment of any identified hazards has been completed.                          |                |          |  |
| Foreseeable hazards are identified and documented for each step.                                |                |          |  |
| Any hazards listed in any site risk assessments have been added to the SWMS                     |                |          |  |
| SWMS initial risk (IR) column as well as residual risk (RR) column pupleted.                    |                |          |  |
| Check control measures added to the SWMS are the most effective selections                      |                |          |  |
| Responsible person is assigned and listed on the part the important control measures.           |                |          |  |
| Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc. |                |          |  |
| SWMS identifies plant and equipment to be us  |                |          |  |
| Details of inspection checks required for any equipment listed an inoted on the SWMS.           |                |          |  |
| Describes any mandatory qualifications, experience, and or skills required to perform the work. |                |          |  |
| Applicable personal protective equipment is selected on the SWMS.                               |                |          |  |
| Reflects and documents any legislative references and/or Australian Standards.                  |                |          |  |
| Identifies any hazardous substances used with specific control measures in line with any SDS.   |                |          |  |
|   |                |          |  |
| REVIEWED BY   | DATE REVIEWE   | D        |  |
| SIGNATURE   | DATE COMPLETED |          |  |