Resurfacing Works	SAFE WORK METHOD S	TATEMENT (SWMS)	
TAS	SK OR ACTIVITY: Resurfacing W	orks	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en the that a safe work method s	statement (SWMS) is prepared before
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	opliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN PHAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched red in according with regislative requirements to first identify any site hazards, such a comparison hicas those hazards and then to further take steps to either eliminate or contract each hazard.			
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL CONTRACTOR DETAILS						
Client:	SCOPE OF WORKS					
Project Name:						
Project Address:						
Project Manager:						
Contact Phone:						
Date SWMS supplied to Project Manager:						
ANY HIGH-RISK CONSTRUC						
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping					
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines					
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services					
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere					
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete					
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor					
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant					
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.					
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.					
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY					



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	

	PERS_VAL TECTIVE EQUIPMENT (PPE) Select the appropriate PPL above suitably for the equipment used or the job task being performed (if applicable).										
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements Mandatory Qualifications and Training										




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Machinery mishandling, Tripping over equipment	2М	 Conduct a pre-start safety briefing to ensure an workers understand the task and associated risks. Ensure all machinery is operated by trainee ad consistent personnel. Implement a traffic management plan to segre use pedestrian access from machinery operation areas. Maintain clear communication between spotters of machinery operators using radios or hand signals. Inspect all equipments of machinery prior to use to use they are in good working condition. Provide adenate lighting work thats, espected if working during dawn, dusk, or night hours. Use barriers usignage to designate or exclose around operational machinery. Ensurbat all orders are wearing appropriate personal protective equipment (PPE) such as high-visibilities while, how thats, and steel-toed boots. Keep the work space transition by storing tools and materials in designated areas to reduce trip hazards. Establing a chara-as-you-go policy to keep the work area free of debris and obstructions. Encurrent at power cords and hoses are properly secured and routed away from walkways. Regular, leview and update emergency procedures to respond promptly to any incidents. Intall non-slip mats or surfaces in high-traffic areas to prevent slips and falls. Encourage regular team meetings to discuss safety observations and continuously improve work practices. 	1L
2. Surface Analysis	Slips due to wet and uneven surfaces, Exposure to harmful materials	2М	 Conduct a thorough risk assessment of the area to identify and document uneven or wet surfaces before starting works. Apply slip-resistant coverings or ground mats over areas identified as particularly slippery or uneven. Utilise appropriate signage to clearly mark hazardous areas, warning workers of potential slip risks and uneven ground. Ensure all personnel wear proper Personal Protective Equipment (PPE), including non-slip footwear designed for outdoor surface conditions. Schedule resurfacing work during dry weather conditions whenever possible to reduce wet surface hazards. Regularly inspect equipment and materials for leaks or spills that could create additional slip hazards. Implement safe work procedures for handling and disposing of harmful materials, ensuring minimal exposure for workers. Provide comprehensive training to workers on recognising hazardous materials and the proper use of PPE to minimise exposure. 	1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Establish and maintain clear communication channels between team members for quick reporting and addressing of any emerging slip or material-related hazards.	
			- Set up barriers or temporary walkways around at the d areas to guide pedestrian traffic safely away from hazardous zones.	
3. Equipment Check	Faulty Equipment, Electrical shocks from power tools	ЗН	 Conduct a thorough inspection of all equipment before dse, checking for visible damage or wear. Verify that all power tools have been tested an magged according to the current electrical safety regulations. Ensure all cords and plugs are negoed condition, we contraying or exposed wires. Utilise only appropriately used expasion leads to itable for external and heavy-duty use. Confirm that sidual current device a RC to are used to provide protection against electrical faults. Important a locative procedure of faulty or damaged equipment to prevent use until repairs are compute. Conduct health and ender and servicing of equipment as per the manufacturer's guidelines. Provid training to all parkers on the safe operation of each piece of equipment they will be using. Ensure if powerbools are turned off and unplugged when not in use. Store proment properly when not in use to prevent damage. Ne battery-operated tools where possible to eliminate potential electrical hazards. Keep work areas dry and free of water to reduce the risk of electrical shocks. Position cables and hoses away from walkways to prevent trip hazards or accidental damage. Engage a qualified electrician for any repairs or assessments needed on electrical equipment. 	1L
4. Safety Measures Briefing	Misunderstandings of safety procedures, Non-compliance with safety measures	2M		1L







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Old Surface Removal	Dust inhalation, Noise pollution, injury from power tools	ЗН		2М
7. Disposal of old materials	Cutting or scratching injuries, Strain Injury	ЗН		1L

Version 2.5

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Surface Cleaning	Chemical handling, Slippery surface	2M-		1
9. Resurfacing	Handling machinery, Chemical leaks/exposure, Hot works hazards	4A		2М

Version 2.5


Date of Issue:






Version 2.5





Date of Issue:








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Equipment Demobilisation	Manual handling/strains, Miscommunication or misunderstandings	2М		1 L
15. Documentation	Eye strain, Ergonomic issues	2M		1L

Version 2.5










Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19. Handling Complaints	Stress from complaints, Poor complaint resolution process	2М		1L
	S			
20. Debriefing and Feedback	Misinterpretation issues, Non- compliance with procedures	2M		1L







EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REI	ERENCES						
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE							
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health all Safety Act and Occupational Health and onfetro egulations 2017 Legis non VIC: <u>https://www.ecuxsafe.vic.gov.au/occupational-health-and-safety-act-and- rulations</u> ordes of mactice VIC <u>cuttps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>						
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>						
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-servelaws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formediatestations</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>						
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: https://www.safework.sa.gov.au/resources/legislation Codes of Practice for SA: https://www.safework.sa.gov.au/resources/legislation Codes of Practice for SA: https://www.safework.sa.gov.au/word Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Consequential Provisions Work Health and Safety (Transitional and Consequential Provisions) Work Health and Safety (Transitional Act 2012)	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes - First aid in the workplace - Managing the risk of falls at workplaces - Hazardous manual tasks - Managing the risk of falls in housing construction						
Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u> Details of permits, licenses or access required by regulatory bodies (add or delete as required):	 Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks 						
 Permits from local council Authorisation to commence work Any required documents. 	- Managing risks of plant in the workplace - Construction work						



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\square		
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selection	\boxtimes		
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE RE	VIEWED	
SIGNATURE	DATE COMPLETED		