Reversing Onto Ram	ps SAFE WORK METHOD	STATEMENT (SWMS)	
TASK	COR ACTIVITY: Reversing Onto F	Ramps	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD	STATEMENT IS APPROX D BY	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	opliance the VMS a vell as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAS PHAVE THE FOLLOWING COMMUNICATED	NACE OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched red in according with a gislative requirements to first identify any site hazards, such to compare those hazards and then to further take steps to either eliminate or contained hazard.			
If an incident or a near miss occurs, all work must stop an added. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



					RISK	MATRIX				
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
LOW LOW MODERATE HIGH HIGH LOW ke records Isolate the hazard. Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferrement on the value of the network of controlling a hazard. Engineering by isolation is the virtue ost enditive, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective Substitution Administrative PPE PPE PPE PPE PPE PPE										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements						Ма	andatory Qual	ifications and	Training	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Poor visibility, Incorrect equipment for job, Vehicle not maintained	ЗН	 Conduct a thorough pre-operational check to use vehicle, focusing on brakes, steering, lights, and reversing alarms. Ensure all mirrors are correctly adjusted to main a driver visibility. Use spotters with high-visitative clothing to guide a livers, especially in low visibility conditions. Install convex mirrors or came us on the vehicle for an used rear visibility during reversing. Verify that rampe are contatible of the vehicle type and load specifications. Train personnal on safe reversing provedure and communication signals when using spotters. Keen versing ather and obstructors and ensure adequate lighting in the work area. Implement a schended maintenance program for regular vehicle inspections and repairs. Use veel wocks to revent vehicle movement while stationary on ramps. Check Implement or signage to restrict access to reversing areas for unauthorised personnel. Brief operators on emergency stopping procedures specific to the equipment and site conditions. Inglim that ramps have sufficient strength and are erected correctly according to manufacturer guidelines. 	2M
2. Approach Ramp	Uneven surface, Inadequate ramp design	ЗН	 Conduct a thorough inspection of the surface to ensure it is even and stable before reversing onto the ramp. Use wheel chocks or stops to prevent vehicle movement during ramp approach. Ensure the ramp design complies with relevant Australian Standards for load capacity and angle. Utilise spotters or guides to assist drivers with safe alignment and approach to the ramp. Install visible signage indicating ramp specifications and maximum load capacity. Regularly maintain and inspect the ramp structure for signs of wear, damage, or degradation. Use appropriate personal protective equipment (PPE) such as high visibility vests for all personnel involved. Implement stringent training programs for workers on the safe operation and navigation of vehicles onto ramps. Apply non-slip materials or coatings to ramp surfaces to improve traction for vehicles and minimise slip hazards. Place reflective or brightly coloured markings at the ramp edges to enhance visibility during low-light conditions. 	2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
3. Positioning	Overturning vehicle, Collision with pedestrians or structures	ЗН	 Ensure all workers are trained in safe reversing techniques and familiar with the specific vehicle being used. Install and maintain clear signage indicating networked access during reversing onto ramps to keep pedestrians out of the area. Use a trained spotter or guide to assist the over, providing clear signals to safely position the vehicle. Equip the vehicle with functioning reverse alan band flashing thats to alert nearby personnel and pedestrians. Conduct a visual inspection or the area for any observe, uneven surfaces, or hazards before positioning the vehicle. Ensure rampene well the specially neuv-light conditions, to enhance visibility for drivers and spotters. Use the choice of the driver by enforcing a no-mobile-phone policy during positioning tasks. Concound a teal of the driver by enforcing a no-mobile-phone policy during positioning tasks. Concound a teal of the driver by enforcing a no-mobile phone policy during positioning tasks. Concound a teal of the driver by enforcing a no-mobile phone policy during positioning tasks. Concound a teal of the driver by enforcing a no-mobile phone policy during positioning tasks. Concound a teal clearly with all team members using hand signals or communication devices to coordinate povement. Inform regular assessments of potential risks and update safety protocols based on feedback and incidents. 	2М
4. Reversal onto Ramp	Falling from height, Roll over of the vehicle	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Load Shifting	Projectile objects, Spillet azardous materials			1L
6. Unload/Ramp Descent	Uncontrolled descent, Inadequate equipment/use of the vehicle's controls	4A		2M
vicion 2.5	Authorized by		Poviou # Dete of Jourse Poviou Date:	

6








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Emergency Procedures	Inadequate training on how to handle emergency scenarios (fire-oil leak)	ЗН		2М
9. Ramp Removal/Clearing Area	Slip, Trip, Fall hazards, Struck By Moving/Falling Objects	ЗН		1L








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Repositioning	Vehicle Overturning, Collision With Other Vehicles Or Structures	3		2M
12. Disposal Of Materials/Debris	Incorrect Disposal leading to environmental pollution, Injury due to handling heavy debris	2M		1L










Version 2.5

Date of Issue:









JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
17. Reporting	Inaccuracy in documentation, lack of transparency	2М		1L
18. Welfare Breaks	Poor nutrition, dehydration, fatigue	2M		1L









Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
		INITIAL		RESIDUAL
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RISK



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REI	FERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health are Safety Actioned Occupational Health and Infetive guilations 2017 Legis from VIC: https://www.euroksafe.vic.gov.au/occupational-health-and-safety-act-and- guilations Colles on Practice VICountps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis <a acts-and-regulations"="" href="https://www.safework.nsw.gov.gov.gov.gov.gov.gov.gov.gov.gov.gov</td><td>Western Australia
Work Health and Safety Act 2020
Work Health and Safety Regulations 2022
Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u>
Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u></td></tr><tr><td>Northern Territory
Work Health and Safety (National Uniform Legislation) Act 2011
Work Health and Safety (National Uniform Legislation) Regulation 2015
Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/weiplace-servelaws
Codes of Practice NT: https://worksafe.nt.gov.au/formed-resources/compliance/weiplace-servelaws</td><td>Safe Work Australia Links
Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u>
Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u>
<u>codes-of-practice</u>
Model Codes of Practice</td></tr><tr><td>South Australia
Work Health and Safety Act 2012 (SA)
Work Health and Safety Regulations 2012 (SA)
Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u>
Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u></td><td> Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes </td></tr><tr><td>Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMPLETED	