

Ripper Usage | SAFE WORK METHOD STATEMENT (SWMS)

TASK OR ACTIVITY: Ripper Usage

Business Name:	ABN:	SWMS#
Business Address:		
Contact Person:	Phone:	Email:

THIS SAFE WORK METHOD STATEMENT IS APPROVED BY THE PCBU OF THE PROJECT

Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or undertaking (PCBU) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts.

Full Name:		
Signature:	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring compliance of the SWMS as well as reviews and modifications of the SWMS.		
Full Name:	Title:	Phone:

ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS SWMS MUST HAVE THE FOLLOWING COMMUNICATED

Safety meetings or toolbox talks will be scheduled in accordance with legislative requirements to first identify any site hazards, then to communicate those hazards and then to further take steps to either eliminate or control each hazard.

If an incident or a near miss occurs, all work must stop immediately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.

Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.

The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.

NAME OF ALL RELEVANT PERSONNEL WHO HAVE BEEN CONSULTED AND COMMUNICATED TO IN THE DEVELOPMENT AND APPROVAL OF THIS SWMS

CLIENT OR PRINCIPAL CONTRACTOR DETAILS

Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	

ANY HIGH-RISK CONSTRUCTION WORK BEING CARRIED OUT

- | | |
|--|--|
| <input type="checkbox"/> involves a risk of a person falling more than 2 meters | <input type="checkbox"/> is carried out on or near pressurised gas mains or piping |
| <input type="checkbox"/> is carried out on a telecommunication tower | <input type="checkbox"/> is carried out on or near chemical, fuel or refrigerant lines |
| <input type="checkbox"/> involves demolition of an element of a structure that is load-bearing | <input type="checkbox"/> is carried out on or near energised electrical installations or services |
| <input type="checkbox"/> involves demolition of an element related to the physical integrity of a structure | <input type="checkbox"/> is carried out in an area that may have a contaminated or flammable atmosphere |
| <input type="checkbox"/> involves, or is likely to involve, disturbing asbestos | <input type="checkbox"/> involves tilt-up or precast concrete |
| <input type="checkbox"/> involves structural alteration or repair that requires temporary support to prevent collapse | <input type="checkbox"/> is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| <input type="checkbox"/> is carried out in or near a confined space | <input type="checkbox"/> is carried out in an area of a workplace where there is any movement of powered mobile plant |
| <input type="checkbox"/> is carried out in/near a shaft or trench deeper than 2m or tunnel involving use of explosives | <input type="checkbox"/> is carried out in areas with artificial extremes of temperature. |
| <input type="checkbox"/> is carried out in or near water or other liquid that involves a risk of drowning. | <input type="checkbox"/> involves diving work. |

ANY HIGH-RISK MACHINERY OR EQUIPMENT NEARBY

RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE	ACTION	HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE			 <p>Elimination Remove the hazard.</p> <p>Substitution Replace the hazard.</p> <p>Isolation Isolate People from the hazard</p> <p>Engineering Isolate the hazard.</p> <p>Administrative Change the work.</p> <p>PPE</p>	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCEED		
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review before work starts.		
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	Monitor and keep records		

Notes on Hierarchy of Controls: Elimination methods are the most effective and preferred when controlling a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the third most effective, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) is the least effective method.

PERSONAL PROTECTIVE EQUIPMENT (PPE)											
Select the appropriate PPE above suitable for the equipment used or the job task being performed (if applicable).											
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION	HEARING PROTECTION	EYE PROTECTION	RESPIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
											
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other PPE Required:											
Permit or Licenses Requirements						Mandatory Qualifications and Training					

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Improper training, Inadequate personal protective equipment (PPE)	3H	<ul style="list-style-type: none"> - Ensure all personnel have completed certified training specific to ripper operation and understand risk assessments. - Conduct a pre-start briefing to discuss potential hazards and outline control measures with the team. - Verify that operators hold valid licences or certifications relevant to plant operations. - Implement a buddy system for new or inexperienced operators under supervision by experienced personnel. - Provide and enforce the use of mandatory PPE, such as hard hats, high-visibility clothing, steel-capped boots, and safety glasses. - Regularly inspect and maintain PPE to ensure it is in a suitable condition for effective protection. - Develop and distribute an emergency response plan, ensuring all workers are familiar with procedures for potential scenarios. - Display clear signage in the work area indicating mandatory PPE requirements and potential hazards associated with ripper operation. - Assess each operator's physical and mental readiness at the commencement of their shift to prevent fatigue-related incidents. - Schedule routine safety drills to practice emergency handling and situational awareness related to machine failure or accidents. - Encourage a safety culture where employees are empowered to report unsafe practices without fear of retribution. 	2M
2. Equipment check	Faulty ripper, Lack of maintenance	3H	<ul style="list-style-type: none"> - Conduct a pre-start inspection of the ripper to identify any visible signs of wear or damage. - Verify that all safety guards and warning labels on the ripper are intact and clearly visible. - Ensure compliance with the manufacturer's maintenance schedule and guidelines for the ripper. - Confirm that all hydraulic hoses and connections are in good condition and free from leaks. - Check the condition and operation of all lights, indicators, and alarms on the ripper. - Test the functionality of the emergency stop mechanism to ensure it works correctly. - Ensure that all operators have up-to-date training and are familiar with the specific ripper model being used. - Inspect the cutting edges for any signs of excessive wear or damage and replace them if necessary. - Maintain a documented record of all inspections and maintenance activities performed on the ripper. - Use personal protective equipment (PPE) such as gloves and safety glasses when inspecting and maintaining the ripper. 	2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<ul style="list-style-type: none"> - Keep an updated spare parts inventory to facilitate quick replacements of worn-out or faulty components. - Establish clear reporting procedures for identifying and addressing faulty equipment or maintenance issues promptly. - Consult a qualified mechanic or technician for more comprehensive checks or repairs if initial inspections reveal any concerns. 	
3. Ripper installation	Falling objects from height, Incorrect installation procedure	4A	<ul style="list-style-type: none"> - Conduct a pre-start meeting with all team members to discuss the installation procedure and associated hazards. - Ensure all personnel are wearing appropriate personal protective equipment, including hard hats, steel-toed boots, and gloves. - Use certified lifting equipment such as cranes or hoists for lifting and positioning the ripper attachment. - Perform a visual inspection of the lifting equipment prior to use to ensure it is in good condition and suitable for the task. - Set up exclusion zones around the work area to prevent unauthorized personnel from entering during installation. - Securely fasten the ripper attachment to the lifting device using approved lifting points and safety chains or slings. - Follow the manufacturer's instructions for installation procedures to ensure correct fitting and reduce the risk of incorrect installation. - Implement a spotter system to guide the lifting and installation process and ensure clear communication between the operator and installation crew. - Avoid working under suspended loads whenever possible to minimize the risk of injury from falling objects. - Double-check all connections and fastening points once the ripper is mounted to ensure it is secure before commencing operation. - Include signage to alert workers and visitors of ongoing installation activities and possible risks. - Provide training and competency verification for all workers involved in the installation to ensure they understand the correct procedures and potential hazards. 	3H
4. Site setup	Unsecured site, Existence of other hazardous materials on site	3H	<p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p> <p>[REDACTED]</p>	2M

[illegible]

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<div>SAMPLE</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div>	
7. Material transportation	Vehicle collision, Spilling of materials	3H	<div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div> <div>[REDACTED]</div>	2M

4A

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Ground leveling	Inadequate safety measures, Improper use of ripper	3H		2M
10. Daily inspection	Negligence in inspection, Lack of technical knowledge	3H		1L

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<div>SAMPLE</div> <div>[Redacted Content]</div>	
11. Maintenance task	Lack of proper tooling, Inadequate training	4A	<div>[Redacted Content]</div>	2M

4A

4B

4C

4D

4E

4F

4G

4H

4I

4J

4K

4L

4M

4N

4O

4P

4Q

4R

4S

4T

4U

4V

4W

4X

4Y

4Z

4AA

4AB

4AC

4AD

4AE

4AF

4AG

4AH

4AI

4AJ

4AK

4AL

4AM

4AN

4AO

4AP

4AQ

4AR

4AS

4AT

4AU

4AV

4AW

4AX

4AY

4AZ

4BA

4BB

4BC

4BD

4BE

4BF

4BG

4BH

4BI

4BJ

4BK

4BL

4BM

4BN

4BO

4BP

4BQ

4BR

4BS

4BT

4BU

4BV

4BW

4BX

4BY

4BZ

4CA

4CB

4CC

4CD

4CE

4CF

4CG

4CH

4CI

4CJ

4CK

4CL

4CM

4CN

4CO

4CP

4CQ

4CR

4CS

4CT

4CU

4CV

4CW

4CX

4CY

4CZ

4DA

4DB

4DC

4DD

4DE

4DF

4DG

4DH

4DI

4DJ

4DK

4DL

4DM

4DN

4DO

4DP

4DQ

4DR

4DS

4DT

4DU

4DV

4DW

4DX

4DY

4DZ

4EA

4EB

4EC

4ED

4EE

4EF

4EG

4EH

4EI

4EJ

4EK

4EL

4EM

4EN

4EO

4EP

4EQ

4ER

4ES

4ET

4EU

4EV

4EW

4EX

4EY

4EZ

4FA

4FB

4FC

4FD

4FE

4FF

4FG

4FH

4FI

4FJ

4FK

4FL

4FM

4FN

4FO

4FP

4FQ

4FR

4FS

4FT

4FU

4FV

4FW

4FX

4FY

4FZ

4GA

4GB

4GC

4GD

4GE

4GF

4GG

4GH

4GI

4GJ

4GK

4GL

4GM

4GN

4GO

4GP

4GQ

4GR

4GS

4GT

4GU

4GV

4GW

4GX

4GY

4GZ

4HA

4HB

4HC

4HD

4HE

4HF

4HG

4HH

4HI

4HJ

4HK

4HL

4HM

4HN

4HO

4HP

4HQ

4HR

4HS

4HT

4HU

4HV

4HW

4HX

4HY

4HZ

4IA

4IB

4IC

4ID

4IE

4IF

4IG

4IH

4II

4IJ

4IK

4IL

4IM

4IN

4IO

4IP

4IQ

4IR

4IS

4IT

4IU

4IV

4IW

4IX

4IY

4IZ

4JA

4JB

4JC

4JD

4JE

4JF

4JG

4JH

4JI

4JJ

4JK

4JL

4JM

4JN

4JO

4JP

4JQ

4JR

4JS

4JT

4JU

4JV

4JW

4JX

4JY

4JZ

4KA

4KB

4KC

4KD

4KE

4KF

4KG

4KH

4KI

4KJ

4KK

4KL

4KM

4KN

4KO

4KP

4KQ

4KR

4KS

4KT

4KU

4KV

4KW

4KX

4KY

4KZ

4LA

4LB

4LC

4LD

4LE

4LF

4LG

4LH

4LI

4LJ

4LK

4LL

4LM

4LN

4LO

4LP

4LQ

4LR

4LS

4LT

4LU

4LV

4LW

4LX

4LY

4LZ

4MA

4MB

4MC

4MD

4ME

4MF

4MG

4MH

4MI

4MJ

4MK

4ML

4MM

4MN

4MO

4MP

4MQ

4MR

4MS

4MT

4MU

4MV

4MW

4MX

4MY

4MZ

4NA

4NB

4NC

4ND

4NE

4NF

4NG

4NH

4NI

4NJ

4NK

4NL

4NM

4NN

4NO

4NP

4NQ

4NR

4NS

4NT

4NU

4NV

4NW

4NX

4NY

4NZ

4OA

4OB

4OC

4OD

4OE

4OF

4OG

4OH

4OI

4OJ

4OK

4OL

4OM

4ON

4OO

4OP

4OQ

4OR

4OS

4OT

4OU

4OV

4OW

4OX

4OY

4OZ

4PA

4PB

4PC

4PD

4PE

4PF

4PG

4PH

4PI

4PJ

4PK

4PL

4PM

4PN

4PO

4PP

4PQ

4PR

4PS

4PT

4PU

4PV

4PW

4PX

4PY

4PZ

4QA

4QB

4QC

4QD

4QE

4QF

4QG

4QH

4QI

4QJ

4QK

4QL

4QM

4QN

4QO

4QP

4QQ

4QR

4QS

4QT

4QU

4QV

4QW

4QX

4QY

4QZ

4RA

4RB

4RC

4RD

4RE

4RF

4RG

4RH

4RI

4RJ

4RK

4RL

4RM

4RN

4RO

4RP

4RQ

4RR

4RS

4RT

4RU

4RV

4RW

4RX

4RY

4RZ

4SA

4SB

4SC

4SD

4SE

4SF

4SG

4SH

4SI

4SJ

4SK

4SL

4SM

4SN

4SO

4SP

4SQ

4SR

4SS

4ST

4SU

4SV

4SW

4SX

4SY

4SZ

4TA

4TB

4TC

4TD

4TE

4TF

4TG

4TH

4TI

4TJ

4TK

4TL

4TM

4TN

4TO

4TP

4TQ

4TR

4TS

4TT

4TU

4TV

4TW

4TX

4TY

4TZ

4UA

4UB

4UC

4UD

4UE

4UF

4UG

4UH

4UI

4UJ

4UK

4UL

4UM

4UN

4UO

4UP

4UQ

4UR

4US

4UT

4UU

4UV

4UW

4UX

4UY

4UZ

4VA

4VB

4VC

4VD

<

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Night operation	Poor lighting, Fatigue	4A	<div>SAMPLE</div>	3H
14. Equipment shutdown	Incorrect shutdown procedure, Negligent operator practice	3H		2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Reporting and documentation	Lack of compliance, Late reporting	3H		1L
17. Site demobilisation	Unorganised shutdown, Unattended hazardous materials	4A		3H

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div>	
18. Ripper dismantling	Incorrect dismantling procedure, Mishandling of tool parts	3H	<div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div> <div></div>	2M

JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19. Inspection before leaving	Negligence in inspection, Hazards left on site	4A		2M
20. Training and competence improvement	Improper training procedure, Insufficient skill levels	3H		1L

EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES IF ANY STATE THAT ARE NOT APPLICABLE

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws>

Codes of Practice QLD: <https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice>

Legislation ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations>

Codes of Practice ACT: <https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice>

Victoria

Occupational Health and Safety Act 2004

Occupational Health and Safety Regulations 2017

Legislation VIC: <https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-regulations>

Codes of Practice VIC: <https://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice>

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: <https://www.safework.nsw.gov.au/legal-obligations/legislation>

Codes of Practice NSW: <https://www.safework.nsw.gov.au/resource-library/list-codes-of-practice>

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: <https://www.commerce.wa.gov.au/worksafe/legislation>

Codes of Practice WA: <https://www.commerce.wa.gov.au/worksafe/codes-practice>

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulations 2011

Legislation NT: <https://worksafe.nt.gov.au/laws-and-compliance/workplace-safety-laws>

Codes of Practice NT: <https://worksafe.nt.gov.au/laws-and-compliance/codes-of-practice>

Safe Work Australia Links

Law and Regulation (All States): <https://www.safeworkaustralia.gov.au/law-and-regulation>

Model Codes of Practice: <https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice>

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: <https://www.safework.sa.gov.au/resources/legislation>

Codes of Practice for SA: <https://www.safework.sa.gov.au/workplaces/codes-of-practice#COPs>

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations>

Codes of Practice for TAS: <https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice>

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK METHOD STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains effective and must be reviewed (and revised if necessary) if relevant control measures are revised. The review must be carried out in consultation with workers (including contractors and sub-contractors) who may be affected by the operation of the SWMS and their health and safety representatives who represent that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that all persons involved with the work are advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a result of the review are advised of the changes in a way that will enable them to implement their duties consistently with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

1. Spot Checks.
2. Consultation with workers, contractors and sub-contractors.
3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							

SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.	<input checked="" type="checkbox"/>	
All relevant personnel consulted during the development of the SWMS.	<input checked="" type="checkbox"/>	
Name, signature, position and date signed of the person approving the SWMS.	<input type="checkbox"/>	
Specific personnel and qualifications, experience is noted in the SWMS.	<input checked="" type="checkbox"/>	
Provides a step-by-step process of tasks required to carry out the activity or task.	<input checked="" type="checkbox"/>	
Adequate risk assessment of any identified hazards has been completed.	<input checked="" type="checkbox"/>	
Foreseeable hazards are identified and documented for each step.	<input checked="" type="checkbox"/>	
Any hazards listed in any site risk assessments have been added to the SWMS.	<input checked="" type="checkbox"/>	
SWMS initial risk (IR) column as well as residual risk (RR) column completed.	<input checked="" type="checkbox"/>	
Check control measures added to the SWMS are the most effective selected.	<input checked="" type="checkbox"/>	
Responsible person is assigned and listed on the SWMS for the implementation of control measures.	<input checked="" type="checkbox"/>	
Permit or licenses requirements specified, such as Hot Work, Electrical Work, Work at Heights etc.	<input checked="" type="checkbox"/>	
SWMS identifies plant and equipment to be used.	<input checked="" type="checkbox"/>	
Details of inspection checks required for any equipment listed as noted on the SWMS.	<input checked="" type="checkbox"/>	
Describes any mandatory qualifications, experience, training or skills required to perform the work.	<input checked="" type="checkbox"/>	
Applicable personal protective equipment is selected on the SWMS.	<input checked="" type="checkbox"/>	
Reflects and documents any legislative references and/or Australian Standards.	<input checked="" type="checkbox"/>	
Identifies any hazardous substances used with specific control measures in line with any SDS.	<input checked="" type="checkbox"/>	
REVIEWED BY		
SIGNATURE		
DATE REVIEWED		
DATE COMPLETED		