Sanding Vehicle Part	ts SAFE WORK METHOD	STATEMENT (SWMS)	
TAS	K OR ACTIVITY: Sanding Vehicle	Parts	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPRO		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en that a safe work method s	tatement (SWMS) is prepared before
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring a	opliance i the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN PHAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with egislative requirements to first identify any site hazards, the sched companies that those hazards and then to further take steps to either eliminate or control each hazard.			
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
Torket LOW LOW MODERATE HIGH HIGH LOW ktorecords Isolate the hazard. Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferrement on the yea hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the inclusion is the inclusion of the least effective Substitution Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective PPE PPE										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements						Ма	andatory Qual	ifications and	Training	




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Exposure to hazardous substances, Risk of fire from flammable materials	2М	 Conduct a thorough risk assessment to idence all hazardous substances present in the materials and sanding environment. Implement engineering controls such as venu tionsystems to minimise dust and fume exposure. Provide appropriate persons portective equipment (PPE) such as respirators, gloves, and safety goggles for workers handling apposed to hazaron a subtances. Use vacuum sandon unhigh-acciency particulate or (HEPA) filters to capture dust at the source and reduce airborn particles. Ensure prophystorage are tabelling after mable materials to prevent accidental ignition and maintain organic d work acces. Esta is design to areas for sanding operations, isolated from potential sources of ignition and other incompletic activiti. Educat work on a haddling and disposing of hazardous substances safely, including any specific aterial after yills asheets (MSDS). Ros are inspect and maintain all electrical tools and equipment to prevent sparking, which can ignite arman substance workers are trained to use them. Implement a stringent housekeeping schedule to prevent accumulation of dust and debris that could serve as a fire hazard. Limit quantities of flammable materials in the immediate work area to only what is necessary for the task to reduce fire load. Maintain clear emergency evacuation routes and procedures, ensuring all workers are familiar with these protocols. 	1L
2. Inspect Tool	Potential Electric Shock, Sharp edges leading to injuries	ЗН	 Ensure all electrical tools have undergone a portable appliance test (PAT) and have an appropriate indate tag. Clearly label and isolate the power source before inspecting or performing maintenance on the tool. Conduct a visual inspection of the power cords to identify any signs of wear or damage, such as fraying or cuts. Use insulated gloves when handling electrical equipment to add an extra layer of protection against electric shock. Ensure that all tools are switched off and unplugged before beginning the inspection process. Wear appropriate personal protective equipment (PPE), including cut-resistant gloves, to protect hands from sharp edges. 	1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Check for any exposed wires or loose connections within the tool and report any issues immediately for repair.	
			- Inspect blades, sandpaper, and any other replace the parts for sharpness and integrity to prevent accidental cuts.	
			- Keep the work area tidy and free of cluttee reduce the sk of accidentally coming into contact with sharp objects.	
			- Provide training to employees on the correct in action procedures, focusing on identifying hazards such as potential electric shocks and sharp edges.	
			- Conduct a pre-structure, tion on the sanding machine to ensure all safety guards and devices are in place and functural.	
			- Ensure all operators are used and the sent in using the machinery, focusing on safe operating proceeds.	
			- Wear a, opriate resonal protective equipment (PPE) such as gloves and long sleeves to protect from cuts an bit les.	
			- Implen int moving around moving parts to prevent accidental contact or entanglement.	
			- • • a p sh stick or similar tool to guide smaller parts into the sanding machine instead of hands.	
	7		Estable clear area around the machine free of obstructions or loose objects that could interfere with eration.	
	Cuts or bruises from merimonarts,		- up warning signs and barriers to keep non-essential personnel at a safe distance during operation.	
. Start Machine	Noise pollution		 Conduct regular maintenance checks to ensure the machine is in good working condition, including checking blade sharpness and alignment. 	2M
			- Provide adequate lighting in the work area to enhance visibility and reduce the risk of accidents.	
			- Install high-quality ear protection to safeguard against noise-induced hearing loss for individuals working near loud machines.	
			- Limit exposure time for workers operating or near the sanding machine to reduce overall noise exposure.	
			- Use acoustic barriers or soundproofing solutions where feasible to minimize noise levels in the work environment.	
			- Implement an emergency stop procedure and ensure all operators are familiar with how to quickly shut down the equipment if necessary.	
			- Conduct routine safety briefings and encourage workers to report any hazards or concerns related to machine operation immediately.	
. Select and Measure				
Aaterial	Heavy lifting injuries, Cutting injuries	3H		2M

Version 2.5










Version 2.5

Date of Issue:





Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Storing Tools	Tripping, Improper storage may cause fall of objects leading to interv	ЗН		1L
10. Documenting the Process	Miscommunication, Loss of data	2M		1L

Version 2.5

Date of Issue:







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Break Down	Falling parts, Inadequate shutdown procedures	ЗН		2M
13. Inspecting Vehicle	Unseen danger due to lack of proper light, Vehicle falling from jack stand/hoist	4A		1L

Date of Issue:




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
14. Finish Sanding Vehicle Part	Ingestion/inhalation of particles or dust Skin wounds from sharp edges	2M		1L
15. Clean-up and Disposal	Falling objects, Fire hazard, Exposure to hazardous substances	ЗН		1L











JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
18. Debriefing?	Miscommunication, Inadequate addressing of risks	2М		1L
19. Restocking Materials?	Heavy lifting injuries, Incorrect storage leading to falls	ЗН		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
20. Site Leaving	Trip and Fall haza due to uncersite	ЗН		2M

Version 2.5



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES DANY STATE DAT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health au Safety Act 204 Occupational Health and pafety or gulations 2017 Legis non VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulat</u> is or des of mactice VIC <u>autps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-sector-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/fector-d-resourcestor-sec</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_dces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMPLETED	