Scroll Sawing Tasks	s SAFE WORK METHOD S	STATEMENT (SWMS)						
TAS	K OR ACTIVITY: Scroll Sawing T	asks						
Business Name:		ABN:	SWMS#					
Business Address:								
Contact Person:	Phone:	E gil:						
		THE PC. OF THE ROJECT						
THIS SAFE WORK METHOD STATEMENT IS APPRO'. 'O BY THE PC'. 'OF TP' - ROJECT Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or under the group of (PC'.) is required to encode that a safe work method statement (SWMS) is prepared before the proposed work starts.								
Full Name:								
Signature:		Title:	Date:					
Details of the person(s) responsible for ensuring implementation, monitoring a poliance i the VMS a well as reviews and modifications of the SWMS.								
Full Name:		Title:	Phone:					
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAS PHAVE THE FOLLOWING COMMUNICATED	NA 2 OF ALL RELEVANT PERSONN EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE					
Safety meetings or toolbox talks will be sched and in according with a gislative requirements to first identify any site hazards, a contract to compare those hazards and then to further take steps to either eliminate or contract each hazard.								
If an incident or a near miss occurs, all work must sto, an anately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.								
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.								
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.								



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



					RISK	MATRIX				
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements					Mandatory Qualifications and Training					




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Risk of injury due to inexperienced handling of tools, Inadequate maintenance of equipment	ЗН	 Provide comprehensive training for operation on the safe use of scroll saws, including recognising potential risks and handling techniques. Conduct regular refresher courses to ensure unavers are updated with the latest safety protocols and operation procedures. Ensure that all workers have uccess to and propercusses usonal protective equipment (PPE) such as safety glasses and he tria protuction. Prior to use, injunct the stoll sale or replicing the area of damage, including cracked blades or faulty swheres, and replice or replicing comments as needed. Estatish a motion schedule for unodic checks and servicing of the scroll saw to keep it in optimal workloandition. Develop of thimple and a pre-operational checklist for all operators to follow before using the scroll saw to confine equipment undiness. Ensure that on authorised personnel operate the scroll saw, with clear signage indicating usage restriction. Supply their instruction manuals and operational guides readily accessible near the work area for quick irrence by users. Onfigure the work area to be free of clutter and obstructions, reducing the risk of accidental injury from ripping or knocking tools off surfaces. Advise all users to adjust the hold-down foot of the scroll saw correctly to ensure that the workpiece is secure during operation. Set up an emergency response plan that includes first aid procedures and emergency contact information, visible and easily accessible to all employees. 	2М
2. Installing Blade	Cutting hazard, Unintentional start-up	ЗН	 Ensure the scroll saw is disconnected from the power source before installing or changing the blade to prevent accidental start-up. Use appropriate personal protective equipment (PPE) such as cut-resistant gloves to protect hands from potential cutting hazards. Verify that the power switch is in the "off" position before plugging the scroll saw back in after blade installation. Follow the manufacturer's instructions for blade installation, using the correct procedures and tools to minimise the risk of accidents. Inspect the blade for any damage or defects before installation to ensure it will function correctly and safely. Make sure all guards and safety features are in place and operational before starting the saw. 	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Implement a lockout/tagout system to clearly indicate when maintenance or installation is being performed to alert other workers.	
			- Train all employees involved in blade installation proper techniques and safety protocols specific to scroll sawing tasks.	
			- Maintain a clean and organised work area reduce the k of distractions and tripping hazards during blade changes.	
			- Ensure adequate lighting in the workspace to , ude clear visibility during the blade installation process.	
			- Confirm that all electrical connuctions are secure a true from any visible damage before adjusting tension.	
			- Verify that scroll saw is witches off and plugged from the power source before making any adjustments.	
			- Use sidual are device (RCD) or safety switch to provide additional protection against electric shock	
			- Ensure has a ready and not in contact with water or conductive materials during the adjustment.	
			Follow e manufacturer's instructions regarding tension settings to avoid incorrect adjustments.	
			- Recular conspect the scroll saw for any wear or damage, and schedule maintenance if needed before odjustmentsion.	
3. Adjusting Tension	Adjusting Tension Electric shock, Incorrect Settings	21.	- void wearing loose clothing or accessories that could get caught in the machine while adjusting ten ion.	1L
			- Use insulated tools when interacting with the saw's electrical components.	
			- Provide training to operators on how to safely adjust blade tension and handle potential hazards.	
			- Label and store adjustment tools properly to prevent accidental misuse.	
			- Establish a lockout/tagout procedure to ensure the saw remains de-energised during maintenance activities.	
			- Have a first aid kit and emergency plan readily accessible in case of injury.	
			- Implement a periodic review of the tension adjustment process to ensure compliance and identify areas for improvement.	
			- Conduct a risk assessment to evaluate the potential for electric shock and other risks before performing any tension adjustments.	
	Fingers/Hand Trap, Loose clothing or			
. Mounting Workpiece	hair caught in machine	ЗH		1L








	ZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Starting Scroll Saw Unplanned st				
	start-up, Electric shock	ЗН		1L
7. Making Cut Clothing/Fing	ngers trapped, Flying Debris	ЗН		2M

Version 2.5






Version 2.5



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
. Removing Workpiece	Injury from sharp blade, Slipping on sawdust	ЗН		2M
0. Cleaning Work Area	Tripping over scrap material, Inhaling wood dust	ЗН		1L
sion 2.5	Authorised by		Review # Date of Issue: Review Date:	1








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
12. Upgrading Tools	Improper installation causing malfunctions, electrical shock	ЗН		2M
13. Replacing Blades	Hand cuts, eye injuries due to flying particles	4A		2M


Version 2.5





Version 2.5







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
16. Emergency Procedures	Panic elevation, unsuitable emergency exit	4A		2М
17. Waste Disposal	Sharps injury, inhalation of dust	ЗН		2M








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
19. Training Sessions	Incomplete understanding, Complacency	2M		
20. Record Keeping	Incorrect documentation, Failure to update safety procedures	ЗН		2M

Version 2.5







EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REI	ERENCES						
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE							
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health all Safety Act and Occupational Health and onfetro egulations 2017 Legis non VIC: <u>https://www.ecuxsafe.vic.gov.au/occupational-health-and-safety-act-and- rulations</u> ordes of mactice VIC <u>cuttps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>						
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>						
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-servelaws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formediatestations</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>						
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: https://www.safework.sa.gov.au/resources/legislation Codes of Practice for SA: https://www.safework.sa.gov.au/resources/legislation Codes of Practice for SA: https://www.safework.sa.gov.au/word Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Consequential Provisions Work Health and Safety (Transitional and Consequential Provisions) Work Health and Safety (Transitional Act 2012)	Model Codes of Practice - Managing noise and preventing hearing loss at work - Confined spaces - Labelling of workplace hazardous chemicals - Managing risks of hazardous chemicals in the workplace - Welding processes - First aid in the workplace - Managing the risk of falls at workplaces - Hazardous manual tasks - Managing the risk of falls in housing construction						
Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u> Details of permits, licenses or access required by regulatory bodies (add or delete as required):	 Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks 						
 Permits from local council Authorisation to commence work Any required documents. 	- Managing risks of plant in the workplace - Construction work						



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMPLETED	