Secure Shingle Cours	es SAFE WORK METHOD	STATEMENT (SWMS)	
TASK	OR ACTIVITY: Secure Shingle C	ourses	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E all:	
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY	THE PC. OF THE ROJECT	
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en the that a safe work method s	statement (SWMS) is prepared before
Full Name:			
Signature:	NK	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	opliance i the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched red in according with regislative requirements to first identify any site hazards, such a comparison hicas those hazards and then to further take steps to either eliminate or contrast each hazard.			
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



RISK MATRIX										
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
NARE LOW LOW MODERATE HIGH HIGH LOW korrecorde Isolate the hazard. Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferre usen consultary a hazard. Substitution a the second most effective method of controlling a hazard. Engineering by isolation is the increase the rive, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective Administrative Change the work. PPE PPE PPE PPE PPE PPE										

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements						Ма	andatory Qual	ifications and	Training	




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Incorrect Manual Handling, Slips, Trips and Falls	2М	 Conduct a pre-start briefing to ensure all workers understand the task requirements and associated risks. Use mechanical aids such as trolleys or hois workinsport shingles and other materials to reduce manual handling. Assess the work area for slip wip, and fall hazarow efort warting, and remove any obstructions or debris. Ensure propertorsonal protective quipment (*CE) is worn, including sturdy non-slip footwear and gloves. Implement a fulling in the work area to enhance visibility and reduce the risk of trips and falls. Train a trick on correst manual handling techniques to minimise strain and prevent musculoskeletal suries. So the poorary barriers or warning signs around the work zone to alert others to the hazard. Ensure a volos and equipment are in good working order and fit for purpose, conducting regular functions and maintenance. Designate safe walkways or pathways within the work area and ensure these remain free from clutter at all times. Store materials neatly and securely to prevent them from becoming trip hazards or falling unexpectedly. Utilise safety harnesses or fall arrest systems when working at heights if required by site conditions. Monitor weather conditions and cease work in adverse conditions, such as rain or high winds, that increase the risk of slips and falls. Engage spotters to guide and assist workers during the transport of heavy or awkward loads. 	1L
2. Site Evaluation	Exposure to Harmful Dust, Noise Pollution	2M	 Use appropriate personal protective equipment (PPE) such as dust masks or respirators to minimise inhalation of harmful dust. Implement wet cutting methods where possible to reduce dust generation during shingle installation. Schedule work during less windy conditions to limit the spread of dust. Provide adequate ventilation in enclosed areas to disperse and reduce dust concentration. Set up barriers or screens around the work site to contain and limit the spread of dust to adjacent areas. Conduct regular air monitoring to ensure that dust levels remain within safe limits. Use hearing protection devices, such as earmuffs or earplugs, especially when operating loud machinery or tools. 	1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Limit the exposure duration to noisy environments by scheduling regular breaks away from the noise.	
			- Maintain all tools and machinery in good working order to reduce unnecessary noise emissions.	
			- Establish designated quiet areas on-site for we us to take breaks and reduce their overall noise exposure.	
			- Educate and train workers on the health rise associate with prolonged exposure to dust and noise, and on effective control measures.	
			- Use signage to clearly identify high-noise areas and remind we kers to wear hearing protection.	
			- Regularly clean the work site of remove accumuted but through vacuuming or other dust suppression method	
			- Rotate tasks a wong work as to end to that providividual is exposed to harmful dust and noise for extended per us.	
			- Ensure telective equipment and tools are properly grounded and comply with Australian standards for elemitic safety.	
			- Conductreg, prinspections of all power cords, extension leads, and connections to check for any namage in wea. Replace any damaged items immediately.	
			- Ds. Res lual Current Devices (RCDs) at all times when using electrical equipment to prevent electric hock.	
			- aintain a clear workspace, ensuring any flammable materials are kept well away from heat sources an electrical equipment.	
			- Store all combustible materials in appropriate containers, following guidelines for flammable storage, and keep away from work area.	
3. Equipment Setup	Electric Shock, File Hazard	2M	- Ensure staff are trained in identifying and managing potential fire hazards, and know the proper use of fire extinguishers.	1L
			- Designate and maintain access to emergency exits and ensure they are clearly marked and unobstructed at all times.	
			- Establish and communicate emergency procedures, ensuring workers are familiar with evacuation routes and muster points.	
			- Place portable fire extinguishers nearby and ensure they are regularly serviced and inspected according to regulations.	
			- Prohibit smoking and open flames within the vicinity of the work area to reduce fire risks.	
			- Conduct a pre-work safety briefing focusing on specific tasks, highlighting potential hazards and reminding workers of control measures.	
. Removing Old Shingles	Falling Objects, Cuts and Abrasions	ЗН		2M











JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
7. Nail Gun Usage	Unintended Discharge, Noise, Vibration	ЗН		2М
8. Ladder Safety	Falls from Height, Unstable Support	4A		ЗН

Version 2.5




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Use of Other Tools	Injury from Sharp Edges, Vibration	ЗН		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Shingle Cutting tips	Eye Injuries from Flying Debris, Cuts	44		ЗН
11. Clean up Work Area	Trips over Debris, Exposure to Harmful Dust	2M		1L






Version 2.5

Date of Issue:










Version 2.5




POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			I
S			•
Unidentified hazards, Remaining debris	2М		1L
	HAZARDS THAT MAY ARISE	HAZARDS THAT MAY ARISE	HAZARDS THAT MAY ARISE INTAL RISK SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS











JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	S			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES DANY STATE DAT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health au Safety Act 204 Occupational Health and pafety or gulations 2017 Legis non VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulat</u> is unles of mactice VIC <u>autps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-secure-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-secure-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_dces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the property of the importation control measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE REVIEWED	
SIGNATURE	DATE COMPLETED	