| Setting Bait For Pests SAFE WORK METHOD STATEMENT (SWMS) | | | | | | |
|--|---|--|------------------------------------|--|--|--|
| TASI | COR ACTIVITY: Setting Bait For | Pests | | | | |
| Business Name: | | ABN: | SWMS# | | | |
| Business Address: | | | | | | |
| Contact Person: | Phone: | E fil: | | | | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROVED BY | | | | | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | | required to en that a safe work method s | tatement (SWMS) is prepared before | | | |
| Signature: | | Title: | Date: | | | |
| Details of the person(s) responsible for ensuring implementation, monitoring a | poliance i the VMS a well as review | s and modifications of the SWMS. | | | | |
| Full Name: | | Title: | Phone: | | | |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MS MANAGEMENT AND THE FOLLOWING COMMUNICATED | NALZ OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS | DMMUNICATED TO IN THE | | | |
| Safety meetings or toolbox talks will be sched ed in according with egislative requirements to first identify any site hazards, the sched company hicas those hazards and then to further take steps to either eliminate or contral each hazard. | | | | | | |
| If an incident or a near miss occurs, all work must stop unately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | | | | |



| CLIENT OR PRINCIPAL CONTRACTOR DETAILS | | | | | |
|---|---|--|--|--|--|
| Client: | SCOPE OF WORKS | | | | |
| Project Name: | | | | | |
| Project Address: | | | | | |
| Project Manager: | | | | | |
| Contact Phone: | | | | | |
| Date SWMS supplied to Project Manager: | | | | | |
| ANY HIGH-RISK CONSTRUC | | | | | |
| ☐ involves a risk of a person falling more than 2 meters | I is carried out on or near pressurised gas mains or piping | | | | |
| □ is carried out on a telecommunication tower | carried out on or near chemical, fuel or refrigerant lines | | | | |
| ☐ involves demolition of an element of a structure that is load-bearing | □ is carried out on or near energised electrical installations or services | | | | |
| □ involves demolition of an element related to the physical integ. Y of a sucture | \square is carried out in an area that may have a contaminated or flammable atmosphere | | | | |
| □ involves, or is likely to involve, disturbing asb | ☐ involves tilt-up or precast concrete | | | | |
| involves structural alteration or repair that quires terminary supart to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor | | | | |
| □ is carried out in or near a confined space | \Box is carried out in an area of a workplace where there is any movement of powered mobile plant | | | | |
| is carried out in/near a shaft or trench deeper that tunnel involving use of explosives | ☐ is carried out in areas with artificial extremes of temperature. | | | | |
| ☐ is carried out in or near water or other liquid that involves a risk of drowning. | ☐ involves diving work. | | | | |
| ANY HIGH-RISK MACHINER | RY OR EQUIPMENT NEARBY | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



| | RISK MATRIX | | | | | | | | |
|---|---------------|---------------|---------------|------------|--------------|----------------|---|------------------------------------|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | | HEIRARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | SCORE | ACTION | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCE | Substitution | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review befor work starts. | Replace the hazard. | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | Isolate People from the hazard | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | nitor and k⊾ records | Engineering Isolate the hazard. | |
| TARK LOW LOW MODERATE HIGH HIGH LOW Revecode Isolate the hazard. Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferrement on control of a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the trip most endiversity, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment) whe least effective Administrative Change the work. PPE PPE PPE PPE PPE PPE | | | | | | | | | |

| | | | | | | TIVE EQUIPM | | | | | |
|---------------------|---------------------------------|--------------------|---------------|-------------|---------------------------------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | Select the ap | propriate PPL | abo, ruitab | i or the equi | oment used or | the job task | being perform | ned (if applica | able). | |
| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | | P ECTION | R⊾ ⇒PIRATORY PROTECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Other PPE Required: | | | | | | | | | | | |
| | Permit or Licenses Requirements | | | | Mandatory Qualifications and Training | | | | | | |
| | | | | | | | | | | | |




| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Slips, trips and falls, Exposure to hazardous substances | 2М | Conduct a site inspection to identify potentically, trip, and fall hazards such as uneven surfaces, wet areas, or obstacles. Ensure that all team members are wearing a neonate PPE, including non-slip footwear and gloves, to prevent slips and protect against hazardous subtances. Clearly mark and communication any known hazaro teas can signage or barriers to alert team members and reduce the risk of thieldents. Maintain a clear and organised was area by repoving unnecessary equipment and materials that may cause obstructors. Protect adequate lightage in all work areas to increase visibility and help identify potential tripping hazaro. Use still thatainmet measures and procedures when handling or mixing bait to prevent accidental spills on eakt. Store the random substances according to manufacturer instructions and relevant safety regulations to manifest kposin, wrisk. Ensure uper labelling of all chemicals and bait products to avoid misuse and accidents related to correct handling. Enducate all workers on safe handling techniques and emergency response procedures for dealing with azardous substances. Implement a buddy system or team checks to ensure workers monitor each other's safety practices and assist if an incident occurs. Regularly review and update the Safe Work Method Statement (SWMS) to reflect any changes or improvements in procedures and controls. | 1L |
| 2. Assessment of Site | Inadequate lighting, Contact with pests, Allergic reactions | 2M | Conduct a pre-site inspection during daylight hours to identify potential hazards and lighting issues. Use portable lighting or torches to enhance visibility in poorly lit areas. Employ motion-sensor lighting where possible to improve visibility without manual operation. Wear long sleeves, pants, and gloves to minimize direct contact with pests. Carry pest repellent sprays or creams specific to the types of pests expected on site. Train workers on the identification of potentially harmful pests and effective communication of sightings. Schedule site assessments when pest activity is at its lowest, typically during cooler parts of the day. Implement a buddy system to ensure safety if someone encounters a pest. Provide personal protective equipment (PPE) like masks or respirators for individuals prone to allergies. Keep allergy medications such as antihistamines readily available for immediate response. | 1L |




| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-----------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Ensure all personnel are briefed on emergency procedures in case of severe allergic reactions, including how to access medical assistance swiftly. | |
| 3. Acquiring Supplies | Incorrect manual handling, Exposure to chemicals, Traffic accidents | 2М | Conduct manual handling training for all staff a polved to ensure they are aware of safe lifting techniques. Use mechanical aids such as trolleys or doixe to transport heavy supplies, reducing the risk of strain. Store supplies at waist height to minimize benue or stretching when retrieving them. Ensure all chemical container have clear labels of safe roata sheets available for reference. Provide appropriate region and protective equipment (note) such as gloves and goggles when handling chemicals. Implement mutine inspection sche the forvehicles used in transporting supplies to ensure they are roadworkly. Plant theremploy as secure all items within vehicles properly before transit to prevent shifting loads. Set up and ensure prover the average for lifting techniques, such as keeping a straight back and using leg muscles. Inspection mploye to work in pairs or teams for lifting tasks when necessary to reduce individual load burde. Ise environmentally friendly chemicals whenever possible to minimise environmental and health risks. Englip all vehicles with emergency spill kits in case of accidental release of hazardous substances during supplies. Limit employee exposure to chemicals by rotating tasks and ensuring good ventilation when handling supplies. Establish clear procedures for reporting and handling incidents of incorrect manual handling or exposure to chemicals. | 1L |
| 4. Mixing Bait | Inhalation of dust, Skin contact with pesticide, Eye injury due to splashing | ЗН | | 2M |






















Version 2.5

Date of Issue:



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 12. Follow Up Visits | Continual exposure to hazards identified in previous steps, Potential new hazar s at location | 2H | | 2М |
| 13. Public Interaction Rounds | Aggressive behavior if pests persist, Inaccurate pest information spreading, Miscommunications with customers | ЗН | | 2M |








| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 15. Routine Safety Check | Overlooking safety measures, Non- compliance with safety regulations | 21/1 | | 1L |
| 16. Emergency Response Drills | Panic during simulation, Potential procedural shortcomings exposure | 2M | | 1L |




















EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE | | | | | | |
|---|---|--|--|--|--|--|
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> | Victoria Occupational Health an Safety Actor v4 Occupational Health and onfetver gulations 2017 Legismon VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-oulations</u> Contension of the solution of | | | | | |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati- Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati- | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> | | | | | |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-set-claws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-set-claws</u> | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> | | | | | |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA). Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u> Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 | Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction | | | | | |
| Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u> Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council | Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace | | | | | |
| - Authorisation to commence work - Any required documents. | - Construction work | | | | | |



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | COMMENTS |
|---|-------------|----------|
| | | |
| The company details have been entered, including the project name and address. | | |
| All relevant personnel consulted during the development of the SWMS. | | |
| Name, signature, position and date signed of the person approving the SWMS. | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | |
| Adequate risk assessment of any identified hazards has been completed. | | |
| Foreseeable hazards are identified and documented for each step. | \square | |
| Any hazards listed in any site risk assessments have been added to the SWMs | \boxtimes | |
| SWMS initial risk (IR) column as well as residual risk (RR) column mpleted. | \boxtimes | |
| Check control measures added to the SWMS are the most effective selection | \boxtimes | |
| Responsible person is assigned and listed on the part the importation ontrol measures. | \boxtimes | |
| Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc. | \boxtimes | |
| SWMS identifies plant and equipment to be use | \boxtimes | |
| Details of inspection checks required for any equipment listed protection on the SWMS. | \boxtimes | |
| Describes any mandatory qualifications, experience, and g or skills required to perform the work. | \boxtimes | |
| Applicable personal protective equipment is selected on the SWMS. | \boxtimes | |
| Reflects and documents any legislative references and/or Australian Standards. | \boxtimes | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | \boxtimes | |
| | | |
| REVIEWED BY | DATE RE | VIEWED |
| SIGNATURE | DATE CO | MPLETED |