



| Shoe Repair Safety   | SAFE WORK METHOD S   | TATEMENT (SWMS)                                |                                     |
|--|--|--|-------------------------------------|
| TAS  | SK OR ACTIVITY: Shoe Repair Sa                               | afety  |                                     |
| Business Name:   |  | ABN:   | SWMS#                               |
| Business Address:  |  |  |                                     |
| Contact Person:  | Phone:   | E il:  |                                     |
|  |  |  |                                     |
| THIS SAFE WORK METHOD  | STATEMENT IS APPROVED BY                                     | THE PCL OF THE ROJECT                          |                                     |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.   | cting a business or undo                                     | required to en. sthat a safe work method s     | statement (SWMS) is prepared before |
| Full Name:   |  |  |                                     |
| Signature:   |  | Title:   | Date:                               |
| Details of the person(s) responsible for ensuring implementation, monitoring   | roliance the VMS a vell as review                            | s and modifications of the SWMS.               |                                     |
| Full Name:   |  | Title:   | Phone:                              |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS 5 MS M HAVE THE FOLLOWING COMMUNICATED   | NAL 2 OF ALL RELEVANT PERSONNI<br>EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND CO<br>THIS SWMS | OMMUNICATED TO IN THE               |
| Safety meetings or toolbox talks will be scheded in accomply with gislative requirements to first identify any site hazards, complying those hazards and then to further take steps to either eliminate or continuous each hazard.   |  |  |                                     |
| If an incident or a near miss occurs, all work must sto, quately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.  |  |  |                                     |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.  |  |  |                                     |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. |  |  |                                     |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 1





| CLIENT OR PRINCIPAL   | CONTRACTOR DETAILS  |
|---|---|
| Client:   | SCOPE OF WORKS  |
| Project Name:   |   |
| Project Address:  |   |
| Project Manager:  |   |
| Contact Phone:  |   |
| Date SWMS supplied to Project Manager:  |   |
| ANY HIGH-RISK CONSTRUCTO  | ON WO K BEIN O KRIED OUT  |
| ☐ involves a risk of a person falling more than 2 meters  | ☐ is carried out on or near pressurised gas mains or piping                                     |
| ☐ is carried out on a telecommunication tower   | carried out on or near chemical, fuel or refrigerant lines                                      |
| ☐ involves demolition of an element of a structure that is load-bearing                         | ☐ is carried out on or near energised electrical installations or services                      |
| ☐ involves demolition of an element related to the physical integration of a ructure            | ☐ is carried out in an area that may have a contaminated or flammable atmosphere                |
| ☐ involves, or is likely to involve, disturbing asb   | ☐ involves tilt-up or precast concrete  |
| ☐ involves structural alteration or repair that — quires term — ov sup — rt to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| is carried out in or near a confined space  | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant  |
| ☐ is carried out in/near a shaft or trench deeper tha tunnel involving use of explosives        | ☐ is carried out in areas with artificial extremes of temperature.                              |
| ☐ is carried out in or near water or other liquid that involves a risk of drowning.             | ☐ involves diving work.   |
| ANY HIGH-RISK MACHINER  | RY OR EQUIPMENT NEARBY  |
|   |   |
|   |   |
|   |   |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 2



| RISK MATRIX       |  |                    |                 |                 |              |                 |   |  |                                      |  |  |
|-------------------|--|--------------------|-----------------|-----------------|--------------|-----------------|---|--|--------------------------------------|--|--|
| LIKELIHOOD        | INSIGNIFICANT  | MINOR              | MODERATE        | MAJOR           | CATASTROPHIC | SCORE           | ACTION  |  | HEIRARCHY OF CONTROLS                |  |  |
| ALMOST<br>CERTAIN | 3<br>HIGH  | 3<br>HIGH          | 4<br>ACUTE      | 4<br>ACUTE      | 4<br>ACUTE   | SCORE           | ACTION  |  | Elimination Remove the hazard.       |  |  |
| LIKELY            | 2<br>MODERATE  | 3<br>HIGH          | 3<br>HIGH       | 4<br>ACUTE      | 4<br>ACUTE   | 4A<br>ACUTE     | DO NOT<br>PROCE                                 |  | Substitution                         |  |  |
| POSSIBLE          | 1<br>LOW   | 2<br>MODERATE      | 3<br>HIGH       | 4<br>ACUTE      | 4<br>ACUTE   | 3H<br>HIGH      | Review befor work starts.                       |  | Replace the hazard.                  |  |  |
| UNLIKELY          | 1<br>LOW   | 1<br>LOW           | 2<br>MODERATE   | 3<br>HIGH       | 4<br>ACUTE   | 2M<br>MODERATE  | Ensure control measures in place.               |  | Isolate People from the hazard       |  |  |
| RARE              | 1<br>LOW   | 1<br>LOW           | 2<br>MODERATE   | 3<br>HIGH       | 3<br>HIGH    | 1L<br>LOW       | nitor and                                       |  | Engineering Isolate the hazard.      |  |  |
| is the second m   | rchy of Controls:<br>ost effective metho<br>nging the work is th | d of controlling a | hazard. Enginee | ring by isolati |              | et. 'ive, while | rd. Substitution<br>Administrative<br>effective |  | Administrative Change the work.  PPE |  |  |

|                    |                    |                    |              | PERS        |                        | TIVE EQUIPM                           |                      |                        |                    |                   |                           |
|--------------------|--------------------|--------------------|--------------|-------------|------------------------|---------------------------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
|                    |                    | Select the app     | ropriate PPL | abo. ~uitab | ic or the equip        | oment used or                         | the job task         | being perform          | ned (if applica    | able).            |                           |
| FOOT<br>PROTECTION | HAND<br>PROTECTION | HEAD<br>PROTECTION | ARING STION  | F' CTIO     | RL PIRATORY PROTECTION | FACE<br>PROTECTION                    | HIGH-VIS<br>CLOTHING | PROTECTIVE<br>CLOTHING | FALL<br>PROTECTION | SUN<br>PROTECTION | HAIR/JEWELLERY<br>SECURED |
|                    |                    |                    |              |             |                        |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |              |             |                        |                                       |                      |                        |                    |                   |                           |
| Other PPE R        | dequired:          |                    |              |             |                        |                                       |                      |                        |                    |                   |                           |
|                    | Pe                 | ermit or Licen     | ses Requirem | ents        |                        | Mandatory Qualifications and Training |                      |                        |                    |                   |                           |
|                    |                    |                    |              |             |                        |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |              |             |                        |                                       |                      |                        |                    |                   |                           |
|                    |                    |                    |              |             |                        |                                       |                      |                        |                    |                   |                           |



| JOB STEP                        | POTENTIAL HAZARDS   | IR              | CONTROL MEASURES  | RR               |
|---------------------------------|---|-----------------|---|------------------|
| SPECIFIC WORK STEPS             | HAZARDS THAT MAY ARISE  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK |
| Pre-start planning and setup    | Unidentified workplace hazards     Unsuitable layout of machinery     Blocked emergency exits     Inadequate lighting     Trip hazards from clutter | ЗН              | <ul> <li>Survey workshop floor before starting work and identify all fixed machines, power leads, chemical storage areas and emergency exits</li> <li>Arrange benches, shoe racks and machines are main clear walkways of at least 1 metre width to all exits and amenities</li> <li>Mark emergency exits and a cass to fire extinguisors we visible signage and keep these areas free from stock, boxes and cast to the extinguisors with visible signage and keep these areas free from stock, boxes and cast to the extinguisors with visible signage and keep these areas free from stock, boxes and cast to the extinguisors with globes or report lighting defects to the PCBU for rectification</li> <li>Remains a loose amendate, cartons as bags from floors and store them on shelves or in designated storal casts.</li> <li>Place up a ranti-range mats securely in front of fixed workstations and ensure edges are flat to avoid tripping.</li> <li>Confirm first a kit, eye wash and fire extinguisher are present, accessible and inspected within required time frame.</li> <li>Conductor pre-start safety check using a workshop checklist and record hazards and actions in the site fety register.</li> </ul> | 2M               |
| Receiving and handling footwear | Manual handling strain     Contact with biological commation     Slip hazards from wet footwear     Cuts from concealed sharp objects               | ЗН              | Ask customers to place footwear on the counter rather than reaching or twisting awkwardly across the counter  • Use two-handed lifting technique and keep footwear close to the body when handling heavy work boots or bulk repairs  • Inspect footwear visually and by gentle pat-down before handling to identify sharp objects such as nails, pins or blades  • Wear disposable nitrile gloves when handling visibly soiled footwear or footwear contaminated with blood or bodily fluids  • Place visibly wet or muddy footwear on a tray or absorbent mat to prevent water spreading onto walking surfaces  • Segregate heavily contaminated footwear in a labelled container and arrange cleaning or refuse service if not safe to repair  • Dispose of single-use gloves and contaminated wipes into a lined, foot-operated bin and wash hands with soap and water   | 2M               |
| Workstation ergonomics          | <ul><li> Prolonged standing fatigue</li><li> Repetitive strain injury</li><li> Awkward postures</li></ul>   | 3H              | Adjust bench height so forearms are roughly horizontal when using hand tools, avoiding excessive reaching or bending  | 2M               |



| JOB STEP                       | POTENTIAL HAZARDS                                       | IR              | CONTROL MEASURES  | RR               |
|--------------------------------|---|-----------------|---|------------------|
| SPECIFIC WORK STEPS            | HAZARDS THAT MAY ARISE                                  | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS  | RESIDUAL<br>RISK |
|                                | Inadequate seating support                              |                 | Use an adjustable height stool with lumbar support for tasks that can be done seated such as hand stitching or gluing   |                  |
|                                |   |                 | Rotate between standing, seated and walking target at least every 30–60 minutes to reduce static postures   |                  |
|                                |   |                 | Position most-used tools and materials with a elbow real to avoid repeated stretching or twisting   |                  |
|                                |   |                 | Install anti-fatigue mats in front of benches a fix machines and secure mats to prevent curling or slipping   |                  |
|                                |   |                 | • Schedule micro-breaks of 2 minutes every hou stre' nands, wrists, shoulders and back  |                  |
|                                |   |                 | Report persistent competent personal fort of the sup is and review workstation setup with a competent personal fort of the sup is a supersonal fort of the supersonal f |                  |
|                                |   |                 |   |                  |
|                                |   |                 |   |                  |
|                                | Laceration from blades                                  |                 |   |                  |
| Using knives and               | Puncture wounds   |                 |   |                  |
| cutting tools                  | Slips from cutting toward body                          | ЗН              |   | 2M               |
|                                | Uncontrolled blade breakage                             |                 |   |                  |
|                                |   |                 |   |                  |
|                                |   |                 |   |                  |
|                                |   |                 |   |                  |
|                                |   |                 |   |                  |
|                                |   |                 |   |                  |
|                                | Flammable vapour release                                |                 |   |                  |
| Adhesives and solvent handling | Solvent inhalation exposure     Skin and eye irritation | 4A              |   | 2M               |
|                                | Static ignition of vapours                              |                 |   |                  |
|                                |   |                 |   |                  |
|                                |   |                 |   |                  |



| JOB STEP                                | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|---|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS                     | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| General machine safety                  | Entanglement in moving parts     Contact with rotating components     Unintended start-up     Electric shock from equipment     Noise exposure                   | 4A              |  | 2M               |
| Operating sanding and grinding machines | Dust inhalation exposure     Eye injury from flying particles     Contact with abrasive wheels     Combustible dust accumulation     Noise from sanding machines | 4A              |  | 2M               |



| JOB STEP                                 | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|--|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS                      | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| Operating Sutton Finisher                | Entanglement in rotating parts     Contact with sanding and polishing wheels     Dust and fume inhalation     Noise from finisher operation     Kickback of footwear or components     Caught clothing in suction or belts | RISK 4A         | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RISK             |
| Sewing, nailing and mechanical fastening | Needle puncture injury     Pinch points on sewing machines     Eye injury from nails or tacks     Noise from hammering   | ЗН              |  | 2M               |



| JOB STEP                                  | POTENTIAL HAZARDS  | IR              | CONTROL MEASURES   | RR               |
|---|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS                       | HAZARDS THAT MAY ARISE   | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
| Using heat sources and dryers             | Burns from hot tools Fire from overheated materials Heat stress in confined area Ignition of solvent vapours                   | 4A              |  | 2M               |
| Cleaning, maintenance<br>and housekeeping | Slip hazards from sr  Exposure to share offcuts  Electric shock due a clo  Dust re-suspension  Improper waste disposr          | 3Н              |  | 1L               |
| Emergency response and first aid          | Delayed response to injury     Inadequate first aid treatment     Panic during fire or smoke event     Uncontrolled evacuation | 3H              |  | 1L               |



| JOB STEP            | POTENTIAL HAZARDS      | IR              | CONTROL MEASURES   | RR               |
|---------------------|------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL<br>RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL<br>RISK |
|                     |                        |                 |  |                  |
|                     |                        |                 |  |                  |
|                     |                        |                 |  |                  |
|                     |                        |                 |  |                  |
|                     |                        |                 |  |                  |
|                     |                        |                 |  |                  |

### hluesafe



#### **EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

#### LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE AT ARE NOT APPLICABLE.

#### **Queensland & Australian Capital Territory**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations

Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

#### **New South Wales**

Work Health and Safety Act 2011

Work Health and Safety Regulations 2025

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis

#### **Northern Territory**

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 201

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo

Codes of Practice NT: https://worksafe.nt.gov.au/f -resourd

#### South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor/ aces/codes-of-practice#COPs

#### Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

#### Victoria

Or pational Health a. Safety Act J4

Occ ational Health and afety gulations 2017

Legis on VIC: https://www ksafe.vic.gov.au/occupational-health-and-safety-act-and-

tes of actice V/ attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

#### Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

#### Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/modelcodes-of-practice

#### Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Saf Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature |
|-------------|-----------|
|             |           |
|             |           |
|             |           |
|             |           |
|             |           |

### SAFE WORK N. THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains fective of must be reviewed (and revised if necessary) if relevant control measures are rovised. The view respectively should be carried out in consultation with workers (including contractors as the may be cated by the operation of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME          |   |   |   |   |   |   |   |
| INITIALS      |   |   |   |   |   |   |   |
| DATE          |   |   |   |   |   |   |   |

Version 2.5 Authorised by Review # Date of Issue: Review Date: 11





### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS  | COMPLETED   | COMMENTS |
|---|-------------|----------|
|   |             |          |
| The company details have been entered, including the project name and address.  |             |          |
| All relevant personnel consulted during the development of the SWMS.  |             |          |
| Name, signature, position and date signed of the person approving the SWMS.   |             |          |
| Specific personnel and qualifications, experience is noted in the SWMS.   | 7           |          |
| Provides a step-by-step process of tasks required to carry out the activity or task.  | k           |          |
| Adequate risk assessment of any identified hazards has been completed.  | $\boxtimes$ |          |
| Foreseeable hazards are identified and documented for each step.  | $\boxtimes$ |          |
| Any hazards listed in any site risk assessments have been added to the SWMS   |             |          |
| SWMS initial risk (IR) column as well as residual risk (RR) colum mpleted.  | $\boxtimes$ |          |
| Check control measures added to the SWMS are the most effective selections.   |             |          |
| Responsible person is assigned and listed on the part of the important of | $\boxtimes$ |          |
| Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc.   | $\boxtimes$ |          |
| SWMS identifies plant and equipment to be use   | $\boxtimes$ |          |
| Details of inspection checks required for any equipment listed an onthe SWMS.   | $\boxtimes$ |          |
| Describes any mandatory qualifications, experience, use or skills required to perform the work.   | $\boxtimes$ |          |
| Applicable personal protective equipment is selected on the SWMS.   |             |          |
| Reflects and documents any legislative references and/or Australian Standards.  | $\boxtimes$ |          |
| Identifies any hazardous substances used with specific control measures in line with any SDS.   | $\boxtimes$ |          |
|   |             |          |
| REVIEWED BY   | DATE REV    | /IEWED   |
| SIGNATURE   | DATE COM    | PLETED   |