Silk Plants And Foliage Cl	eaning   SAFE WORK MET	HOD STATEMENT (SWMS)							
TASK OR /	ACTIVITY: Silk Plants And Foliag	je Cleaning							
Business Name:		ABN:	SWMS#						
Business Address:									
Contact Person:	Phone:	E fil:							
THIS SAFE WORK METHOD	STATEMENT IS APPRO								
Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or under the group of (PG, PL) is required to encode that a safe work method statement (SWMS) is prepared before the proposed work starts.									
Full Name:									
Signature:	NK	Title:	Date:						
Details of the person(s) responsible for ensuring implementation, monitoring a	voliance i the VMS a vell as review	s and modifications of the SWMS.							
Full Name:		Title:	Phone:						
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAKEN HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE						
Safety meetings or toolbox talks will be sched ad in account with gislative requirements to first identify any site hazards, such a company nical those hazards and then to further take steps to either eliminate or contact each hazard.									
If an incident or a near miss occurs, all work must stop an alately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.									
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.									
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.									



CLIENT OR PRINCIPAL CONTRACTOR DETAILS						
Client:	SCOPE OF WORKS					
Project Name:						
Project Address:						
Project Manager:						
Contact Phone:						
Date SWMS supplied to Project Manager:						
ANY HIGH-RISK CONSTRUC						
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping					
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines					
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services					
□ involves demolition of an element related to the physical integ. Y of a sucture	$\square$ is carried out in an area that may have a contaminated or flammable atmosphere					
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete					
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor					
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant					
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.					
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.					
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY					



	RISK MATRIX												
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	000DF			HEIRARCHY OF CONTROLS				
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	SCORE	SCORE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution				
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.				
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard				
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.				
is the second me	RARE       LOW       LOW       MODERATE       HIGH       HIGH       LOW       Kenrecords       Isolate the hazard.         Iotes on Hierarchy of Controls:       Elimination methods are the most effective and preferrement on on the random of a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the virtua ost enditive, while Administrative Controls by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), the least effective       Administrative Work.												

						TIVE EQUIPM					
	Select the appropriate PPL abox suitably for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements			Mandatory Qualifications and Training							




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Exposure to dust, Tripping hazards	2М	<ul> <li>Conduct an initial site inspection to identificated mark areas with silk plants and potential tripping hazards.</li> <li>Use personal protective equipment such as a state acks and safety glasses to prevent inhalation of dust.</li> <li>Ensure the cleaning area intell-ventilated to reace dust are adulation and improve air quality.</li> <li>Clearly delineate cleaning zone with signage or built no minimise personnel traffic and tripping risks.</li> <li>Keep all cleaning acquire program at reacines regular removal of debris and dust from both the plants and summing actus.</li> <li>Implement pousekeepir program at reacines regular removal of debris and dust from both the plants and summing actus.</li> <li>Brie a usita of alades or step stools for elevated plant cleaning, ensuring they are stable and on a flat surface.</li> <li>Los al usta of alades or step stools for elevated plant cleaning, ensuring they are stable and on a flat surface.</li> <li>E schede cleaning during off-peak hours to limit the number of people present and reduce distraction-inted accidents.</li> <li>Conduct routine checks on cleaning equipment to ensure it is in good working condition and does not contribute to hazard creation.</li> <li>Provide training on emergency procedures and first aid preparedness for incidents involving dust exposure or trips.</li> </ul>	1L
2. Equipment Setup	Electric shock, Falling objects	<ul> <li>Conduct a pre-start safety briefing to ensure all workers are aware of the risks and appropriate control measures.</li> <li>Use electrical equipment that is tested and tagged to comply with Australian standards.</li> <li>Ensure all electrical connections and cords are insulated and not damaged.</li> <li>Use Ground Fault Circuit Interrupters (GFCIs) to prevent electric shock.</li> </ul>		2М



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR		
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK		
			- Ensure that all equipment is placed on stable, even surfaces to prevent slipping or toppling.			
			- Implement a buddy system where one person can assist in stabilising equipment during setup.			
			- Clearly label and communicate the maximum logic capacities of equipment to prevent overloading.			
			- Regularly review and update policies and socied restriction of the policies and technology.			
			- Conduct a chemical risk as a sensement to identify a potential becards associated with the cleaning chemicals.			
			- Use non-toxic, epreciately andly cleaning age is whenever possible to mitigate the risk of chemical exposition.			
			- Provide per that protecting equipment (P <sup>ress</sup> , such as gloves, masks, and safety goggles for workers handling clean, chemings.			
		ЗH	- Ensure clean coroducts are clearly labelled and stored according to regulatory requirements to preven accental cuse or mixing.			
			- Implement poper very ation in the cleaning area to reduce inhalation risks and maintain good air quality.			
	Contact with harmful chemicals, Repetitive strain injury		tain workers up the correct handling, usage, and emergency procedures related to the cleaning cherrent rate used in the process.			
3. Preliminary Cleaning			Rotate was among workers to minimise repetitive strain and reduce the risk of musculoskeletal injuries.	2M		
			- repoduce adjustable workstations or tools that ergonomically support workers during repetitive cleaning tasks.			
			- Encourage regular breaks and stretching exercises to prevent fatigue and repetitive strain injury.			
			- Establish an incident reporting and response procedure to efficiently handle any cases of chemical exposure or strain injuries.			
			- Schedule routine inspections of PPE and equipment to ensure they remain in good condition and effective in protecting workers.			
			- Develop and communicate a comprehensive manual handling policy to instruct workers on safe lifting and movement techniques.			
			- Display Material Safety Data Sheets (MSDS) for all chemicals in use, ensuring that workers have access to critical information about chemical properties and first-aid measures.			
4. Dusting	Inhalation of dust, Eye irritants	ЗH		1L		








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Post-Cleaning Check	Tripping hazard, Physical stress due to excessive force	2М		1
7. Drying Process	Slippery surfaces, Contact with hot surfaces	3H		2M

Version 2.5

Date of Issue:









JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Packing Up	Manual handling injuries, Trip and fall hazards	2M		1L
10. Waste Disposal	Exposure to harmful chemicals, Manual handling injuries	2M		1L




















JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK



#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF							
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE AT ARE NOT APPLICABLE							
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Octopational Health an Safety Act and 4 Octopational Health and a fetty regulations 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulatures</u> Codes of mactice VIC <u>artps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>						
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislative">https://www.safework.nsw.gov.au/legal-obligations/legislative</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislative</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>						
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-serv-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/ferresourcestore-serv-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice						
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_laces/codes-of-practice#COPs</u> Tasmania	<ul> <li>Model Codes of Practice</li> <li>Managing noise and preventing hearing loss at work</li> <li>Confined spaces</li> <li>Labelling of workplace hazardous chemicals</li> <li>Managing risks of hazardous chemicals in the workplace</li> <li>Welding processes</li> <li>First aid in the workplace</li> </ul>						
Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u>	<ul> <li>- Hist ald in the workplace</li> <li>- Managing the risk of falls at workplaces</li> <li>- Hazardous manual tasks</li> <li>- Managing the risk of falls in housing construction</li> <li>- Managing electrical risks in the workplace</li> <li>- Demolition work</li> <li>- Excavation work</li> <li>- Work health and safety consultation, cooperation and coordination</li> </ul>						
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	<ul> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>						



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$	
Foreseeable hazards are identified and documented for each step.	$\boxtimes$	
Any hazards listed in any site risk assessments have been added to the SWMs	$\boxtimes$	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	$\boxtimes$	
Check control measures added to the SWMS are the most effective selection	$\boxtimes$	
Responsible person is assigned and listed on the part the importation ontrol measures.	$\boxtimes$	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$	
SWMS identifies plant and equipment to be use	$\boxtimes$	
Details of inspection checks required for any equipment listed protection on the SWMS.	$\boxtimes$	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	$\boxtimes$	
Applicable personal protective equipment is selected on the SWMS.	$\boxtimes$	
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$	
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$	
REVIEWED BY	DATE RE	VIEWED
SIGNATURE	DATE CO	MPLETED