Slab Preparation SAFE WORK METHOD STATEMENT (SWMS)							
TA	SK OR ACTIVITY: Slab Preparat	ion					
Business Name:		ABN:	SWMS#				
Business Address:							
Contact Person:	Phone:	E ail:					
THIS SAFE WORK METHOD	STATEMENT IS APPROVED BY						
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en that a safe work method s	statement (SWMS) is prepared before				
Full Name:							
Signature:		Title:	Date:				
Details of the person(s) responsible for ensuring implementation, monitoring	opliance the VMS a well as review	s and modifications of the SWMS.					
Full Name:		Title:	Phone:				
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN PARTICIPATING IN ANY ACTIVITY ON THIS MAN PARTICIPATING IN ANY ACTIVITY ON THIS AND ACTIVITY ON THE ACTIVITY ON THIS AND ACTIVITY ON THE ACTIVITY ACTIVITY ON THE ACTIVITY ACT	NAME OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	OMMUNICATED TO IN THE				
Safety meetings or toolbox talks will be sched ed in according with egislative requirements to first identify any site hazards, the sched compared to compare those hazards and then to further take steps to either eliminate or contral each hazard.							
If an incident or a near miss occurs, all work must stop an ately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.							
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.							
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.							



CLIENT OR PRINCIPAL CONTRACTOR DETAILS						
Client:	SCOPE OF WORKS					
Project Name:						
Project Address:						
Project Manager:						
Contact Phone:						
Date SWMS supplied to Project Manager:						
ANY HIGH-RISK CONSTRUC						
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping					
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines					
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services					
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere					
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete					
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor					
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant					
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.					
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.					
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY					



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	

						TIVE EQUIPM					
	Select the appropriate PPL above suitably for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements					Mandatory Qualifications and Training					




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Manual handling injuries, Tripping or falling hazards	3H, 2M	 Ensure all workers receive manual handline raining to safely lift and carry materials. Use mechanical aids or equipment such as colleys or costs where possible to reduce physical strain. Organise the work area to minimise unnecess counting, bending, and reaching tasks. Conduct a pre-start inspective of the site to ident cand receive any trip hazards like debris or uneven surfaces. Clearly mark an execure by possible to reduce ease movement around the site. Ensure property protective equipment (PPE) is worn at all times, including sturdy footwear with good or. Encourage regular relations between tasks to limit repetitive stress on muscles and joints. Plan witk acclities to chause sufficient rest breaks during physically demanding periods. Insteam it a bulky system for tasks involving heavy or awkward loads to distribute the weight between two purple. 	2M, 1L
2. Slab Foundation Setup	Struck by moving plant equipment, contact with underground services	4A, 3H	 Induct a pre-start meeting to discuss the day's tasks, identify hazards, and implement control measures with all workers. Use clearly visible barriers and signage to delineate the work zone and restrict unauthorised access, preventing accidental entry into areas with moving plant equipment. Implement a traffic management plan that includes designated routes for vehicles and machinery to minimise interactions with pedestrian workers. Ensure all operators are trained and competent in the use of plant equipment, including understanding blind spots and effective communication methods such as hand signals or radios. Perform thorough checks for underground services using up-to-date service plans, ground-penetrating radar, or cable locators before starting any digging or foundation setup activities. Establish and maintain exclusion zones around operating machinery, ensuring that only authorised personnel enter these areas when necessary. Assign a dedicated spotter to monitor plant movements and provide clear guidance to operators to prevent collisions or contact with underground services. Utilise personal protective equipment (PPE) such as high-visibility clothing for all workers on site to enhance visibility and safety, especially near operating machinery. Implement an emergency response plan tailored to specific hazards associated with slab preparation that includes procedures for dealing with equipment strikes or incidents involving underground services. 	3H, 2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Schedule regular inspections and maintenance of plant equipment to ensure it is functioning correctly and safely, reducing the risk of mechanical failures that could lead to accidents.	
3. Installing Reinforcement	Injury from misusing tools, Hazardous manual tasks, Falling objects	3H, 3H 2M	 Provide comprehensive training for all worker on the proper use of tools and equipment to prevent misuse. Ensure all tools and equipment are regularit uspect and maintained to prevent malfunctions that could lead to injury. Use mechanical aids or asterance from co-work when ling heavy reinforcement materials to minimise the risk of musculosk stal injuries. Implement manuformers of techniques, such as bending at the knees and keeping the load close to the body, to reduct an on the back. Install barrious and signing to deliver one work area and keep non-essential personnel clear of potent hazare. Require the use the estimation of the back. Require the use the estimation of the back. Require the use the estimation of the back. Secure einflue members with temporary supports during installation to prevent them from slipping or noling time. Consist pre-start safety briefing each day to remind workers of hazards and encourage vigilance. The suppopriate lifting techniques and team lifting where necessary to minimise the risk of sprains and strains. Monitor weather conditions and cease outdoor work during high winds, which may increase the chance of falling objects. Establish communication protocols among the work team to ensure coordination and swift response to any incidents or near misses. 	2M, 1L, 1L
4. Concrete Pouring	Skin contact with wet concrete, Inhaling cement dust, Slips and trips	4A, 3H, 2M		3H, 2M, 1L








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Curing Process	Heat stroke, Dehydration, Wet surface slips	3H, 3. 2M		2M, 2M, 1L
7. Removal of Formwork	Manual handling injuries, Falling materials risks, Tools and equipment misuse	4A, 3H, 2M		3H, 2M, 1L











JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
10. Cleaning up	Slips and falls due to wet surfaces, Contact with hazardous substances	M. 2M		1L, 1L
11. Maintenance Checks	Injury from moving machinery parts, Electrical injuries from equipment	4A, 3H		3H, 2M








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Heavy equipment storage	Tripping hazards, Crusbing injuries from heavy equipment	1 44		2M, 1L
14. Documentation	Ergonomic hazards from poor workspace setup, Eye strain from computer screens	2M, 2M		1L, 1L

Version 2.5

Date of Issue:







JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	C			



EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u>	Victoria Occupational Health an Safety Actor v4 Occupational Health and infetve ogulations 2017 Legismon VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-oulations</u> Contension of the solution of					
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati- Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>					
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-set-claws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/workplace-set-claws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>					
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA). Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_aces/codes-of-practice#COPs</u> Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012	 Model Codes of Practice Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction 					
Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</u> Codes of Practice for TAS: <u>https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</u> Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council	 Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace 					
- Authorisation to commence work - Any required documents.	- Construction work					



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selection	\boxtimes		
Responsible person is assigned and listed on the part the importation ontrol measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE RE	VIEWED	
SIGNATURE	DATE COMPLETED		