Spiral Mixer   S/	AFE WORK METHOD STAT	EMENT (SWMS)	
	TASK OR ACTIVITY: Spiral Mixe	r	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E gil:	
THIS SAFE WORK METHOD			
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct		required to en that a safe work method s	statement (SWMS) is propored before
the proposed work starts.	cung a business of units of (PC 1) is	required to entry e that a sale work method s	statement (SWNS) is prepared before
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	opliance the VMS a well as review	rs and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NAME OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	OMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with gislative requirements to first identify any site hazards, source to compare those hazards and then to further take steps to either eliminate or contineach hazard.			
If an incident or a near miss occurs, all work must stop an added by Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL CONTRACTOR DETAILS							
Client:	SCOPE OF WORKS						
Project Name:							
Project Address:							
Project Manager:							
Contact Phone:							
Date SWMS supplied to Project Manager:							
ANY HIGH-RISK CONSTRUC							
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping						
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines						
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services						
□ involves demolition of an element related to the physical integ. Y of a sucture	$\square$ is carried out in an area that may have a contaminated or flammable atmosphere						
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete						
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor						
□ is carried out in or near a confined space	$\Box$ is carried out in an area of a workplace where there is any movement of powered mobile plant						
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.						
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.						
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY						



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	

	PERS_VAL > TECTIVE EQUIPMENT (PPE)										
	Select the appropriate PPL above suitable for the equipment used or the job task being performed (if applicable).										
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements Mandatory Qualifications and Training										



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Electric shock, Entanglement	2М	<ul> <li>Inspect all electrical equipment and cords or damage, wear or fraying before each use.</li> <li>Establish a routine maintenance schedule wonsure ou the spiral mixer machinery is kept in good working condition.</li> <li>Securely fasten any loose on thing, hair, and jew lery to provide entanglement with the moving parts of the spiral mixer.</li> <li>Train workers on the entered are spiral mixer connectly, taking precautionary measures to avoid potential hazare during theorepare on stage.</li> <li>Place clearn visible warned signs in a theopiral mixer to remind operators of potential hazards and instructioner on coper derating procedures.</li> <li>Implement a look of tagout system for when the spiral mixer needs to be serviced or maintained, ensuring the determ power sources are turned off and secured before commencing work.</li> <li>Provide persual protective equipment (PPE) such as gloves and safety footwear, ensuring that it is porcoring a form specific tasks at hand and properly fitted for each worker.</li> <li>Develop clear communication system between workers so they can alert each other of any potential azards and updated as necessary.</li> <li>Encourage an open feedback culture within the workplace where workers can freely report concerns regarding any identified risks or suggest improvements to the established control measures.</li> <li>Allocate adequate time for workers to complete tasks, avoiding excessive fatigue or distractions that might lead to the negligence of control measures and increase the likelihood of accidents occurring.</li> </ul>	1L
2. Inspection	Machinery malfunction, Manual handling injuries	3Н	<ul> <li>Regular maintenance and inspection: Ensure that the spiral mixer is regularly inspected and maintained by a competent technician to prevent machinery malfunction.</li> <li>Emergency stop button: Make sure that the spiral mixer is equipped with an accessible and clearly marked emergency stop button to immediately cease operation in case of malfunction.</li> <li>Clear workspace: Maintain a clean and uncluttered workspace around the spiral mixer, reducing the risk of manual handling injuries due to slips, trips, or falls.</li> <li>Training and supervision: Provide thorough training regarding the safe operation and handling of the spiral mixer for all staff members involved, and ensure ongoing supervision to confirm adherence to safety procedures.</li> <li>Proper lifting techniques: Teach workers proper lifting techniques, such as bending at the knees instead of the waist and avoiding twisting movements, which can help reduce the possibility of manual handling injuries.</li> </ul>	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	
			- Use of mechanical aids: Encourage the use of mechanical equipment like trolleys, hoists, or pallet jacks whenever possible, to minimise the risk associated with manual handling tasks.		
			- Ergonomic design: Consider implementing ergonautic enhancements to the working environment, such as anti-fatigue mats or adjustable equipment not ement, to reduce physical strain on workers.		
			- Personal protective equipment (PPE): Eq. sstaff with a propriate personal protective equipment (PPE), including gloves, safety shoes, and hearing personal protection and manual handling tasks.		
			- Clear signage: Post clear signage near the spiral vixer indicating potential hazards, emergency contact information, and instructions for is safe operation.		
			- Safe work procedures, welop, d implement standard operating procedures for using, cleaning, and maintaining the paral mixed promotion consister processes that prioritise employee safety.		
			- Limit extend on use: Encourage regular branks for workers who must engage in repetitive motions or operative be spin mixed or prolonged protods, to mitigate the risk of manual handling injuries and cumular fatigut		
			- Incident non-tring subtem: Establish an effective incident reporting system, ensuring that any machinery malfund ons or manual and ling injuries are documented, investigated, and addressed promptly to prevent ocurrence.		
	1		- Recular afety neetings: Conduct routine discussions with staff regarding workplace health and safety issues, the ering feedback on the effectiveness of current control measures and identifying opportunities cimprovement.		
			Proper ventilation: Ensure that the workplace is well-ventilated to reduce the concentration of dust particles in the air and minimise the risk of inhalation.		
			- Dust masks: Require workers to wear appropriate dust masks or respirators to protect them from inhaling potentially harmful dust particles.		
			- Task rotation: Rotate workers through different tasks or jobs to limit repetitive motion and excessive bending, lifting or carrying, reducing their chances of developing musculoskeletal injuries.		
3. Loading Ingredients	Dust inhalation, Musculoskeletal injuries	2M	<ul> <li>Ergonomic equipment: Use ergonomic tools and equipment designed to minimise physical strain on workers, such as adjustable workstations, padded flooring, and appropriately-sized utensils and containers for loading ingredients.</li> </ul>	1L	
			- Training: Provide proper training and instructions for workers on safe handling and lifting techniques to prevent injuries while loading ingredients into the spiral mixer.		
			- Work at a comfortable pace: Encourage workers to move at a reasonable pace, allowing them the time they need to complete tasks without causing physical fatigue or strain.		
			- Breaks and stretch exercises: Schedule regular breaks for workers to stretch and rest, reducing the risk of injury caused by constant and repetitive motions during the ingredient-loading process.		
			- Team lifting: Implement team lifting protocols, involving two or more people working together to load heavier or bulkier ingredients, minimising the risk of musculoskeletal injuries.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			<ul> <li>Clear workspace: Maintain a tidy work environment around the spiral mixer, removing any unnecessary obstructions or hazards that may lead to accidents, slips, trips or falls.</li> </ul>	
			- Mechanical aid: Use mechanical aids like pallet is us or forklifts to handle heavier loads, reducing manual handling requirements and the risk of reduculoskeletal injuries.	
			- Regular risk assessments: Conduct regular isk assessments, including monitoring workers' health and safety, modifying existing control measures a simplementing new ones as necessary to maintain a safe and secure workplace during the ingredient-location process.	
4. Mixing Process	Entanglement, No e exposure	ЗН		2M




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
5. Monitoring Progress	Slips, trips, and falls, Contact with hot surfaces	211.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK 2.	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL         RISK         Image: state
7 Unloading Dough	Manual handling injuries. Pinch points	3H		2M
7. Unloading Dough	Manual handling injuries, Pinch points	ЗH		2M









JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
9. Troubleshooting	Machinery malfunction, Electric shock	3H		2M




















#### **EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES**

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE							
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.gld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Octopational Health as Safety Act and 4 Octopational Health and affety regulations 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and-oulates</u> oulates						
New South Wales         Work Health and Safety Act 2011         Work Health and Safety Regulations 2017         Legislation NSW: <a href="https://www.safework.nsw.gov.au/legal-obligations/legislati">https://www.safework.nsw.gov.au/legal-obligations/legislati</a> Codes of Practice NSW: <a href="https://www.safework.nsw.gov.au/resource-library/lis">https://www.safework.nsw.gov.au/legal-obligations/legislati</a>	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>						
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation, 2011 Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/worplace-serve-laws Codes of Practice NT: https://worksafe.nt.gov.au/from of the server se	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u>						
South Australia         Work Health and Safety Act 2012 (SA)         Work Health and Safety Regulations 2012 (SA)         Legislation for SA: <a href="https://www.safework.sa.gov.au/resources/legislation">https://www.safework.sa.gov.au/resources/legislation</a> Codes of Practice for SA: <a href="https://www.safework.sa.gov.au/work_laces/codes-of-practice#COPs">https://www.safework.sa.gov.au/work_laces/codes-of-practice#COPs</a> Tasmania         Work Health and Safety Act 2012         Work Health and Safety (Transitional and Consequential Provisions) Act 2012         Work Health and Safety Regulations 2012	<ul> <li>Model Codes of Practice</li> <li>Managing noise and preventing hearing loss at work</li> <li>Confined spaces</li> <li>Labelling of workplace hazardous chemicals</li> <li>Managing risks of hazardous chemicals in the workplace</li> <li>Welding processes</li> <li>First aid in the workplace</li> <li>Managing the risk of falls at workplaces</li> <li>Hazardous manual tasks</li> <li>Managing the risk of falls in housing construction</li> </ul>						
Work Health and Safety (Transitional) Regulations 2012         Legislation for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations">https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations</a> Codes of Practice for TAS: <a href="https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice">https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice</a> Details of permits, licenses or access required by regulatory bodies (add or delete as required):         - Permits from local council         - Authorisation to commence work         - Any required documents.	<ul> <li>Managing electrical risks in the workplace</li> <li>Demolition work</li> <li>Excavation work</li> <li>Work health and safety consultation, cooperation and coordination</li> <li>Managing the work environment and facilities</li> <li>How to manage work health and safety risks</li> <li>Managing risks of plant in the workplace</li> <li>Construction work</li> </ul>						



#### SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

#### SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



#### SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	$\boxtimes$		
Foreseeable hazards are identified and documented for each step.	$\boxtimes$		
Any hazards listed in any site risk assessments have been added to the SWMS	$\boxtimes$		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	$\boxtimes$		
Check control measures added to the SWMS are the most effective selections	$\boxtimes$		
Responsible person is assigned and listed on the part the importation control measures.	$\boxtimes$		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	$\boxtimes$		
SWMS identifies plant and equipment to be use	$\boxtimes$		
Details of inspection checks required for any equipment listed protection on the SWMS.	$\boxtimes$		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	$\boxtimes$		
Applicable personal protective equipment is selected on the SWMS.	$\boxtimes$		
Reflects and documents any legislative references and/or Australian Standards.	$\boxtimes$		
Identifies any hazardous substances used with specific control measures in line with any SDS.	$\boxtimes$		
REVIEWED BY	DATE RE	VIEWED	
SIGNATURE	DATE COM	DATE COMPLETED	