

Standing On Uneven Or Unstab	le Surfaces SAFE WORK	METHOD STATEMENT (SWM	/IS)
TASK OR ACTIV	VITY: Standing On Uneven Or Ur	stable Surfaces	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E fil:	
THIS SAFE WORK METHOD	STATEMENT IS APPROCO BY		
Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts.		required to en that a safe work method s	tatement (SWMS) is prepared before
Full Name:			
Signature:	NK	Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	ppliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN PHAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ad in account with gislative requirements to first identify any site hazards, such a comparison hick those hazards and then to further take steps to either eliminate or contract hazard.			
If an incident or a near miss occurs, all work must stop an attactive Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



	RISK MATRIX									
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	000DF			HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION		Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE		Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.		Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.		Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records		Engineering Isolate the hazard.	
is the second me	RARE 1 2 3 3 1L Denitor and ke records Isolate the hazard. otes on Hierarchy of Controls: Elimination methods are the most effective and preferrence on converting a hazard. Substitution the second most effective method of controlling a hazard. Engineering by isolation is the virtual protective Equipment), whe least effective Substitution Administrative ontrols by changing the work is the fourth most effective method. PPE (Personal Protective Equipment), whe least effective Effective Dependent									

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements					Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
1. Preparation	Tripping, Sprains or strains due to improper handling of tools or materials	2М	 Conduct a site assessment to identify areasenth uneven or unstable surfaces prior to commencing work. Mark and clearly signpost hazardous arease alert we kers of potential tripping dangers. Ensure proper footwear with slip-resistant sole aworn at all times to provide better grip. Use appropriate personal protective equipment, such as gives and knee pads, when handling tools and materials. Provide training to worke for a summanual handling techniques to reduce the risk of sprains and strains. Employ sports to assist aguiding tarke arrough particularly challenging areas to prevent tripping. Utility emport, status at an organised manner to minimize clutter and potential tripping hazards. Arrange to a and therials in an organised manner to minimize clutter and potential tripping hazards. Verify at all hols are good working condition before use to avoid malfunctions or unexpected areases. Link are link heavy loads over unstable surfaces; instead, use equipment like trolleys or hoists where ossible. Instruct workers to maintain a three-point contact system when moving across uneven surfaces to enhance stability. Ensure there is adequate lighting in the work area to maximise visibility and help workers detect potential trip hazards. Reinforce communication among all team members to ensure any changes in surface conditions or unexpected. 	1L
2. Assessing Surface Conditions	Slips, falls, uncontrolled movements	ЗН	 Conduct a visual inspection of the area for uneven or unstable surfaces before beginning work. Use appropriate signage to clearly mark hazardous areas and alert workers of potential dangers. Implement temporary barriers or guardrails to prevent accidental entry onto unstable surfaces. Ensure that all workers wear slip-resistant footwear suited for the specific conditions of the work area. Provide proper lighting to identify uneven surfaces, especially in low visibility conditions such as dawn, dusk, or night work. Use warning cones or hazard tape to delineate areas with known unstable surfaces. Communicate surface condition information during toolbox talks and pre-start meetings to raise awareness among workers. 	2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			- Schedule regular surface assessments throughout the project duration to identify changes in conditions.	
			- Apply a non-slip coating to temporary work platforms and frequently trafficked areas to enhance traction.	
			- Contingency plans should be developed for developed with heavy rainfall or spillage which might create hazardous conditions on surfaces.	
			- Where necessary, deploy temporary support structure tike plywood sheets over soft ground to stabilize the surface.	
			- Train workers in safe walking techniques, such a maintaining aree points of contact when maneuvering across uneven areas.	
			- Restrict access to a larly heardous zones unthe propriate stabilization measures are implemented.	
			- Engage experienced personnel to a cossing race conditions where there is a lack of expertise among on-site vorkers	
			- Concept visk as sment of the area before commencing work to identify specific hazards and appropriate vitrol manuals.	
			Ensure mach, by is operated by trained and competent personnel to reduce the risk of injury from no bine.	
	7		Imple. a maintenance schedule for all machinery to ensure it is in good working order and fitted with propriate safety guards.	
			- Enablish exclusion zones around operating machinery to prevent unauthorised personnel from entering potentially dangerous areas.	
			- Provide operators and nearby workers with personal protective equipment (PPE) such as hearing protection to mitigate noise-related injuries.	
	Injury from machinery, Noise-related		- Limit the duration of exposure to high noise levels by rotating tasks among workers.	
3. Grading the Surface	injuries, Dust-related respiratory problems	ЗH	- Use water suppression or dust extraction systems on grading equipment to minimise airborne dust levels and reduce respiratory risks.	1L
			- Require workers to wear suitable respiratory protection when dust levels cannot be adequately controlled through engineering measures.	
			- Establish communication protocols so that workers can alert others to emerging hazards promptly.	
			- Regularly monitor and assess noise levels and air quality to ensure they remain within safe limits set by relevant health and safety regulations.	
			- Clearly mark uneven areas that have yet to be graded and maintain clear pathways to reduce trip hazards.	
			- Provide training on manual handling techniques when working on irregular surfaces to prevent musculoskeletal injuries.	
			- Develop emergency response plans specific to the task, including procedures for dealing with respiratory distress or injury due to machinery.	



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
4. Installing Temporary Structures	Falling from heights, crushing, Struck by moving object	ЗН	- Schedule regular breaks to allow workers to rest and reduce fatigue, which can contribute to accidents and health issues.	2M
5. Checking Fixed Structures	Falls, risk of being struck by falling objects	2M		1L

Date of Issue:



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
				1
6. Marking Out Work Area	Reduced visibility, Slips, trips and falls	2М		1L




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
	1			
7. Setting Up Safety Barriers	Struck by moving v anch poly	ЗH		1L



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
8. Commencing Work	Machinery vibration discomfort/injury, Exposure to harmful substances, Injuries from sharp objects	ЗН		1L
9. Working at Heights	Falls, Struck by falling object	4A		2М








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
11. Moving Materials	Manual handling injuries, Hit by moving object, Struck by heavy equipment	ЗН		1L
12. Pouring Concrete	Burns/irritation from materials, Slips trips and falls, caught in/between objects accident	4A		2M



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
13. Leveling Surface	Harsh weather condition, Repetitive movement injury, Manual handling injuries	31.		2М
14. Final Inspection	Slips, trips and falls, Injury from protruding objects	2М		1L













EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES ANY STATE AT ARE NOT APPLICABLE						
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health at Safety Act and 4 Occupational Health and prfetvingulations 2017 Legistron VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- gulations</u> of des of mactice VIC <u>extps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>					
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes rodes-oi raction Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati-codes-oi raction	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>					
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-serv-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/formed-resourcestorestorestorestorestorestorestorestor</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u> <u>codes-of-practice</u> Model Codes of Practice					
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_dces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes 					
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health end eafety consultation, construction and coordination 					
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Work health and safety consultation, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work 					



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS	
The company details have been entered, including the project name and address.			
All relevant personnel consulted during the development of the SWMS.			
Name, signature, position and date signed of the person approving the SWMS.			
Specific personnel and qualifications, experience is noted in the SWMS.			
Provides a step-by-step process of tasks required to carry out the activity or task.			
Adequate risk assessment of any identified hazards has been completed.	\boxtimes		
Foreseeable hazards are identified and documented for each step.	\boxtimes		
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes		
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes		
Check control measures added to the SWMS are the most effective selection	\boxtimes		
Responsible person is assigned and listed on the part the importation ontrol measures.	\boxtimes		
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes		
SWMS identifies plant and equipment to be use	\boxtimes		
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes		
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes		
Applicable personal protective equipment is selected on the SWMS.	\boxtimes		
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes		
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes		
REVIEWED BY	DATE REVIEWED		
SIGNATURE	DATE COMPLETED		