



| Swage and Jenny | SAFE WORK METHOD ST | ATEMENT (SWMS) | |
|--|--|--|-------------------------------------|
| TA | SK OR ACTIVITY: Swage and Je | nny | |
| Business Name: | | ABN: | SWMS# |
| Business Address: | | | |
| Contact Person: | Phone: | E fil: | |
| | | | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROVED BY | THE PCL OF THE ROJECT | |
| Under the Work Health and Safety Regulation (WHS Regulation), a person conduct the proposed work starts. | cting a business or under o (PC 1) is | required to en that a safe work method s | statement (SWMS) is prepared before |
| Full Name: | | | |
| Signature: | | Title: | Date: |
| Details of the person(s) responsible for ensuring implementation, monitoring | apliance the VMS a well as review | es and modifications of the SWMS. | |
| Full Name: | | Title: | Phone: |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS S /MS M HAVE THE FOLLOWING COMMUNICATED | NA, 2 OF ALL RELEVANT PERSONNI EVELOPMENT AND APPROVAL OF | EL WHO HAVE BEEN CONSULTED AND CO | OMMUNICATED TO IN THE |
| Safety meetings or toolbox talks will be sched and in accomposition with a gislative requirements to first identify any site hazards, hazards and then to further take steps to either eliminate or continuous each hazard. | | | |
| If an incident or a near miss occurs, all work must sto, an attely. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | |





| CLIENT OR PRINCIPAL | CONTRACTOR DETAILS |
|--|---|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date SWMS supplied to Project Manager: | |
| ANY HIGH BIOK CONSTRUCTOR | NAME OF THE POLIT |
| ANY HIGH-RISK CONSTRUCTOR | N WC & BEIN C ARIED OUT |
| ☐ involves a risk of a person falling more than 2 meters | is carried out on or near pressurised gas mains or piping |
| ☐ is carried out on a telecommunication tower | carried out on or near chemical, fuel or refrigerant lines |
| ☐ involves demolition of an element of a structure that is load-bearing | \square is carried out on or near energised electrical installations or services |
| ☐ involves demolition of an element related to the physical integral of a functure | ☐ is carried out in an area that may have a contaminated or flammable atmosphere |
| ☐ involves, or is likely to involve, disturbing asb | ☐ involves tilt-up or precast concrete |
| ☐ involves structural alteration or repair that —quires term — v sup —rt to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| ☐ is carried out in or near a confined space | ☐ is carried out in an area of a workplace where there is any movement of powered mobile plant |
| ☐ is carried out in/near a shaft or trench deeper that. tunnel involving use of explosives | ☐ is carried out in areas with artificial extremes of temperature. |
| \square is carried out in or near water or other liquid that involves a risk of drowning. | ☐ involves diving work. |
| ANY HIGH-RISK MACHINER | Y OR EQUIPMENT NEARBY |
| | |
| | |
| | |



| RISK MATRIX | | | | | | | | | | |
|-------------------|--|--------------------|-----------------|------------------|--------------------|----------------|---|--------------------------------|--------------------------------------|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | SCORE | ACTION | HEI | RARCHY OF CONTROLS | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | SCORE ACTION | | Elimination Remove the hazard. | | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCE | | Substitution | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review before work starts. | | Replace the hazard. | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | Isolate | e People from the hazard | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | nitor and | | Engineering Isolate the hazard. | |
| is the second m | rchy of Controls: ost effective metho nging the work is th | d of controlling a | hazard. Enginee | ering by isolati | on is the in ost e | en 'ive, while | rd. Substitution Administrative effective | | Administrative Change the work. PPE | |

| | | | | PERS | | TIVE EQUIPM | | | | | |
|--------------------|--------------------|--------------------|------------------|-------------|--------------|---------------------------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | Select the app | ropriate PPŁ | abo v uitab | cor the equi | pment used or | the job task | being perforr | ned (if applica | ıble). | |
| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | HEARING ETION | P ECTION | PROTECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Other PPE R | equired: | | | | | | | | | | |
| | Pe | ermit or Licen | ses Requirem | ents | | Mandatory Qualifications and Training | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------|--------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Ensure proper and adequate lighting is instruced in the work area, with a sufficient number of lights to illuminate all sections where the Swage & Try process and be carried out. | |
| | | | - Inspect the work area regularly for any potent accles or debris that may cause slips and trips, and promptly have them removed to maintain a clear and safe work acc. | |
| | | | - Provide workers with slip-reseant footwear, specially sugged for wet or slippery conditions, to minimise the risk of fall or triping during the preparation stage. | |
| | | | - Implement a seventative ainter ce plan for eaning and repairing floors, including promptly addressing a spills and repairing and repairing as needed. | |
| | | | - Clear mark a charge in elevation, uch as steps or slopes, using high-visibility paint or signage to alert a res of the central hazard. | |
| 1. Preparation | Poor lighting, Slips and trips | 2M | - Enco agaidy wor habits among workers, installing designated storage areas for tools and equipment to reduce the hance solutter buildup within the work area. | 1L |
| | | | Ensure nat we ways and access paths are always kept clear of cables, wires, or other materials that control tially case a trip hazard. | |
| | | \ | Train a suff on proper lifting techniques and manual handling procedures to prevent injuries related to ving tools, equipment, and materials during the Swage & Jenny preparation stage. | |
| | | | - Wrify that all Swage & Jenny equipment is securely stored when not in use, with appropriate lockouts and safety guards in place as necessary. | |
| | | | - Develop procedures for reporting, assessing, and addressing any hazards identified by workers during the preparation stage immediately, promoting open communication and fostering an environment of continuous improvement. | |
| | | | - Regularly review current safety practices, industry-specific standards, and relevant legislation to ensure that the control measures implemented during the Swage & Jenny preparation stage are up-to-date and effective in consistently minimising risks associated with poor lighting and slips and trips. | |
| | | | - Regularly inspect equipment: Before each use, visually inspect the Swage & Jenny machines for any visible signs of wear, damage, or malfunction that could pose a risk during operation. | |
| 2. Equipment Inspection | Faulty equipment, Electrical hazards | 2M | - Implement a routine maintenance schedule: Develop and follow a systematic plan to regularly service and maintain the equipment, with comprehensive records ensuring all components are functioning optimally. | 1L |
| | | | - Ensure proper electrical grounding: Confirm appropriate grounding connections for all electrical equipment before starting the task to minimise potential electrical hazards. | |
| | | | - Test and tag electrical equipment: Conduct regular testing and tagging of the Swage & Jenny machines by a licensed professional, in accordance with relevant Australian Standards and legislation. | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Follow manufacturer guidelines: Always refer to the manufacturer's guidelines, user manuals, and specifications when determining appropriate uses and limitations of the equipment. | |
| | | | - Trained operators only: Ensure that only workers to have received proper training and certified competence operate the Swage & Jenny machines to reduce the risk of accidents related to inexperienced handling. | |
| | | | - Use personal protective equipment (PPE): Tuire workers involved in machine operation to wear appropriate PPE such as safety gloves, safety with faulty equipment. | |
| | | | - Implement lockout/tagout produces: Develop standard per locking procedures for locking out and securing electrical expent due a maintenance and pair to prevent unauthorised access and accidental activation. | |
| | | | - Install emery ncy stop by ons: Equather conines with accessible emergency stop buttons that allow the operators a wickly of a down the conines in case an incident occurs or potential hazards are ident | |
| | | | - Main, in par woung areas: Keep the workplace free from unnecessary clutter and items that may interfer with be open on and inspection process, reducing the likelihood of accidental contact with faulty exciping | |
| | | | port of ado as faults immediately: Encourage an open reporting culture where workers swiftly report of adjustment irregularities or suspected faults to supervisors for prompt rectification. | |
| | | | nvestige incidents and near misses: Carry out thorough investigations in case of accidents or near in ses involving the equipment to identify root causes and improve existing control measures to prevent future occurrences. | |
| | | | - Provide appropriate training and induction to all personnel involved in the Swage & Jenny installation process, ensuring they are aware of the hazards and control measures in place. | |
| | | | - Conduct a thorough risk assessment for each installation site and work at height activity, identifying hazards and implementing preventive measures wherever possible. | |
| | | | - Establish a safe working platform with secure guardrails, toe boards, and handrails, or utilise an Elevated Work Platform (EWP) that has been inspected and certified by a competent person. | |
| Installation Setup | Falls from height, Manual handling | 3H | - Develop and implement a stringent procedure for the inspection, use, and maintenance of Personal Protective Equipment (PPE), including safety harnesses, as well as fall arrest and fall restraint systems. | 2M |
| ۳ | injuries | | - Implement a pre-planning stage for manual handling tasks, utilising lifting aids such as trolleys, hoists, or forklifts where necessary to minimise the risk of injury. | |
| | | | - Provide information, instruction, and training on proper manual handling techniques to all workers involved in the installation setup process. | |
| | | | - Enforce a 'two-person lift' policy for handling bulky or heavy loads, clearly communicating the weight limits for single-person lifting. | |
| | | | - Ensure adequate supervision is present throughout the installation setup process, with a designated 'spotter' equipped with a whistle or walkie-talkie to alert workers in case of potential hazards. | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | - Minimise exposure to falls from height during installation setup by staging materials and equipment as close as possible to their final installation points. | |
| | | | - Establish clear exclusion zones around work are theight, preventing unauthorised access and reducing the risk of distractions or collisions. | |
| | | | - Schedule regular breaks for workers, part, darly those forming tasks requiring strenuous physical effort or continuous periods of standing and long. | |
| | | | - Maintain clear and open communication change between all am members during the installation setup, promoting a culture of fety awareness an eporting by issues to management promptly. | |
| | | | - Create and enforce a stringent pusekeeping proto resulting that pathways and work areas are kept free of obstruction and in hazards. | |
| | | | - Continuous eview and date the SWMS coughout the installation process, incorporating any changes in when methods despecific the centified hazards to ensure ongoing safety management. | |
| 4. Swaging Process | Entanglement in machinery, Noise exposure | ЗН | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | : |
| 5. Jenny Operation | Shearing or cutting affuries, Repetitive strain injury | 3H | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 6. Material Handling | Manual handling injuries, Moving traffic | 21 | | 1L |
| 7. Welding Works | Heat exposure, Eye and face injuries | 4A | | 3H |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------------|-----------------------------------|-----------------|--|------------------|
| JOB STEP SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | IR INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RR RESIDUAL RISK |
| 8. Cutting Operations | Flying debris, Severe lacerations | 3H | | 2M |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|---------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 9. Grinding Works | Dust inhalation, Noise exposure | 3Н | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|-------------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 10. Finishing Work | Chemical exposure, Poor ventilation | 2M | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| 11. Cleanup & Waste Disposal | Sharp objects, Exposure to hazardous materials | 3Н | | 1L |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|-------------------------|----------------------------------|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| | | | | |
| | | | | |
| | | | | I |
| | | | | I |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 12. Site Demobilization | Traffic collisions, Droppe loads | 2M | | 1L |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR | | |
|---------------------|------------------------|-----------------|--|------------------|--|--|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | | |
| | | | | | | |
| | | | | | | |
| | | | | • | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



EMERGENCY RESPONSE - CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REFERENCES

RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISLATIVE REFERENCES. ANY STATE OF AT ARE NOT APPLICABLE.

Queensland & Australian Capital Territory

Work Health and Safety Act 2011

Work Health and Safety Regulations 2011

Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice

Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/acts-and-regulations
Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice

New South Wales

Work Health and Safety Act 2011

Work Health and Safety Regulations 2017

Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislati

Codes of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of ractions of Practice NSW: https://www.safework.nsw.gov.au/resource-library/lis codes-of-ractions-of-racti

Northern Territory

Work Health and Safety (National Uniform Legislation) Act 2011

Work Health and Safety (National Uniform Legislation) Regulation 2011

Legislation NT: https://worksafe.nt.gov.au/laws-and-compliance/wo_place-

Codes of Practice NT: https://worksafe.nt.gov.au/f

South Australia

Work Health and Safety Act 2012 (SA)

Work Health and Safety Regulations 2012 (SA)

Legislation for SA: https://www.safework.sa.gov.au/resources/le_lation

Codes of Practice for SA: https://www.safework.sa.gov.au/wor aces/codes-of-practice#COPs

Tasmania

Work Health and Safety Act 2012

Work Health and Safety (Transitional and Consequential Provisions) Act 2012

Work Health and Safety Regulations 2012

Work Health and Safety (Transitional) Regulations 2012

Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations

Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice

Details of permits, licenses or access required by regulatory bodies (add or delete as required):

- Permits from local council
- Authorisation to commence work
- Any required documents.

Victoria

Occupational Health at Safety Act 34

Occupational Health and affety gulations 2017

Legis on VIC: https://www.wsafe.vic.gov.au/occupational-health-and-safety-act-and-

gulat

des on actice VI autros://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice

Western Australia

Work Health and Safety Act 2020

Work Health and Safety Regulations 2022

Legislation Western Australia: https://www.commerce.wa.gov.au/worksafe/legislation

Codes of Practice WA: https://www.commerce.wa.gov.au/worksafe/codes-practice

Safe Work Australia Links

Law and Regulation (All States): https://www.safeworkaustralia.gov.au/law-and-regulation Model Codes of Practice: https://www.safeworkaustralia.gov.au/resources-publications/model-codes-of-practice

Model Codes of Practice

- Managing noise and preventing hearing loss at work
- Confined spaces
- Labelling of workplace hazardous chemicals
- Managing risks of hazardous chemicals in the workplace
- Welding processes
- First aid in the workplace
- Managing the risk of falls at workplaces
- Hazardous manual tasks
- Managing the risk of falls in housing construction
- Managing electrical risks in the workplace
- Demolition work
- Excavation work
- Work health and safety consultation, cooperation and coordination
- Managing the work environment and facilities
- How to manage work health and safety risks
- Managing risks of plant in the workplace
- Construction work





SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and qualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
| | | |
| | | |
| | | |
| | | |
| | | |

SAFE WORK IN THE STATEMENT MONITORING AND REVIEW

The SWMS must be reviewed regularly to make sure it remains a fective of must be reviewed (and revised if necessary) if relevant control measures are revised. The view process should be carried out in consultation with workers (including contractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU mast ensure that advised that a revision has been made and how they can access the revised SWMS, including all persons who will need to change a work procedure or system as a rest of the review are advised of the changes in a way that will enable them to implement their duties and the involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies, followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |





SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | COMMENTS |
|---|---------------|----------|
| | | • |
| The company details have been entered, including the project name and address. | | |
| All relevant personnel consulted during the development of the SWMS. | | |
| Name, signature, position and date signed of the person approving the SWMS. | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | 7 | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | |
| Adequate risk assessment of any identified hazards has been completed. | | |
| Foreseeable hazards are identified and documented for each step. | | |
| Any hazards listed in any site risk assessments have been added to the SWMS | | |
| SWMS initial risk (IR) column as well as residual risk (RR) column pleted. | | |
| Check control measures added to the SWMS are the most effective selective. | | |
| Responsible person is assigned and listed on the part the important of measures. | | |
| Permit or licenses requirements specified, sur as Hot Work, Electric Work, Work at Heights etc. | | |
| SWMS identifies plant and equipment to be us | | |
| Details of inspection checks required for any equipment listed a noted on the SWMS. | | |
| Describes any mandatory qualifications, experience, or skills required to perform the work. | | |
| Applicable personal protective equipment is selected on the SWMS. | | |
| Reflects and documents any legislative references and/or Australian Standards. | | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | | |
| | | |
| REVIEWED BY | DATE REVIEWE | D |
| SIGNATURE | DATE COMPLETE | ED ED |