Telehandler SA	AFE WORK METHOD STAT	EMENT (SWMS)	
	TASK OR ACTIVITY: Telehandle	r	
Business Name:		ABN:	SWMS#
Business Address:			
Contact Person:	Phone:	E ail:	
THIS SAFE WORK METHOD Under the Work Health and Safety Regulation (WHS Regulation), a person conduct		required to en that a safe work method s	tatement (SWMS) is prepared before
the proposed work starts.			
Full Name:			
Signature:		Title:	Date:
Details of the person(s) responsible for ensuring implementation, monitoring	opliance the VMS a well as review	s and modifications of the SWMS.	
Full Name:		Title:	Phone:
ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAN HAVE THE FOLLOWING COMMUNICATED	NALE OF ALL RELEVANT PERSONNE EVELOPMENT AND APPROVAL OF	EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS	DMMUNICATED TO IN THE
Safety meetings or toolbox talks will be sched ed in according with gislative requirements to first identify any site hazards, source to compare those hazards and then to further take steps to either eliminate or contineach hazard.			
If an incident or a near miss occurs, all work must stop an alately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity.			
Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel.			
The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident.			



CLIENT OR PRINCIPAL	CONTRACTOR DETAILS
Client:	SCOPE OF WORKS
Project Name:	
Project Address:	
Project Manager:	
Contact Phone:	
Date SWMS supplied to Project Manager:	
ANY HIGH-RISK CONSTRUC	
☐ involves a risk of a person falling more than 2 meters	I is carried out on or near pressurised gas mains or piping
□ is carried out on a telecommunication tower	carried out on or near chemical, fuel or refrigerant lines
☐ involves demolition of an element of a structure that is load-bearing	□ is carried out on or near energised electrical installations or services
□ involves demolition of an element related to the physical integ. Y of a sucture	\square is carried out in an area that may have a contaminated or flammable atmosphere
□ involves, or is likely to involve, disturbing asb	☐ involves tilt-up or precast concrete
involves structural alteration or repair that quires terminary supart to prevent collapse	☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor
□ is carried out in or near a confined space	\Box is carried out in an area of a workplace where there is any movement of powered mobile plant
is carried out in/near a shaft or trench deeper that tunnel involving use of explosives	☐ is carried out in areas with artificial extremes of temperature.
☐ is carried out in or near water or other liquid that involves a risk of drowning.	☐ involves diving work.
ANY HIGH-RISK MACHINER	RY OR EQUIPMENT NEARBY



					RISK	MATRIX			
LIKELIHOOD	INSIGNIFICANT	MINOR	MODERATE	MAJOR	CATASTROPHIC	SCORE		HEIRARCHY OF CONTROLS	
ALMOST CERTAIN	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4 ACUTE	SCORE	ACTION	Elimination Remove the hazard.	
LIKELY	2 MODERATE	3 HIGH	3 HIGH	4 ACUTE	4 ACUTE	4A ACUTE	DO NOT PROCE	Substitution	
POSSIBLE	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	4 ACUTE	3H HIGH	Review befor work starts.	Replace the hazard.	
UNLIKELY	1 LOW	1 LOW	2 MODERATE	3 HIGH	4 ACUTE	2M MODERATE	Ensure control measures in place.	Isolate People from the hazard	
RARE	1 LOW	1 LOW	2 MODERATE	3 HIGH	3 HIGH	1L LOW	nitor and k⊾ records	Engineering Isolate the hazard.	
LOW LOW MODERATE HIGH HIGH LOW ka records Iotes on Hierarchy of Controls: Elimination methods are the most effective and preferrement on on all of a hazard. Substitution is the second most effective method of controlling a hazard. Engineering by isolation is the viru post enditive, while Administrative controls by changing the work is the fourth most effective method. PPE (Personal Protective Equation) is the least effective Administrative Change the work. PPE PPE									

						TIVE EQUIPM					
		Select the ap	propriate PPL	abo, ruitab	i or the equi	oment used or	the job task	being perform	ned (if applica	able).	
FOOT PROTECTION	HAND PROTECTION	HEAD PROTECTION		P ECTION	R⊾ ⇒PIRATORY PROTECTION	FACE PROTECTION	HIGH-VIS CLOTHING	PROTECTIVE CLOTHING	FALL PROTECTION	SUN PROTECTION	HAIR/JEWELLERY SECURED
Other PPE Required:											
	Permit or Licenses Requirements					Mandatory Qualifications and Training					



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	
			- Provide adequate training: Ensure all teleformater operators have undergone proper training, including safe equipment handling and operating tech mues to microlise the risk of incorrect usage.		
			- Operator certification: Require operators to here and telehandler license or certificate in compliance with local regulatory requirements and ensure it up-to-date.		
			- Equipment pre-start checks: nduct thorough protection tart secks on the telehandler to ensure it is in optimal working condition and its tify any potential horous.		
			- Proper PPE recusion: Manual sure at workers to equipped with suitable personal protective equipment such as study work boots, and hats eigh-vir unity vests, safety glasses, and gloves.		
	Incorrect equipment usage, inadequate		- Clear porksite access a untain clean, cess routes for the telehandler and clear of obstructions, ensulty is stable on navigating through the workspace.		
1. Preparation	personal protective equipment (PPE)	2M	- Equipment relective and load capacity assessment: Choose the appropriate telehandler model specific to the t_k a_ and, co_ idering factors like load capacity, reach, and height limits.	1L	
	1		Worksin haza massessment: Carry out a detailed hazard analysis of the worksite before work compared ment, contributing risks associated with equipment, personnel, and environment.		
			Load the ling and attachment guidelines: Provide specific guidance on proper methods of load adding, attachment and detachment, weight distribution, and limitations.		
			- Exergency procedures and protocols: Establish clear emergency response plans, guidelines, and communication channels to quickly attend to any incident or accident involving the telehandler.		
	6		- Regular monitoring and supervision: Assign designated supervisors to oversee operations and ensure that proper safety measures are followed throughout the duration of the project, correcting any unsafe behaviour or work practices immediately.		
			- Conduct a thorough site inspection prior to starting work with the telehandler, identifying any areas with poor visibility or uneven/slipping surfaces, and mark them accordingly.		
			 Ensure all operators are trained and competent in navigating and operating the telehandler in challenging work environments, including those with poor visibility and uneven/slipping surfaces. 		
2. Examining	Poor visibility, uneven/slipping surfaces	ЗH	- Utilise spotters or ground guides where necessary, equipped with high-visibility clothing and two-way radios, to assist the telehandler operator with navigation and communication of potential hazards.	2M	
Workplace			- Install and maintain adequate lighting and demarcation around the worksite, with particular focus on areas with poor visibility or uneven terrain.		
			- Regularly inspect and maintain the telehandler's tires, suspension, and stability systems to ensure optimal performance when encountering uneven or slippery surfaces.		
			- Make use of available technology such as cameras, mirrors, and proximity sensors to improve visibility for the telehandler operator, especially in areas with limited sightlines.		




JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR	
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK	
			- Implement strict speed limits and operational guidelines tailored to the specific conditions and hazards of the worksite, including required stopping distances and turning radii in areas with poor visibility or slippery surfaces.		
			- Designate and enforce clear pedestrian exclusion zones around the telehandler's operating area to minimise the risk of collisions or accidents and by poor visibility or unstable surfaces.		
			- Schedule regular toolbox talks and training a ssion of all workers on the proper procedures and precautions to take in areas with poor visibility and even/slipping surfaces, emphasising the importance of situational awareness and communication.		
			- Conduct ongoing monitoring of reporting of work the contactions and implement corrective or preventive actions as needed, control of haze its remain properly inclumented, communicated, and controlled throughout the project.		
			- Keep an up - date site do ving or the unghlights areas with identified hazards, such as poor visibility or une on terrain and makes to adily accessible to all workers on-site.		
			- Estance an encoded response and evacuation plan tailored to the unique risks and challenges of working we a telever dier in areas with poor visibility and uneven/slipping surfaces, ensuring all workers are fanciar with the prepared to act quickly in case of an incident.		
			vision sign of wear and tear, damaged components or fluid leaks.		
			theck type inflation and condition, ensuring they are at the appropriate pressure levels and have no v alle damage or signs of wear.		
			- Inspect the hydraulic systems, hoses, and fittings for any leaks, cracks, or other potential issues that could lead to fluid loss or system failure.		
			- Test the functionality of all safety features, such as the horn, lights, emergency stop button, and safety interlocks, to ensure their proper functioning prior to operation.		
			- Carefully examine the telehandler's forks, ensuring they are free of cracks, bends, and excessive wear that may affect their load-carrying capacity or pose a risk during operation.		
3. Telehandler Pre-Start Checks	Faulty components, fluid leave	2M	- Review the operator's manual to confirm the specifications, capacity ratings, and safety procedures related to the specific telehandler model being used.	1L	
			- Regularly service and maintain the telehandler according to the manufacturer's recommendations, keeping detailed records of inspections and maintenance work performed.		
			- Train all suitable operators on how to correctly perform and document pre-start checks, emphasising the importance of identifying and promptly reporting hazards.	e	
			- Create a checklist for daily pre-start inspections, outlining all of the critical components that must be examined before operating the telehandler.		
			- Establish a process for regularly updating the pre-start checklist based on equipment changes, industry best practices, or new hazard identification.		
			- Equip all telehandlers with appropriate fire extinguishers, spill kits, and first aid kits, ensuring that they are readily available in case of emergencies.		



JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
			 Encourage open communication among workers, supervisors, and management to create a positive safety culture where hazards are proactively addressed and resolved. 	
			- If a fault is identified during the pre-start check, of any mark, tag and isolate the affected components, preventing further use until they are properly required or replaced.	
			- Regularly review and update safe work in a pod statement. (SWMS) for telehandler operation, incorporating pre-start checks as a critical component une overall safety strategy.	
4. Load Assessment	Exceeding load limit unstable load positioning	ЗН		2M








JOB STEP	POTENTIAL HAZARDS	IR	CONTROL MEASURES	RR
SPECIFIC WORK STEPS	HAZARDS THAT MAY ARISE	INITIAL RISK	SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS	RESIDUAL RISK
6. Load Transportation	Collision with objects/people, loss of control			1L
7. Setting down Load	Crushing hazards, incorrect placement	3H		2M

Version 2.5






Version 2.5

Date of Issue:




















Version 2.5

Date of Issue:







EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

LEGISLATIVE REF	ERENCES
RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL	ATIVE REFERENCES DANY STATE DAT ARE NOT APPLICABLE
Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws Codes of Practice QLD: https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice Legislation ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice Codes of Practice ACT: https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice	Victoria Occupational Health au Safety Act 204 Occupational Health and pafety or gulations 2017 Legis non VIC: <u>https://www.worksafe.vic.gov.au/occupational-health-and-safety-act-and- rulat</u> is unles of mactice VIC <u>autps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u>
New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislatic	Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u>
Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulation 2011 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-secure-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/weiplace-secure-laws</u>	Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model- codes-of-practice</u> Model Codes of Practice
South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_dces/codes-of-practice#COPs</u>	 Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes
Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice	 First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination
Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents.	 Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

Worker Name	Signature	Date

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors Vb of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

REVIEW NUMBER	1	2	3	4	5	6	7
NAME							
INITIALS							
DATE							



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

ITEMS WHICH MUST BE INCLUDED IN THE SWMS	COMPLETED	COMMENTS
The company details have been entered, including the project name and address.		
All relevant personnel consulted during the development of the SWMS.		
Name, signature, position and date signed of the person approving the SWMS.		
Specific personnel and qualifications, experience is noted in the SWMS.		
Provides a step-by-step process of tasks required to carry out the activity or task.		
Adequate risk assessment of any identified hazards has been completed.	\boxtimes	
Foreseeable hazards are identified and documented for each step.	\boxtimes	
Any hazards listed in any site risk assessments have been added to the SWMs	\boxtimes	
SWMS initial risk (IR) column as well as residual risk (RR) column mpleted.	\boxtimes	
Check control measures added to the SWMS are the most effective selection	\boxtimes	
Responsible person is assigned and listed on the part the importation ontrol measures.	\boxtimes	
Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc.	\boxtimes	
SWMS identifies plant and equipment to be use	\boxtimes	
Details of inspection checks required for any equipment listed protection on the SWMS.	\boxtimes	
Describes any mandatory qualifications, experience, and g or skills required to perform the work.	\boxtimes	
Applicable personal protective equipment is selected on the SWMS.	\boxtimes	
Reflects and documents any legislative references and/or Australian Standards.	\boxtimes	
Identifies any hazardous substances used with specific control measures in line with any SDS.	\boxtimes	
REVIEWED BY	DATE RE	VIEWED
SIGNATURE	DATE CO	MPLETED