| Thicknesser S | AFE WORK METHOD STAT | FEMENT (SWMS) | | | | | | | |
|--|-------------------------------------|--|-----------------------|--|--|--|--|--|--|
| | TASK OR ACTIVITY: Thicknesse | r | | | | | | | |
| Business Name: | | ABN: | SWMS# | | | | | | |
| Business Address: | | | | | | | | | |
| Contact Person: | Phone: | E gil: | | | | | | | |
| THIS SAFE WORK METHOD | STATEMENT IS APPROVED BY | | | | | | | | |
| THIS SAFE WORK METHOD STATEMENT IS APPRO' 'D BY THE PC. 'OF TP' ROJECT Under the Work Health and Safety Regulation (WHS Regulation), a person conducting a business or under transformed (PC V) is required to ensure that a safe work method statement (SWMS) is prepared before the proposed work starts. | | | | | | | | | |
| Full Name: | | | | | | | | | |
| Signature: | | Title: | Date: | | | | | | |
| Details of the person(s) responsible for ensuring implementation, monitoring | poliance i the VMS a well as review | vs and modifications of the SWMS. | | | | | | | |
| Full Name: | | Title: | Phone: | | | | | | |
| ALL PERSONNEL PARTICIPATING IN ANY ACTIVITY ON THIS MAS MANAGEMENT AND THE FOLLOWING COMMUNICATED | NA COF ALL RELEVANT PERSONN | EL WHO HAVE BEEN CONSULTED AND CO THIS SWMS | OMMUNICATED TO IN THE | | | | | | |
| Safety meetings or toolbox talks will be sched red in according with gislative requirements to first identify any site hazards, such a comparing those hazards and then to further take steps to either eliminate or contract each hazard. | | | | | | | | | |
| If an incident or a near miss occurs, all work must store cately. Depending on the severity of the incident, a meeting will be called with all workers to amend the SWMS if required. The meeting may also be an educational opportunity. | | | | | | | | | |
| Any changes made to the SWMS after an incident or a near miss must be approved by the Person Conducting Business or Undertaking and communicated to all relevant personnel. | | | | | | | | | |
| The SWMS must be kept and be available for inspection at least until the work is completed. Where a SWMS is revised, all versions should be kept. If a notifiable incident occurs in relation to which the SWMS relates, then the SWMS must be kept for at least two years from the occurrence of the notifiable incident. | | | | | | | | | |



| CLIENT OR PRINCIPAL | CONTRACTOR DETAILS |
|---|---|
| Client: | SCOPE OF WORKS |
| Project Name: | |
| Project Address: | |
| Project Manager: | |
| Contact Phone: | |
| Date SWMS supplied to Project Manager: | |
| ANY HIGH-RISK CONSTRUC | |
| ☐ involves a risk of a person falling more than 2 meters | I is carried out on or near pressurised gas mains or piping |
| □ is carried out on a telecommunication tower | carried out on or near chemical, fuel or refrigerant lines |
| ☐ involves demolition of an element of a structure that is load-bearing | □ is carried out on or near energised electrical installations or services |
| □ involves demolition of an element related to the physical integ. Y of a sucture | \square is carried out in an area that may have a contaminated or flammable atmosphere |
| □ involves, or is likely to involve, disturbing asb | ☐ involves tilt-up or precast concrete |
| involves structural alteration or repair that quires terminary supart to prevent collapse | ☐ is carried out on, in or adjacent to a road, railway, shipping lane or other traffic corridor |
| □ is carried out in or near a confined space | \Box is carried out in an area of a workplace where there is any movement of powered mobile plant |
| is carried out in/near a shaft or trench deeper that tunnel involving use of explosives | ☐ is carried out in areas with artificial extremes of temperature. |
| ☐ is carried out in or near water or other liquid that involves a risk of drowning. | ☐ involves diving work. |
| ANY HIGH-RISK MACHINER | RY OR EQUIPMENT NEARBY |
| | |
| | |
| | |



| | RISK MATRIX | | | | | | | | | | | | |
|-------------------|---------------|---------------|---------------|------------|--------------|----------------|---|-------|------------------------------------|--------|--|-----------------------------------|--|
| LIKELIHOOD | INSIGNIFICANT | MINOR | MODERATE | MAJOR | CATASTROPHIC | 000DF | | | HEIRARCHY OF CONTROLS | | | | |
| ALMOST CERTAIN | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4 ACUTE | SCORE | SCORE | SCORE | SCORE | ACTION | | Elimination Remove the hazard. | |
| LIKELY | 2 MODERATE | 3 HIGH | 3 HIGH | 4 ACUTE | 4 ACUTE | 4A ACUTE | DO NOT PROCE | | Substitution | | | | |
| POSSIBLE | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 4 ACUTE | 3H HIGH | Review befor work starts. | | Replace the hazard. | | | | |
| UNLIKELY | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 4 ACUTE | 2M MODERATE | Ensure control measures in place. | | Isolate People from the hazard | | | | |
| RARE | 1 LOW | 1 LOW | 2 MODERATE | 3 HIGH | 3 HIGH | 1L LOW | nitor and k⊾ records | | Engineering Isolate the hazard. | | | | |
| | | | | | | | | | | | | | |

| | | | | | | TIVE EQUIPM | | | | | |
|---------------------------------|--------------------|--------------------|---------------------------------------|-------------|----------------------------|--------------------|----------------------|------------------------|--------------------|-------------------|---------------------------|
| | | Select the ap | propriate PPL | abo, ruitab | i or the equi | oment used or | the job task | being perform | ned (if applica | able). | |
| FOOT PROTECTION | HAND PROTECTION | HEAD PROTECTION | | P ECTION | R⊾ ⇒PIRATORY PROTECTION | FACE PROTECTION | HIGH-VIS CLOTHING | PROTECTIVE CLOTHING | FALL PROTECTION | SUN PROTECTION | HAIR/JEWELLERY SECURED |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Other PPE Required: | | | | | | | | | | | |
| Permit or Licenses Requirements | | | Mandatory Qualifications and Training | | | | | | | | |
| | | | | | | | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 1. Preparation | Flying debris, Manual handling injuries | 2М | Conduct a thorough risk assessment before reginning any work to identify potential hazards and determine the appropriate control measures. Provide workers with proper personal protect or proprient (PPE) such as safety goggles, gloves, and hearing protection to shield them from flying det. Ensure that the workplace is ucluttered and free postences, providing ample space for the workers to perform their tasks and the nuclei as safely. Regularly main and integet the hicknesses tachine to minimise the risk of malfunction, ensuring all guards and weity features is in working consiston. Utilitemechanial aided och as trolle, per lifting devices, for transporting heavy materials to reduce strain worevelve and all handling injuries. Train muscless on proper lifting techniques and ergonomic principles, including keeping the load close to their body, rending on the knees, and engaging their core muscles. Encourne workers to take regular breaks and stretch periodically to reduce muscle strain and fatigue caude b repetitive movements. Implement at wo-person lift protocol where necessary for handling awkward or heavier loads, reducing risk of mjury due to overexertion. Develop emergency procedures and first aid protocols to deal with possible incidents promptly and effectively, minimising the impact on worker health and safety. Establish clear communication channels within the team, promoting a culture of mutual support and reporting any concerns related to workplace hazards or unsafe practices. Continually review and update the Safe Work Method Statement (SWMS) as needed to ensure continual improvement of health and safety conditions in the workplace. | 1L |
| 2. Equipment Set-up | Electrical hazards, Equipment malfunction | 2M | Regular inspection and maintenance: Ensure regular inspection and maintenance of the thicknesser and its electrical components to minimise the risk of equipment malfunction and electrical hazards. Use of suitable power supply: Make sure that the thicknesser is connected to a power source with the correct voltage and amperage to avoid overloading and potential electrical hazards. Proper grounding: Ensure that the thicknesser and its electrical components are adequately grounded to prevent electrocution, electric shock, or equipment damage. Circuit breakers: Install appropriate circuit breakers on the power supply lines to protect against electrical faults, shorts, and overloads. Safety devices: Ensure proper installation and operation of safety devices, such as emergency stop buttons, guardrails, and secure flooring around the thicknesser. User training: Provide thorough training to all personnel who operate the thicknesser on the safe use and best practices, ensuring they understand the associated risks and control measures. | 1L |



| JOB STEP | POTENTIAL HAZARDS IR | | CONTROL MEASURES | RR | | | | | | | | | | | | | | | | | | | | |
|----------------------|-----------------------------|-----------------|--|------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK | | | | | | | | | | | | | | | | | | | | |
| | | | - Personal protective equipment (PPE): Mandate the use of appropriate PPE for employees working with the thicknesser, including safety goggles, ear protection, and non-slip footwear. | | | | | | | | | | | | | | | | | | | | | |
| | | | - Correct tool setup: Ensure that the thicknesser's trues, rollers, and other components are set up correctly according to the manufacturer's guident as to minimise the risk of malfunction and injury. | | | | | | | | | | | | | | | | | | | | | |
| | | | - Keep work area clear: Maintain a clean an elutter-free prkspace in and around the thicknesser, removing any debris, obstacles, or tripping hereds the could lead to accidents. | | | | | | | | | | | | | | | | | | | | | |
| | | | - Access restrictions: Limit access to the thickneet r zone to authorised personnel only, preventing unauthorised or untrained in the duals from accidently operations the equipment. | | | | | | | | | | | | | | | | | | | | | |
| | | | - Emergency response plan: Develop and implement or apprehensive emergency response plan in case of equipment malford dot elect onl hazard occurrence, including the provision of first aid kits, fire extinguishers and a design bed encodency correct person. | | | | | | | | | | | | | | | | | | | | | |
| | | | - Proce Person Protective Equipment (PPE): Ensure that all workers are equipped with necessary PPE, such a ves, strangoggles, and dust masks, to minimise exposure to dust and pinch points while handling have rials. | | | | | | | | | | | | | | | | | | | | | |
| | | 2М | - Regulated a ment in sections: Conduct regular inspections of the thicknesser, assessing its condition for wear and tell ensuing proper functionality and identifying any issues that could lead to hazards. | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | - M. vial, torage and organisation: Store materials in a designated area and organise them in a way that minim. The risk of injuries due to sudden movement, shifting or falling of materials, and reduces the ances or creating pinch points. | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | - Lot extraction system: Implement an effective dust extraction system to manage and reduce dust exposure during the material handling process, ensuring a safer work environment. | |
| | | | - Training for material handling: Provide workers with proper training in safe material handling techniques and procedures, enabling them to efficiently and safely transport and handle materials. | | | | | | | | | | | | | | | | | | | | | |
| 3. Material Handling | Pinch points, Dust exposure | | Clear signage and marking: Use clear signs and markings in the workspace, indicating areas that pose potential risks, such as hazardous or pinch point zones, and provide clear instructions on proper material handling procedures. | 1L | | | | | | | | | | | | | | | | | | | | |
| | | | - Supervision and monitoring: Regularly monitor the work area and supervise workers while carrying out material handling tasks to ensure compliance with safety measures and identify any arising concerns. | | | | | | | | | | | | | | | | | | | | | |
| | | | - Adequate lighting: Ensure sufficient lighting is provided in the workplace, giving workers better visibility and reducing the risk of mishandling materials due to poor visibility. | | | | | | | | | | | | | | | | | | | | | |
| | | | - Proper ergonomics: Encourage workers to follow ergonomic principles during material handling tasks, such as lifting technique and maintaining good body posture, to help prevent strains, sprains, and other musculoskeletal injuries. | | | | | | | | | | | | | | | | | | | | | |
| | | | - Housekeeping: Maintain a clean and organised work environment, removing trip hazards and preventing material build-up in pathways and around the thicknesser, which could cause unanticipated pinch points or dust exposure. | | | | | | | | | | | | | | | | | | | | | |
| | | | - Communication and reporting system: Establish an effective communication and reporting system in which workers can report hazards or safety incidents, promoting a continuous improvement process for workplace safety measures. | | | | | | | | | | | | | | | | | | | | | |



| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|----------------------|---|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 4. Machine Operation | Entanglement, Contact with moving parts | | | 2 |




| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 5. Maintenance | Exposure to hazardous substances, Slips and falls | | | |




| JOB STEP | POTENTIAL HAZARDS | IR | CONTROL MEASURES | RR |
|---------------------|--|-----------------|--|------------------|
| SPECIFIC WORK STEPS | HAZARDS THAT MAY ARISE | INITIAL RISK | SPECIFIC MEASURES TO BE PUT IN PLACE TO ELIMINATE OR CONTROL THE RISKS | RESIDUAL RISK |
| 6. Blade Change | Cuts or lacerations, Improper installation | 3H | | 2M |
| 7. Noise Control | Hearing damage, Communication interference | 2M | | 1L |

Version 2.5






























EMERGENCY RESPONSE – CALL 000 FOR EMERGENCIES

Ensure to have an Emergency Management Plan in place as well as adequate numbers of trained first aid staff with easy access to fully stocked first aid kits, rescue equipment, material safety data sheets, adequate access to emergency communication equipment and fire-fighting equipment suitable for all classes of fire and ignition sources.

| LEGISLATIVE REF | ERENCES |
|---|---|
| RELEVANT LEGISLATION AND CODES OF PRACTICE. DELETE THE LEGISL | ATIVE REFERENCES DANY STATE DAT ARE NOT APPLICABLE |
| Queensland & Australian Capital Territory Work Health and Safety Act 2011 Work Health and Safety Regulations 2011 Legislation QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/work-health-and-safety-laws</u> Codes of Practice QLD: <u>https://www.worksafe.qld.gov.au/laws-and-compliance/codes-of-practice</u> Legislation ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> Codes of Practice ACT: <u>https://www.worksafe.act.gov.au/laws-and-compliance/codes-of-practice</u> | Victoria Occupational Health at Safety Act 204 Occupational Health and Safety Act 204 Legis non VIC: <u>https://www.safe.vic.gov.au/occupational-health-and-safety-act-and- rulat</u> States of mactice VIC <u>attps://www.worksafe.vic.gov.au/compliance-codes-and-codes-practice</u> |
| New South Wales Work Health and Safety Act 2011 Work Health and Safety Regulations 2017 Legislation NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative Codes of Practice NSW: https://www.safework.nsw.gov.au/legal-obligations/legislative | Western Australia Work Health and Safety Act 2020 Work Health and Safety Regulations 2022 Legislation Western Australia: <u>https://www.commerce.wa.gov.au/worksafe/legislation</u> Codes of Practice WA: <u>https://www.commerce.wa.gov.au/worksafe/codes-practice</u> |
| Northern Territory Work Health and Safety (National Uniform Legislation) Act 2011 Work Health and Safety (National Uniform Legislation) Regulations 2015 Legislation NT: <u>https://worksafe.nt.gov.au/laws-and-compliance/wg_place-serv-laws</u> Codes of Practice NT: <u>https://worksafe.nt.gov.au/f</u> | Safe Work Australia Links Law and Regulation (All States): <u>https://www.safeworkaustralia.gov.au/law-and-regulation</u> Model Codes of Practice: <u>https://www.safeworkaustralia.gov.au/resources-publications/model-</u> <u>codes-of-practice</u> Model Codes of Practice |
| South Australia Work Health and Safety Act 2012 (SA) Work Health and Safety Regulations 2012 (SA) Legislation for SA: <u>https://www.safework.sa.gov.au/resources/legislation</u> Codes of Practice for SA: <u>https://www.safework.sa.gov.au/work_dces/codes-of-practice#COPs</u> | Managing noise and preventing hearing loss at work Confined spaces Labelling of workplace hazardous chemicals Managing risks of hazardous chemicals in the workplace Welding processes |
| Tasmania Work Health and Safety Act 2012 Work Health and Safety (Transitional and Consequential Provisions) Act 2012 Work Health and Safety Regulations 2012 Work Health and Safety (Transitional) Regulations 2012 Legislation for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/acts-and-regulations Codes of Practice for TAS: https://worksafe.tas.gov.au/topics/laws-and-compliance/codes-of-practice | First aid in the workplace Managing the risk of falls at workplaces Hazardous manual tasks Managing the risk of falls in housing construction Managing electrical risks in the workplace Demolition work Excavation work Work health and safety consultation, cooperation and coordination |
| Details of permits, licenses or access required by regulatory bodies (add or delete as required): - Permits from local council - Authorisation to commence work - Any required documents. | More relational safety constitution, cooperation and coordination Managing the work environment and facilities How to manage work health and safety risks Managing risks of plant in the workplace Construction work |



SIGNATORIES OF THE SAFE WORK METHOD STATEMENT

The signed and dated personnel listed below have cooperated in the consultation and development of this Safe Work Method Statement which has been approved by the Person/s Conducting a Business or Undertaking (PCBU). In signing this Safe Work Method Statement each individual acknowledges and confirms that they have read this SWMS in full, having raised any questions for items on this Safe Work Method Statement that require clarification, and confirms that they are competent, skilled and knowledgeable for the task assigned to them. Every person acknowledges that they have received the relevant training and gualifications where required, before carrying out any work contained in this Safe Work Method Statement. By signing this Safe Work Method Statement each individual agrees to work safely, to follow any safe work instructions which are provided, and agrees to use all Personal Protective Equipment where appropriate.

| Worker Name | Signature | Date |
|-------------|-----------|------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

SAFE WORK N THE ST ATEM ANT MONITORING AND REVIEW

d must reviewed (and

hav be sted by the operation

should be carried out in

The SWMS must be reviewed regularly to make sure it remains fective revised if necessary) if relevant control measures are revised. The viewn consultation with workers (including contractors htractors of the SWMS and their health and safety representatives who represented that work group at the workplace.

When the SWMS has been revised the PCBU must ensure that persons involved with the work are advised that a revision has been made and how they can acces he revised SWMS, including all persons who will need to change a work procedure or system as a region of the review are advised of the changes in a way that will enable them to implement their duties antly with the revised SWMS. All workers that will be involved in the work must be provided with the relevant information and instruction that will assist them to understand and implement the revised SWMS.

The SWMS must be monitored regularly for the effectiveness of ensuring hazard controls are effective in reducing the risk of incidents, keeping the workplace safe for all personnel. The person responsible for monitoring the effectiveness of the Safe Work Method Statement should employ a multi-faceted approach which includes but is not limited to:

- 1. Spot Checks.
- 2. Consultation with workers, contractors and sub-contractors.
- 3. Internal audits on a continual basis.

An approach of continuous improvement, promptly recording inconsistencies or deficiencies. followed up by immediate corrective action and consultation with all relevant personnel ensures that the PCBU is consistently developing ever-improving systems of safe work principles.

| REVIEW NUMBER | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|---------------|---|---|---|---|---|---|---|
| NAME | | | | | | | |
| INITIALS | | | | | | | |
| DATE | | | | | | | |



SAFE WORK METHOD STATEMENT REVIEW CHECKLIST

This Safe Work Method Statement Review Checklist is to be followed and used upon initial development of the SWMS to help ensure that all steps have been adequately taken before work commences. Think of this document as an internal audit review checklist before commencing work, and may form part of a Toolbox Talk (safety meeting) and may be used as an opportunity for education and training.

| ITEMS WHICH MUST BE INCLUDED IN THE SWMS | COMPLETED | COMMENTS |
|---|-------------|----------|
| | | |
| The company details have been entered, including the project name and address. | | |
| All relevant personnel consulted during the development of the SWMS. | | |
| Name, signature, position and date signed of the person approving the SWMS. | | |
| Specific personnel and qualifications, experience is noted in the SWMS. | | |
| Provides a step-by-step process of tasks required to carry out the activity or task. | | |
| Adequate risk assessment of any identified hazards has been completed. | \boxtimes | |
| Foreseeable hazards are identified and documented for each step. | \boxtimes | |
| Any hazards listed in any site risk assessments have been added to the SWMS | \boxtimes | |
| SWMS initial risk (IR) column as well as residual risk (RR) column mpleted. | \boxtimes | |
| Check control measures added to the SWMS are the most effective selections | \boxtimes | |
| Responsible person is assigned and listed on the part the importation control measures. | \boxtimes | |
| Permit or licenses requirements specified, su as Hot Work, Electric Work, Work at Heights etc. | \boxtimes | |
| SWMS identifies plant and equipment to be use | \boxtimes | |
| Details of inspection checks required for any equipment listed protection on the SWMS. | \boxtimes | |
| Describes any mandatory qualifications, experience, and g or skills required to perform the work. | \boxtimes | |
| Applicable personal protective equipment is selected on the SWMS. | \boxtimes | |
| Reflects and documents any legislative references and/or Australian Standards. | \boxtimes | |
| Identifies any hazardous substances used with specific control measures in line with any SDS. | \boxtimes | |
| | | |
| REVIEWED BY | DATE RE | VIEWED |
| SIGNATURE | DATE COM | IPLETED |